

Rat (CD): F (10)	From GD3 to PND20	0.250, 500, 750	Gavage (corn oil)	R	n-dibutyl phthalate	84-74-2	1998	Mychreest E, Cattley RC, Foster PM	Male reproductive tract malformations in rats following gestational and lactational exposure to Di(n-butyl) phthalate: an antiandrogenic mechanism	Toxicol. Sci. 43(1): 47-60
Rat(SD)	GD12-21	100, 250, 500	Gavage	D	n-dibutyl phthalate	84-74-2	1999	Mychreest E, Cattley RC, Foster PM	Disruption of androgen-regulated reproductive development by di(n-butyl) phthalate during late gestation in rats is different from flutamide	Toxicol. Appl. Pharmacol. 156: 81-95
Rat (Wistar):		0.5, 1.0, 2.0% in diet	Feeding ad libitum	D	n-dibutyl phthalate	84-74-2	1998	Ema M, Miyawaki E, Kawashima K	Further evaluation of developmental toxicity of di-n-butyl phthalate following administration during late pregnancy in rats	Toxicology Letters 98, ISS 1-2: 87-93
Wistar rats: M			oral	I	2,4-dichloro-phenoxyacetic acid		1999	Katoumova D, Katoumov F, Susal C	Toxicity of Dimethylammonium Salt of 2,4-Dichloro-Phenoxyacetic Acid in Rats after Oral Administration	DIOXIN 99
in vitro	24, 48 h	0.01 to 100 $\mu$ M	culture	V	dieldrin		1998	Sanchez-Ramos J, Facca A, Basit A., Song S.	Toxicity of Dieldrin for Dopaminergic Neurons in Mesencephalic Cultures	Experimental Neurology 150: 263-271
				R	diethyl phthalate	84-66-2	1987	Lamb J C IV, Chapin RE, Teague J, Lawton AD	Reproductive Effects of Four Phthalic Acid Esters in the Mouse	Toxicol. Appl. Pharmacol. 88: 255-269
				D	diethyl phthalate	84-66-2	1993	Field EA, Price CJ, Sleet RB, George JD, Nair MC, Myers CB, Schwetz BA, Morrissey RE	Developmental Toxicity Evaluation of Diethyl and Dimethyl Phthalate in Rats	Teratology 48: 33-44
Rat (Sprague-Dawley) M Mice (NMR1)	GD17	25 $\mu$ Ci/kg	injection into the tail veins	A	di(2-ethylhexyl) adipate (DEHA)	103-23-1	1987	Bergman K & Albanus L	Di-(2-ethylhexyl) adipate: absorption, autoradiographic distribution and elimination in mice and rats	Fd Chem Toxic 25(4): 309-316
			Review	D	di(2-ethylhexyl) adipate (DEHA)	103-23-1	1993	Olsan AF & Faustman EM	Male-mediated developmental toxicity	Reproductive Toxicology 7: 191-202
P and NP C57BL/6J mice	GD15	12.5ml/kg body weight	intraperitoneal injection	R	di(2-ethylhexyl) adipate (DEHA)	103-23-1	1987	Lambert GH, Lietz H, Hassinger N, Micheals J	The effect of diethylhexyl adipate (DEHA) on cytochrome P-450 (P-450) in nonpregnant (NP) and pregnant (P) mice	Dev. Pharm. 237-A 382
			Review		di-2-ethylhexyl phthalate	117-81-7	1996	Guillette LJ, Arnold SF, McLachlan JA	Estrogens and embryos- is there a scientific basis for concern?	Animal Reproduction Science 42: 13-24
Mice (ICR) 8-10 week of age		1, 2.5, 10 ml/kg	SC Administration	R	di-2-ethylhexyl phthalate (DEHP)	117-81-7	1985	Agarwal DK, Lawrence WH, Autian J	Antifertility and mutagenic effects in mice from parental administration of Di-2-ethylhexyl phthalate (DEHP)	J of Toxicology and Environmental Health 16: 71-84
				D	di-2-ethylhexyl phthalate (DEHP)	117-81-7	1987	Ritter EJ, Scott WJ Jr, Randall JL, Ritter JM	Teratogenicity of Di(2-ethylhexyl) Phthalate, 2-ethylhexanol, 2-ethylhexanoic Acid, and Valproic Acid, and Potentiation by Caffeine	Teratology 35: 41-46

Rat (Fischer 344), Mice (CD-1)	GD0-20, GD0-17	0.5, 1.0, 1.5, 2.0%, 0.025, 0.05, 0.10, 0.15%	in feed	D	di-2-ethylhexyl phthalate (DEHP)	117-81-7	1988	TYRW, Price CJ, Mann MC, Kimmel CA	Developmental toxicity evaluation of dietary di(2-ethylhexyl)phthalate in Fischer 344 rats and CD-1 mice	Fundamental and Applied Toxicology 10: 395-412
Rat (Wistar): M, F	GD6-15	0.01, 0.05, 0.3 mg/l	head/nose inhalation	D	di-2-ethylhexyl phthalate (DEHP)	117-81-7	1988	Mertle J., Klimisch H.-J., Jakh R.	Developmental toxicity in rats after inhalation exposure of di-2-ethylphthalate (DEHP)	Toxicology Letters 42: 215-223
Rat (Fischer 344)	GD6-19	1125, 1500	Gavage	D	di-2-ethylhexyl phthalate (DEHP)	117-81-7	1995	Narasky MG & Kavlock RJ	A multidisciplinary approach to toxicological screening: II. Developmental toxicity	J of Toxicology and Environmental Health 45:145-171
Mice (F4C57BL/6N x Sv/129) F	GD8,9,10	1000mg/kg	Gavage (corn oil)	D	di-2-ethylhexyl phthalate (DEHP)	117-81-7	1997	Peters JM, Taubeneck MW, Keen CL, Gonzalez FJ	Di(2-Ethylhexyl) Phthalate Induces a Functional Zinc Deficiency During Pregnancy and Teratogenesis That Is Independent of Peroxisome Proliferator-Activated Receptor- $\alpha$	Teratology 56: 311-316
Guinea Pig (Dunkin-Hartley origin):(30)	GD60,65	23.0 Ci/mol	infusion	M	diethylhexylphthalate	117-81-7	1985	Kihlstrom I	Administration of potentially antiandrogenic pesticides (procyimdone, linuron, iprodione, chlozolate, p,p'-DDE, and ketoconazole) and toxic substances (dibutyl- and diethylhexyl phthalate, PCB 169, and ethane dimethane sulphonate) during sexual differentiation produces diverse profiles	Toxicol Ind Health 15, ISS 1-2: 94-118
Mice(CD-1)F	GD10-13 GD11-13	20,40 10,20		D	dimocap, all-trans retinoic acid			Hassett-Sipple B.M., Rogers J.M., Francis B.M., Logsdon T.R., Chernoff N.	Differences in placental transfer of 2,2',4,4',5,5'-hexachlorobiphenyl and diethylhexylphthalate in the guinea pig	Ambio 14(1): 36-38
				R	diphenyltin dichloride		1999	Ema M, Miyawaki E, Kawashima K	The role of maternal variation in the assessment of developmental toxicity	Teratology Society
				D	di-n-butyltin diacetate n-butyltin trichloride		1992	Noda T, Yamano T, Shimizu M, Saitoh M, Nakamura T, Yamada A, Morita S	Adverse effects of diphenyltin dichloride on initiation and maintenance of pregnancy in rats	Toxicology Letters 108: 17-25
				D	di-n-butyltin dichloride		1991b	Ema M, Itami T, Kawasaki H	Comparative Teratogenicity of Di-n-butyltin Diacetate with n-Butyltin Trichloride in Rats	Arch. Environ. Contam. Toxicol. 23: 216-222
				D	di-n-butyltin dichloride		1992	Ema M, Itami T, Kawasaki H	Teratogenicity of di-n-butyltin dichloride in rats	Toxicology Letters 58: 347-356
				D	di-n-butyltin dichloride		1995	Ema M, Iwase T, Iwase Y, Ogawa Y	Susceptible period for the teratogenicity of di-n-butyltin dichloride in rats	Toxicology 73: 81-92
				D	di-n-butyltin dichloride		1996	Ema M, Iwase T, Iwase Y, Ohshima N, Ogawa Y	Dysmorphic Effects of Di-n-Butyltin Dichloride in Cultured Rat	Toxic. in Vitro 9(5): 703-709
				D	di-n-butyltin dichloride		1990	Jones J, Schultz RM	Change of embryotoxic susceptibility to di-n-butyltin dichloride in cultured rat embryos	Arch. Toxicol. 70: 742-748
					genistein				Pertussis toxin-catalyzed ADP-ribosylation of a G protein in mouse oocytes, eggs, and preimplantation embryos: Developmental changes and	Dev. Biol., 139(2): 250-262

									1990	Runyan RB, Potts JD, Sharma RV, Loeber CP, Chiang JJ, Bhalla RC	Signal transduction of a tissue interaction during embryonic heart development.	Cell Regul., 1 ISS 3: 301-313
rat(Raleigh, NC)									1991	Faber KA, Hughes CL JR	The effect of neonatal exposure to diethylstilbestrol, genistein, and zearalenone on pituitary responsiveness and sexually dimorphic nucleus volume in the castrated adult rat.	Biol. Reprod., 45(4): 649-653
									1993	Faber KA, Hughes CL JR	Dose-response characteristics of neonatal exposure to genistein on pituitary responsiveness to gonadotropin releasing hormone and volume of the sexually dimorphic nucleus of the preoptic area (SDN-POA) in postpubertal castrated female rats.	Reprod. Toxicol., 7(1): 35-39
in vitro				V					1993	Huang XY, Morielli AD, Peralta EG	Tyrosine kinase-dependent suppression of a potassium channel by the G protein-coupled m1 muscarinic acetylcholine	Cell, 75, ISS6: 1145-1156
in vitro				V					1993	Neki R, Matsuzaki N, Yamanaka K, Shimoya K, Okada T, Saji F, Iwashita M, Tanizawa O	The interleukin-6 (IL-6)/IL-6-receptor system induces human chorionic gonadotropin production by activating tyrosine kinase-dependent signal transduction pathway different from pathways triggered by protein kinase activators including gonadotropin releasing hormone.	J. Clin. Endocrinol. Metab., 77, ISS3: 704-709
									1993	White JR, Lee JC	Effect of protein kinase inhibitors on IL-8/NAP-1 release from human umbilical vein endothelial cells.	Agents Actions, 39 Spec: 73-76
in vitro fetal rat (Sprague-Dawley)				V					1995	Hajimohammedraza I, Probert AW, Coughenour LL, Borsky SA, Marcoux FW, Boxer PA, Wang KK	A specific inhibitor of calcium/calmodulin-dependent protein kinase-II provides neuroprotection against NMDA- and hypoglycemia-induced cell death.	J. Neurosci., 15 ISS 5 Pt 2: 4093-101
in vitro				V					1995	Mangoura D, Sogos V, Pelletiere C, Dawson G	Differential regulation of phospholipases C and D by phorbol esters and the physiological activators carbachol and glutamate in astrocytes from chicken embryo cerebrum and cerebellum.	Brain Res. Mol. Brain Res., 87, ISS1: 12-21
in vitro				V					1996	Dogra SC, May BK	Phenobarbital-induced activation of CYP2H1 and 5-aminolevulinate synthase genes in chick embryo hepatocytes is blocked by an inhibitor of protein phosphorylation.	Arch. Biochem. Biophys., 327, ISS2: 271-278
									1996	Guillette L J JR, Arnold SF, McLachlan JA	Ecoestrogens and embryos: Is there a scientific basis for concern?	Animal Reproduction Science, 42(1-4): 13-24

									1996		genistein					Panno ML, Salerno M, Pezzi V, Sisci D, Maggolini M, Mauro L, Morrone EG, Ando S	Effect of oestradiol and insulin on the proliferative pattern and on oestrogen and progesterone receptor contents in MCF-7 cells.	J. Cancer Res. Clin. Oncol., 122, ISS12: 745-749
in vitro	24 h at 37 C	2.5µM		V	culture				1997		genistein				Bartlett SE	Protein tyrosine kinase inhibitors synergize with nerve growth factor in embryonic chick sensory neuronal cell	Neurosci. Lett., 227, ISS2: 87-90	
									1997		genistein				Derkach KV, Kuznetsova LA, Plesneva SA, Pertseva MN	An ontogenetic approach to the study of the adenylyate cyclase-stimulating effect of insulin and its possible role in the regulatory action of the hormone	Zh. Evol. Biokhim. Fiziol., 33, ISS2: 148-156	
									1997		genistein				Kapiotis S, Herrmann M, Held J, Seelos C, Ehringer H, Gmeiner BM	Genistein, the dietary-derived angiogenesis inhibitor, prevents LDL oxidation and protects endothelial cells from damage by atherogenic LDL.	Arterioscler Thromb Vasc. Biol., 17, ISS11: 2868-2874	
in vitro	24 h	10µM		V					1997		genistein				Rajnicek A, McCaig C	Guidance of CNS growth cones by substratum grooves and ridges: effects of inhibitors of the cytoskeleton, calcium channels and signal	J. Cell Sci., 110(23): 2915-2924	
in vitro	15 min	0.75-12µM		V	incubation				1997		genistein				Slobbe-van Drunen ME, Vossen RC, Couwenberg FM, Hulsbosch MM, Heemskerk JW, van Dam-Mieras MC, Bruggeman CA	Activation of protein kinase C enhances the infection of endothelial cells by human cytomegalovirus.	Virus Res., 48, ISS2: 207-213	
in vitro		0-400µM		V					1997		genistein				Wang BH, Ternai B, Polyá G	Specific inhibition of cyclic AMP-dependent protein kinase by warangalone and robustic acid.	Phytochemistry (oxford), 44(5): 787-796	
									1998		genistein				Baker VL, Murai JT, Taylor RN	Downregulation of protein kinase C by phorbol ester increases expression of epidermal growth factor receptors in transformed trophoblasts and amplifies human chorionic gonadotropin	Placenta, 19, ISS7: 475-482	
									1998		genistein				Brennand JE, Leask R, Kelly RW, Greer IA, Calder AA	Mechanisms involved in the stimulatory effect of amniotic fluid on prostaglandin production by human fetal membranes.	Prostaglandins Leukot Essent Fatty Acids, 58, ISS5: 369-375	
in vitro		20µM		V	culture				1998		genistein				Ferreira IL, Duarte CB, Neves AR, Carvalho AP	Culture medium components modulate retina cell damage induced by glutamate, kainate or "chemical	Neurochem. Int., 32, ISS4: 387-396	
rats(Sprague-Dawley) CD F	21 days 50days	25 , 250		R	in feed				1998		genistein				Fritz WA, Coward L, Wang J, Lamartiniere CA	Dietary genistein: Perinatal mammary cancer prevention: bioavailability and toxicity testing in the rat.	Carcinogenesis (oxford), 19(12): 2151-2158	
									1998		genistein				Golden RJ, Noller KL, Titus-Ernstoff L, Kaufman RH, Mittendorf R, Stillman R, Reese EA	Environmental Endocrine Modulators and Human Health an Assessment of the Biological Evidence	Critical Reviews in Toxicology, 28(2): 109-227	
in vitro	48 hr	50µg, 100µg		V	culture				1998		genistein				Grafton TF, Hansen DK	In Vitro Embryotoxicity of Genistein	Teratology, 57(4-5): 252	

rats F	GD15-20	100µg, 300µg		R	genistein		1998	Hilakivi-Clarke L, Cho E, Raygada M, Onofajel, Clarke R	Maternal Genistein Exposure During Pregnancy Increases Breast Cancer Risk Prostate Weight and Alters Aggressive Behavior among Offspring	Proceedings of the American Association for Cancer Research Annual Meeting, 39(0): 20-21
in vitro	(-5min), 0min, 30min	1µg/ml		V	genistein		1998	Hilakivi-Clarke L, Cho E, Clarke R	Maternal Genistein exposure mimics the effects of estrogen on mammary gland development in female mouse offspring.	Oncol. Rep., 5, ISS3: 609-616
in vitro	24 h	1-4µg/ml	incubation	V	genistein		1998	Nishizaki T, Matsuoka T, Nomura T, Sumikawa K	Modulation of Ach receptor currents by arachidonic acid.	Brain Res. Mol. Brain Res., 57, ISS1: 173-179
Rats (Long-Evans hooded) pregnant	45 day	25, 50, 100, 200	gavage (corn oil)	R,D	methoxychlor		1989	Saijonmaa O, Nyman T, Pacek P, Fyhrquist F, Gray LE, Ostby J, Ferrell J, Reinberg G, Linder R, Cooper R, Goldman J, Slot V, Laskey J	Oncostatin M regulates endothelin-1 production in human endothelial cells.	Am. J. Physiol., 275, ISS2 Pt 2: 662-667
p53(+/-)mice, p53(+++)mice	26 weeks	5-2000 ppm	diet	O	methoxychlor		1999	Mitsumori K, Onodera H, Yasuhara K, Takagi H, Koujittani T, Hirose M	A Dose-Response Analysis of Methoxychlor-Induced Alterations of Reproductive Development and Function in the Rat	Fundamental and Applied Toxicology 12: 92-108
Rat (Noble)F		7, 12mg/day 0, 01 mg/day		D	mono- <i>n</i> -benzyl phthalate		1996	Ema M, Kurosaka R, Harazono A, Amano H, Ogawa Y	Phase Specificity of Developmental Toxicity After Oral Administration of Mono- <i>n</i> -Butyl Phthalate in Rata	Ach. Environ. Contam. Toxicol. 31: 170-176
Rat				R	nonylphenol	25154-52-3	1996	Colerangle JB & Roy D	Exposure of environmental estrogenic compound nonylphenol to noble rats alters cell-cycle kinetics in the	Endocrine 4(2): 115-122
Rat M(3-34)	days 1 to d 15, and d 31 after birth		Review	R	nonylphenol	25154-52-3	1997	Daston GP, Gooch JW, Breslin WJ, Shuey DL, Nikiforov AI, Fico TA, Gorsuch JW	Environmental estrogens and reproductive health: a discussion of the human and environmental data	Reproductive Toxicology 11(4): 465-481
Rat(SD)		0.08, 0.8, 8.0		R	nonylphenol	25154-52-3	1998	Lee PC	Disruption of male reproductive tract development by administration of the xenoestrogen, nonylphenol, to male newborn rats	Endocrine 9(1): 105-111
		9-35, 30-100, 100-350	in feed	R	4-nonylphenol		1999	Chapin R.E. et al	The effects of 4-nonylphenol in rats: A multigeneration reproduction study	Toxicological Sciences 52: 80-91
Human(50)				A	polychlorinated naphthalenes		1999	Gevaio B, Harner T, Jones KC	Historical Record of Polychlorinated Naphthalenes in a Semi-Rural Lake Sediment, Cumbria UK	DIOXIN 99
Mice (B6C3F1): F		5, 10, 25, 50, 100, 500, 1000, 5000ml/kg	intraperitoneal injection	I	2,3,7,8-tetrachlorodibenzo- <i>p</i> -dioxin		1988	Patterson DG, Needham LI, Pirkle JL, Roberts DW, Bagby J, Garrett W.A, Andrews JS, Falk H, Bernert JT, Sampson EJ, Houk VN	Correlation between serum and adipose tissue levels of 2,3,7,8-tetrachlorodibenzo- <i>p</i> -dioxin in 50 persons from missouri	Arch. Environ. Toxicol. 17: 139-143
					2,3,7,8-tetrachlorodibenzo- <i>p</i> -dioxin		1994	Narasimhan TR, Craig A, Arellano L, Harper N, Howie L, Menache M, Birnbaum L, Safe S	Relative Sensitivities of 2,3,7,8-Tetrachlorodibenzo- <i>p</i> -dioxin-Induced Cyp1a-1 and Cyp1a-2 Gene Expression and Immunotoxicity in Female B6C3F1 Mice	Fundamental and Applied Toxicology 23: 598-607

Rat (LE) M. Hamster	GD8, 15 GD11	1 $\mu$ g/kg	Gavage (corn oil)		TCDD		1995	Gray LE, Kelce WR, Monosson E, Ostby JS, Birnbaum LS	Exposure to TCDD during development permanently alters reproductive function in male long evans rats and hamsters: reduced ejaculated and epididymal sperm numbers and sex accessory gland weights in offspring with normal In utero 2,3,7,8-tetrachlorodibenzo-p-dioxin(TCDD) alters reproductive morphology and function in female rat offspring	Toxicology and Applied Pharmacology 131: 108-118
Rat (LE) F	GD8, 15	1 $\mu$ g/kg	Gavage (corn oil)	R	2,3,7,8- tetrachlorodibenzo- p-dioxin		1995	Gray LE, & Ostby JS		Toxicology and Applied Pharmacology 133: 285-294
Mice (B6C3F1): F	8 weeks of age	0.001, 0.005, 0.01, 0.05, 0.1, or 6.0 $\mu$ g/kg	Gavage (corn oil)	I	2,3,7,8- tetrachlorodibenzo- p-dioxin		1996	Burleson GR, Lebrech H, Yang YG, Ibanes JD, Pennington KN, Birnbaum LS	Effect of 2,3,7,8-tetrachlorodibenzo-p-dioxin (TCDD) on influenza virus host resistance in mice	Fundamental and Applied Toxicology 29: 40-47
					TCDD, PCB		1996	Gray LE, Kelce WR,	Latent Effects of Pesticides and Toxic Substances on Sexual Differentiation of rodents	Toxicology and Industrial Health 12(3/4): 515-531
Rat(F344)	GD14	3.0 $\mu$ g/kg 1.0 $\mu$ g/kg	Gavage (corn oil)	R, I	2,3,7,8- tetrachlorodibenzo- p-dioxin		1997	Gehrs BC, Riddle MM, Williams WC, Smialowicz RJ	Alterations in the developing immune system of the F344 rat after perinatal exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin II. Effects on the pup and adult	Toxicology 122: 229-240
Rat	GD15-day21 after birth	0.064, 0.16, 0.40, 1.0 $\mu$ g/kg	Gavage	R	2,3,7,8- tetrachlorodibenzo- p-dioxin		1998	Peterson R.E., Moore R. W., Mabley T.A., Bjerke D.L., Goy R.W.	Male Reproductive System Ontogeny: Effects of Perinatal Exposure to 2,3,7,8-tetrachlorodibenzo-p-dioxin	J.Clean Technol., Environ. Toxicol., & Occup. Med. 7(1): 89-105
Rat (Wistar) F	GD21	25,60,300 ng/kg body wt	injection	R	2,3,7,8- tetrachlorodibenzo- p-dioxin		1998	Faqi AS, Dalsenter PR, Merker HJ, Chahoud I	Reproductive toxicity and tissue concentrations of low doses of 2,3,7,8-tetrachlorodibenzo-p-dioxin in male offspring rats exposed throughout pregnancy and lactation	Toxicology and Applied Pharmacology 150: 383-392
Mice	GD10	25 $\mu$ g/kg	Gavage (corn oil)	D	TCDD		1999	Peters JM, et al.	Amelioration of TCDD-induced teratogenesis in aryl hydrocarbon receptor (AhR)-null mice	Toxicol. Sci. 47: 86-92
Sprague-Dawley rats: F		0.01, 0.1, 0.3, 1.0, 10.0 $\mu$ g/kg,	oral (corn oil)		TCDD		1999	Sarostefano M.J., Richardson V.M, Walker N.J, Blanton J., Lindros K.O., Lucier G.W., Alcaese S.K., Birnbaum L.S.	TCDD Localization in Centriobular and Periportal Hepatocytes	DIOXIN 99
				R	tributyltin		1998	Harazono A, Ema M, Kawashima A	Evaluation of Malnutrition as a Cause of Tributyltin-Induced Pregnancy Failure in Rats	Bull. Environ. Contam. Toxicol. 61: 224-230
				O	tributyltin chloride		1991a	Ema M, Itami T, Kawasaki H	Changes of Spontaneous Motor Activity of Rats after Acute Exposure to Tributyltin Chloride	Drug and Chemical Toxicology 14(1&2): 161-171
				O	tributyltin chloride		1991c	Ema M, Itami T, Kawasaki H	Behavioral Effects of Acute Exposure to Tributyltin Chloride in Rats	Newrotoxicology and Teratology 13: 489-493

											1995a	1995a	Further evaluation of the developmental toxicity of tributyltin chloride in rats	185-190	Toxicology 96: 195-201
											1996	1996	Pre-implantation embryonic loss induced by tributyltin chloride in rats	185-190	Toxicology Letters 89: 185-190
											1997	1997	Effects of the Day of Administration on the Developmental Toxicity of Tributyltin Chloride in Rats	Arch. Environ. Contam. Toxicol. 33: 90-96	Arch. Environ. Contam. Toxicol. 33: 90-96
											1998	1998	Evaluation of Early Embryonic Loss Induced by Tributyltin Chloride in Rats: Phase-and Dose-Dependent Antifertility Effects	Arch. Environ. Contam. Toxicol. 34: 94-99	Arch. Environ. Contam. Toxicol. 34: 94-99
											1997	1997	Effects of Triphenyltin Chloride on Implantation and Pregnancy in Rats	Reproductive Toxicology 11(2/3): 201-206	Reproductive Toxicology 11(2/3): 201-206
											1998	1998	Inhibition of Decidual Cell Response as a Cause of Implantation Failure Induced by Triphenyltin Chloride (TPTCl) in	Toxicological Sciences 42(1-S) 261	Toxicological Sciences 42(1-S) 261
											1999	1999	Developmental Toxicity of Triphenyltin Chloride After Administration on Three Consecutive Days During Organogenesis in Rats	Bull. Environ. Contam. Toxicol. 62: 363-370	Bull. Environ. Contam. Toxicol. 62: 363-370
											1999	1999	Suppression of uterine decidualization as a cause of implantation failure induced by triphenyltin chloride in rats	Arch. Toxicol. 73: 175-179	Arch. Toxicol. 73: 175-179
											1994	1994	Developmental Effects of an Environmental Antiandrogen: The Fungicide Vinclozolin Alters Sex Differentiation of the Male Rat	Toxicol. Appl. Pharmacol. 129: 46-52	Toxicol. Appl. Pharmacol. 129: 46-52
											1997	1997	Evaluation of Alternative Methods for Establishing Safe Levels of Occupational Exposure to Vinyl Halides	Regul. Toxicol. Pharmacol. 25: 240-255	Regul. Toxicol. Pharmacol. 25: 240-255
ICR mice: F											1999	1999	Xenoestrogen Tissue Concentrations Correlated to Biological Responses in Mice	DIOXIN 99	DIOXIN 99
											1995	1995	A Variety of Environmentally Persistent Chemicals, Including Some Phthalate Plasticizers, Are Weakly Estrogenic	Environ. Health Perspect. 103(6): 582-587	Environ. Health Perspect. 103(6): 582-587
											1997	1997	The Estrogenic Activity of Phthalate Esters In Vitro	Environ. Health Perspect. 105 (8): 802-811	Environ. Health Perspect. 105 (8): 802-811
											1998	1998	Identification of Unknown Substances in Food Contact Polystyrene	食衛誌 39(2): 110-119	食衛誌 39(2): 110-119
											1999	1999	Hydro Priority Pollutants (HPP) - a chemical ranking and scoring system for effective risk management.	DIOXIN 99	DIOXIN 99