

## 急性曝露ガイドライン濃度 (AEGL)

Selected Monoisocyanates - Ethyl isocyanate (109-90-0)

主要なモノイソシアネート - イソシアノ酸エチル

Table AEGL 設定値

Ethyl isocyanate 109-90-0 (Final)					
	ppm				
	10 min	30 min	60 min	4 hr	8 hr
<b>AEGL 1</b>	NR	NR	NR	NR	NR
<b>AEGL 2</b>	0.20	0.065	0.034	0.0085	0.0040
<b>AEGL 3</b>	0.60	0.20	0.10	0.025	0.013

NR: データ不十分により推奨濃度設定不可

設定根拠(要約):

ここでは、4種類のモノイソシアネート、すなわち、イソシアノ酸エチル、イソシアノ酸n-ブチル、イソシアノ酸シクロヘキシル、イソシアノ酸フェニルについて、考察を行う。これら4種類のモノイソシアネートは、イソシアノ酸メチルが引き起こすものと同様の、遅延性致死などの毒性影響を引き起こすと思われる。イソシアノ酸メチルについては、警告特性が弱く、また、AEGL-1に相当する影響が生じる濃度より低い濃度で全身毒性が生じ得ることから、AEGL-1値が導出されていない(NRC 2003)。ここで取り上げたモノイソシアネートについても、イソシアノ酸メチルとの類似性に基づいて、AEGL-1値を導出しなかった。

イソシアノ酸エチルおよびイソシアノ酸シクロヘキシルに関するデータは、ラットを用いた致死性試験のものに限られており、それらの試験では、被験動物数が少なく、実濃度が分析されておらず、ほぼすべての試験濃度で致死率が100%であった。データが乏しいため、AEGL-2値とAEGL-3値は、イソシアノ酸メチルのAEGL値に基づいた。これら3種類の化学物質について得られた致死データの比較から、イソシアノ酸メチルの値を代用し、イソシアノ酸エチルおよびイソシアノ酸シクロヘキシルの方が毒性が強い可能性があることを考慮して修正係数2を適用することで、十分に保護的なAEGL値が得られることが示唆される。具体的には、各群3匹ずつのラットをイソシアノ酸エチルに6時間曝露した試験では、27ppm群では全ラットが生残し、82ppm群では生残ラットはいなかった。ラット3匹を18ppmのイソシアノ酸シクロヘキシルに6時間曝露した試験では、曝露後7日目に1匹が死亡し、残りはおそらく瀕死状態に陥ったため、8日目に屠殺された。そして、イソシアノ酸メチルについては、ラットにおける6時間LC<sub>50</sub>(半数致死濃度)は、6.1ppmである(NRC 2003)。

イソシアノ酸n-ブチルおよびイソシアノ酸フェニルのAEGL-3値の導出には、適切なラットの致

死データが得られている。AEGL-2 値は、対応する AEGL-3 値の 3 分の 1 の値とした。イソシアノ酸メチルで認められた種差が小さいことから、両化合物の AEGL-3 値の導出に際し、種間不確実係数 3 を適用した。種内変動については、イソシアノ酸メチルの場合(NRC 2003)にならい、係数 10 を適用した。イソシアノ酸メチルは発生毒性を示すことが知られているが、イソシアノ酸 n-ブチルおよびイソシアノ酸フェニルについては、発生毒性を示す可能性について、データが不足しているため、修正係数 3 も適用した。

ここで取り上げた主要なモノイソシアネートの AEGL 値を Table 7-1 に示す。比較のため、イソシアノ酸メチルおよびジイソシアノ酸トルエンの AEGL 値を Table 7-2 に示す。

**TABLE 7-1** AEGL Values for Selected Monoisocyanates<sup>a</sup>

Classification	10 min	30 min	1 h	4 h	8 h	End Point (Reference)
<i>Ethyl isocyanate</i>						
AEGL-1 (non-disabling)	NR	NR	NR	NR	NR	Insufficient warning properties; possible systemic effects at concentrations lower than those that produce irritation.
AEGL-2 (disabling)	0.20 ppm (0.58 mg/m <sup>3</sup> )	0.065 ppm (0.19 mg/m <sup>3</sup> )	0.034 ppm (0.099 mg/m <sup>3</sup> )	0.0085 ppm (0.025 mg/m <sup>3</sup> )	0.0040 ppm (0.012 mg/m <sup>3</sup> )	Based on AEGL-2 values for methyl isocyanate
AEGL-3 (lethal)	0.60 ppm (1.7 mg/m <sup>3</sup> )	0.20 ppm (0.58 mg/m <sup>3</sup> )	0.10 ppm (0.29 mg/m <sup>3</sup> )	0.025 ppm (0.073 mg/m <sup>3</sup> )	0.013 ppm (0.038 mg/m <sup>3</sup> )	Based on AEGL-3 values for methyl isocyanate
<i>Cyclohexyl isocyanate</i>						
AEGL-1 (non-disabling)	NR	NR	NR	NR	NR	Insufficient warning properties; possible systemic effects at concentrations lower than those that produce irritation.
AEGL-2 (disabling)	0.20 ppm (1.0 mg/m <sup>3</sup> )	0.065 ppm (0.33 mg/m <sup>3</sup> )	0.034 ppm (0.17 mg/m <sup>3</sup> )	0.0085 ppm (0.043 mg/m <sup>3</sup> )	0.0040 ppm (0.020 mg/m <sup>3</sup> )	Based on AEGL-2 values for methyl isocyanate
AEGL-3 (lethal)	0.60 ppm (3.1 mg/m <sup>3</sup> )	0.20 ppm (1.0 mg/m <sup>3</sup> )	0.10 ppm (0.51 mg/m <sup>3</sup> )	0.025 ppm (0.13 mg/m <sup>3</sup> )	0.013 ppm (0.066 mg/m <sup>3</sup> )	Based on AEGL-3 values for methyl isocyanate AEGL-3
<i>n-Butyl isocyanate</i>						
AEGL-1 (non-disabling)	NR	NR	NR	NR	NR	Insufficient warning properties; possible systemic effects at concentrations lower than those that produce irritation.
AEGL-2 (disabling)	0.10 ppm (0.41 mg/m <sup>3</sup> )	0.10 ppm (0.41 mg/m <sup>3</sup> )	0.083 ppm (0.34 mg/m <sup>3</sup> )	0.053 ppm (0.21 mg/m <sup>3</sup> )	0.026 ppm (0.11 mg/m <sup>3</sup> )	One third of AEGL-3 values.
AEGL-3 (lethal)	0.31 ppm (1.3 mg/m <sup>3</sup> )	0.31 ppm (1.3 mg/m <sup>3</sup> )	0.25 ppm (1.0 mg/m <sup>3</sup> )	0.16 ppm (0.65 mg/m <sup>3</sup> )	0.078 ppm (0.32 mg/m <sup>3</sup> )	No mortality in rats exposed at 14 ppm for 4 h (Pauluhn et al. 1990).

(Continued)

**TABLE 7-1** Continued

Classification	10 min	30 min	1 h	4 h	8 h	End Point (Reference)
<i>Phenyl isocyanate<sup>b</sup></i>						
AEGL-1 (non-disabling)	NR	NR	NR	NR	NR	Insufficient warning properties; possible systemic effects at concentrations lower than those that produce irritation.
AEGL-2 (disabling)	0.012 ppm (0.058 mg/m <sup>3</sup> )	0.012 ppm (0.058 mg/m <sup>3</sup> )	0.0096 ppm (0.047 mg/m <sup>3</sup> )	0.0061 ppm (0.030 mg/m <sup>3</sup> )	0.0030 ppm (0.015 mg/m <sup>3</sup> )	One-third of AEGL-3 values.
AEGL-3 (lethal)	0.036 ppm (0.18 mg/m <sup>3</sup> )	0.036 ppm (0.18 mg/m <sup>3</sup> )	0.029 ppm (0.14 mg/m <sup>3</sup> )	0.018 ppm (0.088 mg/m <sup>3</sup> )	0.0091 ppm (0.044 mg/m <sup>3</sup> )	4-h BMCL05 of 1.64 ppm in rats (Bayer AG 1991a)

<sup>a</sup>When more than one of the monoisocyanates is detected at a scene, the lowest AEGL should be applied to the sum total concentration of all detected monoisocyanates because of a presumed common mode of action. On the basis of toxicity data on methyl isocyanate, it is plausible that exposure to these monoisocyanates might be associated with systemic toxicity at concentrations below those associated with irritation. Absence of AEGL-1 values does not imply that concentrations below AEGL-2 values are without effect.

<sup>b</sup>Phenyl isocyanate has shown dermal sensitizing effects. Its respiratory sensitizing potential is unknown. Individuals who have a strong reaction might not be protected within the definition of effects for each AEGL level.

Abbreviations: BMCL05, benchmark concentration, 95% confidence limit with a 5% response; MF, modifying factor; NR, not recommended; and UF, uncertainty factor.

**TABLE 7-2** AEGL Values for Methyl Isocyanate and Toluene Diisocyanate

Classification	10 min	30 min	1 h	4 h	8 h
<i>Methyl isocyanate</i>					
AEGL-1 <sup>a</sup> (nondisabling)	NR	NR	NR	NR	NR
AEGL-2 (disabling)	0.40 ppm (0.94 mg/m <sup>3</sup> )	0.13 ppm (0.32 mg/m <sup>3</sup> )	0.067 ppm (0.16 mg/m <sup>3</sup> )	0.017 ppm (0.034 mg/m <sup>3</sup> )	0.0080 ppm (0.020 mg/m <sup>3</sup> )
AEGL-3 (lethal)	1.2 ppm (2.8 mg/m <sup>3</sup> )	0.40 ppm (0.95 mg/m <sup>3</sup> )	0.20 ppm (0.47 mg/m <sup>3</sup> )	0.050 ppm (0.12 mg/m <sup>3</sup> )	0.025 ppm (0.060 mg/m <sup>3</sup> )
<i>Toluene 2,4- and 2,6-diisocyanate</i>					
AEGL-1 (nondisabling)	0.02 ppm (0.14 mg/m <sup>3</sup> )	0.02 ppm (0.14 mg/m <sup>3</sup> )	0.02 ppm (0.14 mg/m <sup>3</sup> )	0.01 ppm (0.07 mg/m <sup>3</sup> )	0.01 ppm (0.07 mg/m <sup>3</sup> )
AEGL-2 (disabling)	0.24 ppm (1.71 mg/m <sup>3</sup> )	0.17 ppm (1.21 mg/m <sup>3</sup> )	0.083 ppm (0.59 mg/m <sup>3</sup> )	0.021 ppm (0.15 mg/m <sup>3</sup> )	0.021 ppm (0.15 mg/m <sup>3</sup> )
AEGL-3 (lethal)	0.65 ppm (4.63 mg/m <sup>3</sup> )	0.65 ppm (4.63 mg/m <sup>3</sup> )	0.51 ppm (3.63 mg/m <sup>3</sup> )	0.32 ppm (2.28 mg/m <sup>3</sup> )	0.16 ppm (1.14 mg/m <sup>3</sup> )

<sup>a</sup>Insufficient warning properties; possible systemic effects at concentrations lower than those that produce irritation. Absence of AEGL-1 values does not imply that concentrations below the AEGL-2 are without effect.

注：本物質の特性理解のため、参考として急性曝露ガイドライン濃度（AEGL）の原文のURLを記載する。

日本語ICSC  
なし

AEGL(原文)

[https://www.epa.gov/sites/default/files/2014-11/documents/aegl\\_vol\\_15-ethyl-isocyanates1\\_2.pdf](https://www.epa.gov/sites/default/files/2014-11/documents/aegl_vol_15-ethyl-isocyanates1_2.pdf)