#### REFERENCES

Alumot E, Nachtomi E, Mandel E, Holstein P (1976) Tolerance and acceptable daily intake of chlorinated fumigants in the rat diet. *Food and cosmetics toxicology*, 14:105-110.

Andriukin AA (1979) [Toxic effect of dichloroethane on the cardiovascular system.] *Klinicheskaya Meditsina (Moscow)*, 57:43-47 (in Russian).

Arfellini G, Bartoli S, Colacci A, Mazzullo M, Galli MC, Prodi G, Grilli S (1984) In vivo and in vitro binding of 1,2-dibromoethane and 1,2-dichloroethane to macromolecules in rat and mouse organs. Journal of cancer research and clinical oncology, 108:204-213.

Armstrong MJ, Galloway SM (1993) Micronuclei induced in peripheral blood of  $E_{\mu}$ -PIM-1 transgenic mice by chronic oral treatment with 2-acetylaminofluorene or benzene but not with diethylnitrosamine or 1,2-dichloroethane. *Mutation research*, 302:61-70.

ATSDR (1992) *Toxicological profile for 1,2-dichloroethane* (draft). Atlanta, GA, US Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.

Austin SG, Schnatter AR (1983) A case-control study of chemistry exposures and brain tumors in petrochemical workers. *Journal of occupational medicine*, 25(4):313-320.

Baertsch A, Lutz WK, Schlatter C (1991) Effect of inhalation exposure regimen on DNA binding potency of 1,2-dichloroethane in the rat. *Archives of toxicology*, 65:169-176.

Ballering LAP, Nivard MJM, Vogel EW (1993) Characterization of

the genotoxic action of three structurally related 1,2-dihaloalkanes in *Drosophila melanogaster*. *Mutation research*, 285:209-217.

Banerjee S (1988) DNA damage in rodent liver by 1,2-dichloroethane, a hepatocarcinogen. *Cancer biochemistry* and biophysics, 10:165-173.

Banerjee S, van Duuren BL (1979) Binding of carcinogenic halogenated hydrocarbons to cell macromolecules. *Journal of the National Cancer Institute*, 63:707-711.

Banerjee S, van Duuren BL, Oruambo FI (1980) Microsome-mediated covalent binding of 1,2-dichloroethane to lung microsomal protein and salmon sperm DNA. *Cancer research*, 40:2170-2173.

Barber RD, Donish WH, Mueller KR (1981) A procedure for the quantitative measurement of the mutagenicity of volatile liquids in the Ames *Salmonella* microsome assay. *Mutation research*, 90:31-48.

Barkley J, Bunch J, Bursey JT, Castillo N, Cooper SD, Davis JM, Erickson MD, Harris BSH III, Kirkpatrick M, Michael LC, Parks SP, Pellizzari ED, Ray M, Smith D, Tomer KB, Wagner R, Zweidinger RA (1980) Gas chromatography mass spectrometry computer analysis of volatile halogenated hydrocarbons in man and his environment - A multimedia environmental study. *Biomedical and environmental mass spectrometry*, 7:139-147.

Barsoum GS, Saad K (1934) Relative toxicity of certain chlorine derivatives of the aliphatic series. *Quarterly journal of pharmacy and pharmacology*, 7: 205-214.

Benson LO, Teta MJ (1993) Mortality due to pancreatic and lymphopoietic cancers in chlorohydrin production workers. *British journal of industrial medicine*, 50:710-716. Black JA, Birge WJ, McDonnell WE, Westerman AG, Ramey BA, Bruser
DM (1982) The aquatic toxicity of organic compounds to embryo-larval stages of fish and amphibians. Lexington, KY,
University of Kentucky (Research Report No. 133).

Blum DJW, Speece RE (1991) A database of chemical toxicity to environmental bacteria and its use in interspecies comparisons and correlations. *Research journal of the Water Pollution Control Federation*, 63(3):198-207.

Bonnet P, Francin J-M, Grakiski D, Raoult G, Zissu D (1980) Détermination de la concentration léthale<sub>50</sub> des principaux hydrocarbures aliphatiques chlorés chez le rat. *Archives des maladies professionnelles de medecine du travail et de securité sociale (Paris)*, 41(6-7):317-321.

Brem H, Stein AB, Rosenkranz HS (1974) The mutagenicity and DNA-modifying effect of haloalkanes. *Cancer research,* 34:2576-2579.

Bringmann G, Kühn R (1978) Testing of substances for their toxicity threshold: model organisms *Microcystis (Diplocystis) aeruginosa* and *Scenedesmus quadricauda. Mitteilungen Internationale Vereinigung für Theoretische und Angewandte Limnologie*, 21:275-284.

Bringmann G, Kühn R (1980) Comparison of the toxicity thresholds of water pollutants to bacteria, algae, and protozoa in the cell multiplication inhibition test. *Water research*, 14:231-241.

Buijs W, van der Gen A, Mohn GR, Breimer DD (1984) The direct mutagenic activity of *alpha, omega-*dihalogenoalkanes in *Salmonella typhimurium. Mutation research,* 141:11-14.

Callaghan MA, Slimak MW, Gabel NW, May IP, Fowler CF, Freed JR,

Jennings P, Durfee RL, Whitmore FC, Maestri B, Mabey WR, Holt BR, Gould C (1979) *Water-related fate of 129 priority pollutants. Vol. 11.* Washington, DC, US Environmental Protection Agency (EPA 40/4-79-029b).

Cheever KL, Cholakis JM, El-Hawari AM, Kovatch RM, Weisburger EK (1990) Ethylene dichloride: the influence of disulfiram or ethanol on oncogenicity, metabolism and DNA covalent binding in rats. *Fundamental and applied toxicology*, 14:243-261.

Cheh AM, Hooper AB, Skochdopole J, Henke CA, McKinnell RG (1980) A comparison of the ability of frog and rat S-9 to activate promutagens in the Ames test. *Environmental and molecular mutagenesis*, 2:487-508.

Chemical Marketing Reporter (1992) Chemical profile: ethylene dichloride. *Chemical Marketing Reporter magazine*, 241(19):42.

Clark AI, McIntyre AE, Lester JN, Perry R (1984a) Ambient air measurement of aromatic and halogenated hydrocarbons at urban, rural, and motorway locations. *The science of the total environment*, 39:265-279.

Clark AI, McIntyre AE, Perry R, Lester JN (1984b) Monitoring and assessment of ambient atmospheric concentrations of aromatic and halogenated hydrocarbons at urban, rural, and motorway locations. *Environmental pollution series B*, 7:141-158.

Comba ME, Kaiser KLE (1985) Volatile halocarbons in the Detroit River and their relationship with contaminant sources. *Journal* of Great Lakes research, 11(3):404-418.

CPI (1991) *CPI product profiles: ethylene dichloride.* Don Mills, Ontario, Canadian Process Industries, Corpus Information Services. Crebelli R, Carere A (1988) Genotoxic activity of halogenated aliphatic hydrocarbons in *Aspergillus nidulans*. Journal of occupational toxicology, 8:437-442.

Crebelli R, Conti G, Conti L, Carere A (1984) Induction of somatic segregation by halogenated aliphatic hydrocarbons in *Aspergillus nidulans. Mutation research*, 138:33-38.

Crebelli R, Benigni R, Franekic J, Conti G, Conti L, Carere A (1988) Induction of chromosome malsegregation by halogenated organic solvents in *Aspergillus nidulans:* unspecific or specific mechanism? *Mutation research,* 201:401-411.

Crespi CL, Seixas GM, Turner TR, Ryan CG, Penman BW (1985) Mutagenicity of 1,2-dichloroethane and 1,2-dibromoethane in two human lymphoblastoid cell lines. *Mutation research,* 142:133-140.

Daft JL (1988) Rapid determination of fumigant and industrial chemical residues in food. *Journal of the Association of Official Analytical Chemists*, 71(4):748-760.

Dilling WL, Tefertiller NB, Kalos GJ (1975) Evaporation rates and reactivities of methylene chloride, chloroform, 1,1,1-trichloroethane, trichloroethylene, tetrachloroethylene, and other chlorinated compounds in dilute aqueous solutions. *Environmental science and technology*, 9(9):833-838.

Dorndorf W, Kresse M, Christian W, Katritzki KG (1975) [Dichloroethane poisoning with myoclonic syndrome, epileptic attacks, and irreversible cerebral effects.] *Archiv für Psychiatrie und Nervenkrankheiten*, 220:373-379 (in German).

Duprat P, Delsaut L, Gradiski D (1976) Pouvoir irritant des principaux solvants chlorés aliphatiques sur la peau et les muqueuses oculaires du lapin. *European journal of toxicology,*  9:171-177.

Ecobichon DJ, Allen MC (1990) New Brunswick - Water Quality Surveillance Program, New Brunswick public water supplies, data summary report 1990. New Brunswick Department of Health and Community Services.

Environment Agency Japan (1993) *Chemicals in the environment - 1993.* Tokyo.

Enviro-Test Laboratories (1991) *Cayley background study: analysis of food products for target organic and inorganic parameters.* Edmonton (Report No. 91-E1208).

Enviro-Test Laboratories (1992) *Windsor area background study: analysis of food products for target organic and inorganic parameters.* Edmonton (Report No. E1052).

Fellin P, Barnett SE, Tran QA (1992) Results of a national pilot survey of airborne volatile organic compounds in Canadian residences. Vol. 1. Prepared by Concord Environmental Corporation for Health and Welfare Canada, Ottawa, Ontario.

Ferreri AM, Rocchi P, Capucci A, Prodi G (1983) Induction of diphtheria toxin-resistant mutants in human cells by halogenated compounds. *Journal of cancer research and clinical oncology*, 105:111-112.

Freiria-Gandara MJ, Lorenzo-Ferreira RA, Alvarez-Devesa A, Bermejo F (1992) Occurrence of halogenated hydrocarbons in the water supply of different cities of Galicia (Spain). *Environmental technology*, 13:437-447.

Freitag D, Ballhorn L, Behechti A, Fischer K, Thumm W (1994) Structural configuration and toxicity of chlorinated alkanes. *Chemosphere*, 28(2):253-259.

Fujii T (1977) Direct aqueous injection gas chromatography-mass spectrometry for analysis of organohalides in water at concentrations below the parts per billion level. *Journal of chromatography*, 139:297-302.

Giri AK, Que Hee SS (1988) *In vitro* sister chromatid exchange induced by 1,2-dichloroethane on bone marrow cells of mice. *Environmental and molecular mutagenesis*, 12:331-334.

Gocke E, Wild D, Eckhardt K, King MT (1983) Mutagenicity studies with the mouse spot test. *Mutation research*, 117:201-212.

Guengerich FP, Crawford WM, Domoradzki JY, MacDonald TL, Watanabe
PG (1980) In vitro activation of 1,2-dichloroethane by
microsomal and cytosolic enzyme. Toxicology and applied
pharmacology, 55:303-317.

Guicherit R, Schulting FL (1985) The occurrence of organic chemicals in the atmosphere of the Netherlands. *The science of the total environment*, 43:193-219.

Hatch GG, Mamay PD, Ayer ML, Casto BC, Nesnow W (1983) Chemical enhancement of viral transformation in Syrian hamster embryo cells by gaseous and volatile chlorinated methanes and ethanes. *Cancer research*, 43:1945-1950.

Heikes DL (1987) Pesticide and industrial chemical residues purge and trap method for determination of volatile halocarbons and carbon disulfide in table-ready foods. *Journal of the Association of Official Analytical Chemists*, 70(2):215-226.

Heikes DL (1990) Environmental contaminants in table-ready foods from the Total Diet Program of the Food and Drug Administration. In: *Food contamination from environmental sources.* New York, NY, John Wiley and Sons, pp. 31-57 (Advances in Environmental

Science and Technology Series No. 23).

Hellman B, Brandt I (1986) Effects of carcinogenic halogenated aliphatic hydrocarbons on [<sup>3</sup>H]thymidine incorporation into various organs of the mouse. A comparison between 1,2-dibromoethane and 1,2-dichloroethane. *Mutation research*, 163:193-199.

Hemminki K, Falck K, Vaino H (1980) Comparison of alkylation rates and mutagenicity of directly acting industrial and laboratory chemicals: epoxides, glycidyl ethers, methylating and ethylating agents, halogenated hydrocarbons, hydrazine derivatives, aldehydes, thiouram and dithiocarbamate derivatives. *Archives of toxicology*, 46:277-285.

Heppel LA, Neal PA, Perrin TL, Endicott KM, Porterfield VT (1945) The toxicology of 1,2-dichloroethane (ethylene dichloride). III. Its acute toxicity and the effect of protective agents. *Journal of pharmacology and experimental therapeutics*, 84:53-63.

Heppel LA, Neal PA, Perrin TL, Endicott KM, Porterfield VT (1946)
The toxicology of 1,2-dichloroethane (ethylene dichloride). V.
The effects of daily inhalations. *Journal of industrial hygiene and toxicology*, 28(4):113-120.

Hinkel GK (1965) [Oral dichloroethane intoxication of children.] Deutsche Gesundheitswesen, 20:1327-1331 (in German).

Hofmann HT, Birnsteil H, Jobst P (1971) Zur inhalations toxicitat von 1,1- und 1,2-dichloroathan. [The inhalation toxicity of 1,1and 1,2-dichloroethane.] *Archiv für Toxikologie*, 27:248-265.

IARC (1979) *Some halogenated hydrocarbons.* Lyon, International Agency for Research on Cancer (IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 20).

Inskeep PB, Koga N, Cmarik JL, Guengerich FP (1986) Covalent binding of 1,2-dihaloalkanes to DNA and stability of the major DNA adduct, *S*-[2[(N7-guanyl)ethyl]glutathione. *Cancer research*, 46:2839-2844.

IPCS (1993) International Chemical Safety Card 1,2-Dichloroethane. Geneva, World Health Organization,
International Programme on Chemical Safety (No. 0250).

IPCS (1994) Environmental health criteria for assessing health
risks of chemicals: derivation of guidance values for
health-based exposure limits. Geneva, World Health
Organization, International Programme on Chemical Safety.

IPCS (1995) *1,2-Dichloroethane.* Geneva, World Health Organization, International Programme on Chemical Safety (Environmental Health Criteria No. 176).

Isacson P, Bean JA, Splinter R, Olson DB, Kohler J (1985)
Drinking water and cancer incidence in lowa: III. Association of
cancer with indices of contamination. American journal of
epidemiology, 121(6):856-869.

Jakobson I, Wahlberg JE, Holmberg B, Johansson G (1982) Uptake via the blood and elimination of 10 organic solvents following epicutaneous exposure of anesthetized guinea pigs. *Toxicology and applied pharmacology*, 63:181-187.

Jenssen D, Ramel C (1980) The micronucleus test as part of a short-term mutagenicity test programme for the prediction of carcinogenicity evaluated by 43 agents tested. *Mutation research*, 75:191-202.

Kaiser KLE, Comba ME (1986) Volatile hydrocarbon contaminant survey of the St. Clair River. *Water pollution research* 

journal of Canada, 21(3):323-331.

Kaiser KLE, Comba ME, Huneault H (1983) Volatile hydrocarbon contaminants in the Niagara River and in Lake Ontario. *Journal of Great Lakes research*, 9(2):212-223.

Kanada T, Uyeta M (1978) Mutagenicity screening of organic solvents in microbial systems. *Mutation research*, 54:215.

Kavlock R, Chernoff N, Carver B, Kopfler F (1979) Teratology studies in mice exposed to municipal drinking water concentrates during organogenesis. *Food and cosmetics toxicology*, 17:343-347.

King M-T, Beikirch H, Eckhardt K, Gocke E, Wild D (1979) Mutagenicity studies with X-ray-contrast media, analgesics, antipyretics, antirheumatics and some other pharmaceutical drugs in bacterial, *Drosophila* and mammalian test systems. *Mutation research*, 66:33-43.

Klaunig JE, Ruch RJ, Pereira MA (1986) Carcinogenicity of chlorinated methane and ethane compounds administered in drinking water to mice. *Environmental health perspectives*, 69:89-95.

Kliest J, Fast T, Boley JSM, van de Wiel H, Bloemen H (1989) The relationship between soil contaminated with volatile organic compounds and indoor air pollution. *Environment international*, 15:419-525.

Koga N, Inskeep PB, Harris TM, Guengerich FP (1986) S-[2-(N<sup>7</sup>-guanyl)ethyl] glutathione, the major DNA adduct formed from 1,2-dibromoethane. Biochemistry, 25:2192-2198.

Kramers PG, Mout HC, Bissumbhar B, Mulder CR (1991) Inhalation exposure in *Drosophila* mutagenesis assays: experiments with aliphatic halogenated hydrocarbons, with emphasis on the genetic

activity profile of 1,2-dichloroethane. *Mutation research,* 252:17-33.

Kronevi T, Wahlberg JE, Holmberg B (1981) Skin pathology following epicutaneous exposure to seven organic solvents. *International journal of tissue reactions*, 3:21-30.

Kuwabara T, Quevedo AR, Cogan DG (1968) An experimental study of dichloroethane poisoning. *Archives of ophthalmology*, 79:321-330.

Lane RW, Riddle BL, Borzelleca JF (1982) Effects of 1,2-dichloroethane and 1,1,1-trichloroethane in drinking water on reproduction and development in mice. *Toxicology and applied pharmacology*, 63:409-421.

Larionov VG, Kokarovtseva MG (1976) Morphological constitution of peripheral blood in intoxication with dichloroethane and its metabolites. In: *Actual problems of pesticide application in different climatographic zones.* Yerevan, Aiastan Publishers, pp. 131-133.

Leblanc GA (1980) Acute toxicity of priority pollutants to water flea *(Daphnia magna)*. Bulletin of environmental contamination and toxicology, 24:684-691.

Letkiewicz F, Johnston P, Coleman J (1982) *Occurrence of 1,2-dichloroethane in drinking water, food and air.* Prepared by JRB Associates, Washington DC, under Contract No. 68-01-6185 for the US Environmental Protection Agency.

Lin ELC, Mattox JK, Pereira MA (1985) Glutathione plus cytosol- and microsome-mediated binding of 1,2-dichloroethane to polynucleotides. *Toxicology and applied pharmacology*, 78:428-435. Lum KR, Kaiser KLE (1986) Organic and inorganic contaminants in the St. Lawrence River: some preliminary results on their distribution. *Water pollution research journal of Canada*, 21(4):592-603.

Maltoni C, Valgimigli L, Scarnato C (1980) Long-term carcinogenic bioassays on ethylene dichloride administered by inhalation to rats and mice. In: Ames BN, Infante P, Reitz R, eds. *Ethylene dichloride: a potential health risk?* Cold Spring Harbor, NY, Cold Spring Harbor Laboratory, pp. 3-33 (Banbury Report No. 5).

McCollister DD, Hollingsworth RL, Oyen F, Rowe VK (1956) Comparative inhalation toxicity of fumigant mixtures. Individual and joint effect of ethylene dichloride, carbon tetrachloride, and ethylene dibromide. *Archives of industrial health*, 13:1-7.

Milman HA, Storey DL, Riccio ES, Sivak A, Tu AS, Williams GM, Tong C, Tyson CA (1988) Rat liver foci and *in vitro* assays to detect initiating and promoting effects of chlorinated ethanes and ethylenes. *Annals of the New York Academy of Sciences*, 534:521-530.

Moriya M, Ohta T, Watanabe K, Miyazawa T, Kato K, Shirasu Y (1983) Further mutagenicity studies on pesticides in bacterial reversion assay systems. *Mutation research*, 116:185-216.

Munson AE, Sanders VM, Douglas KA, Sain LE, Kauffmann BM, White KL Jr (1982) In vivo assessment of immunotoxicity. Environmental health perspectives, 43:41-52.

NCI (1978) Bioassay of 1,2-dichloroethane for possible carcinogenicity. Bethesda, MD, US Department of Health, Education and Welfare, Public Health Services, National Institutes of Health, National Cancer Institute (HEW (NIH) Publication No. 78-1305).

Nestmann ER, Lee EGH, Matula TI, Douglas GR, Mueller JC (1980) Mutagenicity of constituents identified in pulp mill effluents using *Salmonella/*mammalian-microsome assay. *Mutation research*, 79:203-212.

NIOSH (1994a) Registry of toxic effects of chemical substances. Cincinnati, OH, National Institute for Occupational Safety and Health (last revision May 1994).

NIOSH (1994b) *NIOSH pocket guide to chemical hazards.* US Department of Health and Human Services, Public Health Service, Center for Disease Control and Prevention, National Institute for Occupational Safety and Health, June.

Nouchi T, Miura H, Kanayama M, Mizuguchi O, Takano T (1984) Fatal intoxication by 1,2-dichloroethane - A case report. *International archives of occupational and environmental health*, 54:111-113.

NTP (1991) Toxicity studies of 1,2-dichloroethane (ethylene dichloride) in F344/N rats, Sprague Dawley rats, Osborne-Mendel rats, and B6C3F<sub>1 mice (drinking water and gavage studies)</sub>. Research Triangle Park, NC, National Institutes of Health, National Toxicology Program (NIH Publication No. 91-3123).

Nylander P-0, Olofsson H, Rasmuson B, Svahlin H (1978) Mutagenic effects of petrol in *Drosophila melanogaster*. I. Effects of benzene and 1,2-dichloroethane. *Mutation research*, 57:163-167.

Otson R (1987) Purgeable organics in Great Lakes raw and treated water. *International journal of environmental analytical chemistry*, 31(1):41-53.

Pearson CR, McConnell G (1975) Chlorinated  $C_1$  and  $C_2$ hydrocarbons in the marine environment. *Proceedings of the* 

Royal Society of London B, 189:305-332.

Perocco P, Prodi G (1981) DNA damage by haloalkanes in human lymphocytes cultured *in vitro. Cancer letters*, 13:213-218.

Principe P, Dogliotti E, Bignami M, Crebelli R, Falcone E, Fabrizi M, Conti G, Comba P (1981) Mutagenicity of chemicals of industrial and agricultural relevance in *Salmonella*, *Streptomyces*, and *Aspergillus*. *Journal of the science of food and agriculture*, 32:826-832.

Prodi G, Arfelini G, Colacci A, Grilli S, Mazzulo M (1986) Interaction of halocompounds with nucleic acids. *Toxicologic pathology*, 14:438-444.

Rannug U (1980) Genotoxic effects of 1,2-dibromoethane and 1,2-dichloroethane. *Mutation research*, 76:269-295.

Rannug U, Beije B (1979) The mutagenic effect of 1,2-dichloro-ethane on Salmonella typhimurium. II. Activation by the isolated perfused rat liver. Chemico-biological interactions, 24:265-285.

Rannug U, Sundvall A, Ramel C (1978) The mutagenic effect of 1,2-dichloroethane on *Salmonella typhimurium*. I. Activation through conjugation with glutathione *in vitro*. *Chemico-biological interactions*, 20:1-16.

Rao KS, Murray JS, Deacon MM, John JA, Calhoun LL, Young JT (1980) Teratogenicity and reproduction studies in animals inhaling ethylene dichloride. In: Ames BN, Infante P, Reitz R, eds. *Ethylene dichloride: a potential health risk?* Cold Spring Harbor, NY, Cold Spring Harbor Laboratory, pp. 149-166 (Banbury Report No. 5).

Reitz RH, Fox TR, Ramsey JC, Quast JF, Langvardt PW, Watanabe PG

(1982) Pharmacokinetics and macro-molecular interactions of ethylene dichloride in rats after inhalation or gavage. *Toxicology and applied pharmacology*, 62:190-204.

Richter JE, Peterson SF, Kleiner CF (1983) Acute and chronic toxicity of some chlorinated benzenes, chlorinated ethanes, and tetrachloroethylene to *Daphnia magna*. Archives of environmental contamination and toxicology, 12:679-684.

Roldan-Arjona T, Garcia-Pedrajas MD, Luque-Romero RL, Hera C, Pueyo C (1991) An association between mutagenicity of the Ara test of *Salmonella typhimurium* and carcinogenicity in rodents for 16 halogenated aliphatic hydrocarbons. *Mutagenesis*, 6:199-205.

Romert L, Magnusson J, Ramel C (1990) The importance of glutathione and glutathione transferase for somatic mutations in *Drosophila melanogaster* induced *in vivo* by 1,2-dichloroethane. *Carcinogenesis*, 11:1399-1402.

Schultz K, Ghosh L, Banerjee S (1992) Neoplastic expression in murine cells induced by halogenated hydrocarbons. *In vitro cellular and developmental biology*, 28A:267-272.

Sherwood RL, O'Shea PT, Thomas W, Ratajczak HV, Aranyi C, Graham JA (1987) Effects of inhalation of ethylene dichloride on pulmonary defences of mice and rats. *Toxicology and applied pharmacology*, 91:491-496.

Shmuter LM (1977) [Effects of chronic exposure to low concentrations of chlorinated hydrocarbons of the ethane series on specific and non-specific reactivity of animals *in vivo.*] *Gigiena Truda i Professional'nye Zabolevaniya*, 8:38-42 (in Russian).

Simmon VF (1980) Review of non-bacterial tests of the genotoxic

activity of ethylene dichloride. In: Ames BN, Infante P, Reitz R, eds. *Ethylene dichloride: a potential health risk?* Cold Spring Harbor, NY, Cold Spring Harbor Laboratory, pp. 97-103 (Banbury Report No. 5).

Simula TP, Glancey MG, Wolf CR (1993) Human glutathione S-transferase-expressing Salmonella typhimurium tester strains to study the activation/detoxification of mutagenic compounds: studies with halogenated compounds, aromatic amines and aflatoxin B1. Carcinogenesis, 14:1371-1376.

Singh HB, Salas LJ, Smith AJ, Shigeishi H (1980) Atmospheric measurements of selected toxic organic chemicals. Research Triangle Park, NC, US Environmental Protection Agency, Environmental Sciences Research Laboratory (EPA-600/3-80-072; PB80-198989).

Singh HB, Salas LJ, Smith AJ, Shigeishi H (1981) Measurements of some potentially hazardous organic chemicals in urban environments. *Atmospheric environment*, 15:601-612.

Singh HB, Salas LF, Stiles RE (1982) Distribution of selected gaseous organic mutagens and suspect carcinogens in ambient air. *Environmental science and technology*, 16:872-880.

Smyth HF Jr (1969) Acute toxicity of ethyl compounds. In: Spector WC, ed. *Handbook of toxicology. Vol. 1.* Philadelphia, PA, W.B. Saunders Company.

Spence JW, Hanst PL (1978) Oxidation of chlorinated ethanes. Journal of the Air Pollution Control Association, 28(3):250-253.

Spencer HC, Rowe VK, Adams EM, McCollister DD, Irish DD (1951) Vapor toxicity of ethylene dichloride determined by experiments on laboratory animals. *American Medical Association archives*  of industrial hygiene and occupational medicine, 4:482-493.

Spreafico F, Zuccato E, Marcucci F, Sironi M, Paglialunga S, Madonna M, Mussini E (1980) Pharmacokinetics of ethylene dichloride in rats treated by different routes and its long-term inhalatory toxicity. In: Ames BN, Infante P, Reitz R, eds. *Ethylene dichloride: a potential health risk?* Cold Spring Harbor, NY, Cold Spring Harbor Laboratory, pp. 107-133 (Banbury Report No. 5).

Storer RD, Conolly RB (1983) Comparative *in vivo* genotoxicity and acute hepatotoxicity of three 1,2-dihaloethanes. *Carcinogenesis*, 4:1491-1494.

Storer RD, Conolly RB (1985) An investigation of the role of microsomal oxidative metabolism in the *in vivo* genotoxicity of 1,2-dichloroethane. *Toxicology and applied pharmacology*, 77:36-46.

Storer RD, Jackson NM, Conolly RB (1984) *In vivo* genotoxicity and acute hepatotoxicity of 1,2-dichloroethane in mice: comparison of oral, intraperitoneal, and inhalation routes of exposure. *Cancer research*, 44:4267-4271.

Story DL, Meierhenry EF, Tyson CA, Milman HA (1986) Differences in rat liver enzyme-positive foci produced by chlorinated aliphatics and phenobarbital. *Toxicology and industrial health*, 2:351-362.

Strobel K, Grummt T (1987) Aliphatic and aromatic halocarbons as potential mutagens in drinking water. III. Halogenated ethanes and ethenes. *Toxicology and environmental chemistry*, 15:101-128.

Sundheimer DW, White RD, Brendel K, Sipes IC (1982) The bioactivation of 1,2-dibromoethane in rat hepatocytes: covalent

binding to nucleic acids. Carcinogenesis, 3:1129-1133.

Suveev IM, Babichenko ME (1969) [On the clinic and cure of acute intoxication with dichloroethane vapours.] *Gigiena Truda i Professional'nye Zabolevaniya*, 13:50-51 (in Russian).

Tan E-L, Hsie AW (1981) Mutagenicity and cytotoxicity of haloethanes as studied in the CHO/HGPRT system. *Mutation research*, 90:183-191.

Taningher M, Parodi S, Grilli S, Colacci A, Mazzullo M, Bordone R, Santi L (1991) Lack of correlation between alkaline DNA fragmentation and DNA covalent binding induced by polychloroethanes after *in vivo* administration. Problems related to the assessment of a carcinogenic hazard. *Cancer detection and prevention*, 15:35-39.

Theiss JC, Stoner GD, Shimkin MB, Weisberger EK (1977) Test for carcinogenicity of organic contaminants of United States drinking waters by pulmonary tumor response in strain A mice. *Cancer research*, 37:2717-2720.

Tu AS, Murray TA, Hatch KM, Sivak A, Milman HA (1985) *In vitro* transformation of BALB/c-3T3 cells by chlorinated ethanes and ethylenes. *Cancer letters*, 28:85-92.

US EPA (1985) Health assessment document for 1,2-dichloroethane (ethylene dichloride). Final report. Washington, DC, US Environmental Protection Agency (EPA/600/8-84/006F; NTIS PB86-122702).

US EPA (1992) Indoor air quality data base for organic compounds. Research Triangle Park, NC, US Environmental Protection Agency (EPA-600-R-92-025; NTIS PB92-158468).

Valencia R, Abrahamson S, Lee WR, von Halle ES, Woodruff RC,

Wurgler FE, Zimmering S (1984) Chromosome mutations for mutagenesis in *Drosophila melanogaster:* a report of the US Environmental Protection Agency Gene-Tox Program. *Mutation research*, 134:61-88.

van Bladeren PJ, Breimer DD, Rotteveel-Smijs RMT, de Knijff P, Mohn GV, van Meeteren-Walchli B, Buijs W, van der Gen A (1981) The relation between the structure of vicinal dihalogen compounds and their mutagenic activation via conjugation to glutathione. *Carcinogenesis*, 2:499-505.

van Duuren BL, Goldschmidt BM, Loewengart G, Smith A, Mechionne S, Seldman I, Roth D (1979) Carcinogenicity of halogenated olefinic and aliphatic hydrocarbons in mice. *Journal of the National Cancer Institute*, 63:1433-1439.

van Esch GJ, Kroes R, van Logten MJ, den Tonkelaar EM (1977) Ninety-day toxicity study with 1,2-dichloroethane (DCE) in rats. Bilthoven, National Institute of Public Health and Environmental Hygiene (Report 195/77 Al. Tox.).

Vozovaya M (1977) [The effect of dichloroethane on the sexual cycle and embryogenesis of experimental animals.] *Akusherstvo i Ginekologiya (Moscow)*, 2:57-59 (in Russian).

WHO (1971) Evaluation of food additives: specifications for the identity and purity of food additives and their toxicological evaluation: some extraction solvents and certain other substances; a review of the technological efficacy of some antimicrobial agents. Fourteenth report of the Expert Committee. Geneva, World Health Organization (WHO Technical Report Series No. 462).

WHO (1980) Evaluation of certain food additives. Twenty-third report of the Joint FAO/WHO Expert Committee on Food Additives. Geneva, World Health Organization (WHO

Technical Report Series No. 648 and corrigenda).

WHO (1992) Evaluation of certain food additives and naturally occurring toxicants. Thirty-ninth report of the Joint FAO/WHO Expert Committee on Food Additives. Geneva, World Health Organization (WHO Technical Report Series No. 828).

WHO (1993) Guidelines for drinking-water quality, 2nd ed.Vol. 1. Recommendations. Geneva, World Health Organization.

Williams GM, Mori H, McQueen CA (1989) Structure-activity relationships in the rat hepatocyte DNA-repair test for 300 chemicals. *Mutation research*, 221:263-286.

Zamora PO, Benson JM, Li AP, Brooks AL (1983) Evaluation of an exposure system using cells grown on collagen gels for detecting highly volatile mutagens in the CHO/HGPRT mutation assay. *Environmental mutagenesis*, 5:795-801.