

No. 11. 1,1,1,2-Tetrafluoroethane

REFERENCES

AFEAS (1992) Proceedings of the AFEAS workshop: Atmospheric wet and dry deposition of carbonyl and haloacetyl halides. Brussels, 22 September 1992. Washington, DC, Alternative Fluorocarbons Environmental Acceptability Study.

AFEAS (1993) Proceedings of the STEP-HALOCSIDE/AFEAS workshop on kinetics and mechanisms for the reactions of halogenated organic compounds in the troposphere. Dublin, 23-25 March 1993. Washington, DC, Alternative Fluorocarbons Environmental Acceptability Study.

AFEAS (1996) Production, sales and atmospheric emissions of fluorocarbons through 1995. Washington, DC, Alternative Fluorocarbons Environmental Acceptability Study.

Alexander D, Libretto S, Chevalier H-J, Imamura T, Pappritz G, Wilson J (1995a) HFA-134a (1,1,1,2-tetrafluoroethane): lack of oncogenicity in rodents after inhalation. Human and experimental toxicology, 14: 706-714.

Alexander D, Mortimer E, Dines G, Libretto S, Mallett D (1995b) One year study in dogs of the toxicity of HFA-134a by inhalation. inhalation toxicology, 7: 1153-1162.

Alexander D, Libretto S, Adams M, Hughes E, Bannerman M (1996) HFA-134a (1,1,1,2-tetrafluoroethane): effects of inhalation exposure upon reproductive performance, development and maturation of rats. Human and experimental toxicology, 15: 508-517.

Anderson D, Richardson C (1979) Arcton 134a: a cytogenetic study in the rat. Alderley Park, Cheshire, ICI Central Toxicology Laboratory (Report No CTL/P/444, unpublished).

Callander R, Priestley K (1990) HFC 134a - An evaluation using the

Salmonella mutagenicity assay. Alderley Park, Cheshire, ICI Central Toxicology Laboratory (Report No. CTL/P/2422, unpublished).

Coleman C, Thompson R (1990) HFC 134a. Determination of the acute toxicity to *Pseudomonas putida*. Alderley Park, Cheshire, ICI Central Toxicology Laboratory (Report No. BL3980/B, unpublished).

Collins M, Rusch G, Sato F, Hext P, Millischer R (1995) 1,1,1,2-Tetrafluoroethane repeat exposure inhalation toxicity in the rat, developmental toxicity in the rabbit and genotoxicity *in vitro* and *in vivo*. *Fundamental and applied toxicology*, 25: 271-280

DeFlaun M, Ensley B, Steffan R (1992) Biological oxidation of hydrochlorofluorocarbons (HCFC's) by a methanotrophic bacterium. *Bio/Technology*, 10(12): 1576-1578.

Donnell D, Harrison L, Ward S, Klinger N, Ekholm B, Cooper K, Porietis I, McEwen J (1995) Acute safety of the CFC-free propellant HFA-134a from a pressurized metered dose inhaler. *Journal of clinical pharmacology*, 48: 473-477.

ECETOC (1995) 1,1,1,2-Tetrafluoroethane (HCF-134a), Brussels European Centre for Ecotoxicology and Toxicology of Chemicals (Joint Assessment of Commodity Chemicals No. 31).

Ellis M, Gowans L, Green T (1991) Hydrofluorocarbon 134a: Pharmacokinetics and metabolism in rats following a single exposure by inhalation Alderley Park, Cheshire, ICI Central Toxicology Laboratory (Report No CTL/R/1090, unpublished).

Ellis M, Gowans L, Green T, Tanner R (1993) Metabolic fate and disposition of 1,1,1,2-tetrafluoroethane (HCF 134a) in rat following a single exposure by inhalation. *Xenobiotica*, 23(7) 719-729.

Finch J, Dadey E, Smith S, Harrison L, Digenis G (1995) Dynamic monitoring of total-body absorption by ¹⁹F NMR spectroscopy: one hour

ventilation of HFA 134a in male and female rats, *Magnetic resonance in medicine*, 33: 409-413.

Frank H, Klein A, Renschen D (1996) Environmental trifluoroacetate. *Nature*, 382 34.

Franklin J (1993) The atmospheric degradation and impact of 1,1,1,2-tetrafluoroethane (Hydrofluorocarbon 134a), *Chemosphere*, 27(8): 1565-1601.

Griffiths JR (1998) Measurement of airborne 1,1,1,2-tetrafluoroethane. Health and Safety Executive (IR/L/SP/97/08)

Hardy C, Sharman I, Clark G (1991) Assessment of cardiac sensitisation potential in dogs. Comparison of HFA 134a and A12. Alderley Park, Cheshire, ICI Central Toxicology Laboratory (Report No. CTL/C/2521, unpublished).

Health and Safety Executive (1995) Methods for determination of hazardous substances: MDHS 72. Volatile organic chemicals in air. London, HMSO.

Hext P (1989) HFC 134a: 90-day inhalation toxicity study in the rat. Alderley, Park, Cheshire, ICI Central Toxicology Laboratory (Report No. CTL/P/2466, unpublished).

Hext P, Parr-Dobrzanski R (1993) HFC 134a: 2-year inhalation toxicity study in the rat. Alderley Park, Cheshire, ICI Central Toxicology Laboratory (Report No. CTL/P/3841, unpublished).

Hodge M, Anderson D, Bennett I, Weight T (1979) Arcton 134a: Dominant lethal study in the mouse. Alderley Park, Cheshire, ICI Central Toxicology Laboratory (Report No. CTL/R/437, unpublished).

Hodge M, Kilmartin M, Riley R, Weight T, Wilson J (1980) Arcton 134a: Teratogenicity study in the rat, Alderley Park, Cheshire, ICI Central

Toxicology Laboratory (Report No. CTL/P/417, unpublished).

IPCC (1995) Climate change 1995. The science of climate change. Contribution of group 1 to the Second Assessment Report of the Intergovernmental Panel on Climate Change. Geneva, World Meteorological Organization/United Nations Environment Programme.

IPCS (1998) International Chemical Safety Card - 1,1,1,2-Tetrafluoroethane Geneva, World Health Organization, International Programme on Chemical Safety (No. 1281).

Ko M, Sze N, Rodriguez J, Weisenstein D, Heisey C, Wayne R, Biggs P, Canosa-Mas C, Sidebottom H, Treacy J (1994) CF³ chemistry: Potential implications for stratospheric ozone. Geophysics research letters, 21(2): 101-104.

Longstaff E, Robinson M, Bradbrook C, Styles J, Purchase I (1984) Genotoxicity and carcinogenicity of fluorocarbons assessment by short-term *in vitro* tests and chronic exposure to rats. Toxicology and applied pharmacology, 72: 15-31

Mackay J (1990) HFC 134a An evaluation in the *in vitro* cytogenetic assay in human lymphocytes, Alderley Park, Cheshire, 1Ci Central Toxicology Laboratory (Report No CTUP/2977, unpublished).

McCulloch A (1993) [German Federal Government Responsibility for the future - ways to sustainable management of substances and waste flows. Intermediate report of the Enquete Commission "Protection of man and the environment. Valuation criteria and perspectives for environmentally friendly substance cycling in industrialised society" to the 12th German Bundestag.] Bonn, Bundesrepublik Deutschland Economica Verlag (in German).

Monte S, Ismail I, Mallett D, Matthews C, Tanner R (1994) The minimal metabolism of inhaled 1,1,1,2-tetrafluoroethane to trifluoroacetic acid in man as determined by high sensitivity nuclear magnetic

resonance spectroscopy of urine samples. *Journal of pharmacology and biomedical analysis*, 12(12): 1489,-1493.

Montzka S, Butler J, Myers R, Thompson T, Swanson T, Clarke A, Lock L, Elkins J (1996) Decline in the tropospheric abundance of halogen from halocarbons: implications for stratospheric ozone depletion. *Science*, 272: 1318-1322.

Müller W, Hofmann T (1989) CFC 134a micronucleus test in male and female NMRI mice after inhalation. Frankfurt, Hoechst Laboratories (Report No. 89.0115, unpublished).

Pike V, Aigbirhio F, Freemantle C, Page B, Rhodes C, Waters S, Jones T, Olsson P, Ventresca G, Tanner R, Hayes M, Hughes J (1995) Disposition of inhaled 1,1,1,2-tetrafluoroethane (HFA 134a) in healthy subjects and in patients with chronic airflow limitation. *Drug metabolism and disposition*, 23(8): 832-839

Ravishankara A. Turnipseed A, Jensen N, Barone S, Mills M, Howard C, Solomon S (1994) Do hydrofluorocarbons deplete stratospheric ozone? *Science*, 263: 71-75.

Sibley H (undated) A study for determining refrigerant exposure levels while servicing an HCFC-123 centrifugal chiller. Syracuse, NY, Carrier Corporation (internal paper).

Strandring P, Maidment S, Ogunbiyi A, Groves J. Cocker J (1995) 1,1,1,2-Tetrafluoroethane; Criteria document for an occupational exposure limit. Sudbury, Suffolk, Health and Safety Executive, HSE Books (ISBN 0 7176 0947 2).

Stewart K, Thompson R (1990) HFC 134a: Determination of the acute toxicity to *Daphnia magna*. Alderley Park, Cheshire, ICI Central Toxicology Laboratory (Report No BL3908/B, unpublished).

Thompson R (1990) HFC 134a: Determination off the acute toxicity to

rainbow trout (*Salmo gairdneri*). Alderley Park, Cheshire, ICI Central Toxicology Laboratory (Report No. BL4035/B, unpublished).

Tobeta V (1989) Test of biodegradability of HFC 134a by microorganisms Fukuoka, Kurume Research Laboratories (Report No. 11598, unpublished)

Trueman R (1990) HFC 134a: Assessment for the induction of unscheduled DNA syntheses in rat hepatocytes in vivo, Alderley Park, Cheshire, ICI Central Toxicology Laboratory (Report No. CTL/P/2550, unpublished).

Visseher PT, Culbertson CW, Oremland RS (1994) Degradation of trifluoroacetate in oxic and anoxic sediments *Nature*, 369(6483): 729-731.

Wallington T, Hurley M, Fracheboud J, Orlando J, Tyndall G, Sehested J, Mogelberg T, Nielsen O (1996) Role of excited CF_3CFHO radicals in the atmospheric chemistry of HCF-134a. *Journal of physical chemistry*, 100: 18116-18122.

Wickramaratne G (1989) HFC 134a: Teratogenicity inhalation study in the rabbit. Alderley Park, Cheshire, ICI Central Toxicology Laboratory (Report No CTL/P/2504, unpublished).

WMO (1989) Scientific assessment of stratospheric ozone: 1989. Geneva, World Meteorological Organization (Global Ozone Research and Monitoring Project, Report No 20).

Woollen B, Guest E, Howe W, Marsh J, Wilson H, Auton T, Blaine P (1990) Human inhalation pharmacokinetics of 1,1,2-trichloro-1,2,2-trifluoroethane (FC113). *International archives of occupational and environmental health*, 64(5): 383-387.

Woollen B, Marsh J, Mahler J, Auton T, Makepeace D, Cocker J, Blaine P (1992) Human inhalation pharmacokinetics of chlorodifluoromethane (HFA22) *International archives of occupational and environmental health*, 64(5): 383-387.

