REFERENCES

ACGIH (1991) 3,3'-Dichlorobenzidine. In: *Documentation of the threshold limit values and biological exposure indices,* 6th ed. Cincinnati, OH, American Conference of Governmental Industrial Hygienists, pp. 417-419.

Anderson D, Styles J (1978) The bacterial mutation test. *British journal of cancer,* 37:924-930.

Appleton H, Sikka H (1980) Accumulation, elimination and metabolism of dichlorobenzidine in the bluegill sunfish. *Environmental science and technology,* 14:50-54.

Ashby J, Mohammed R (1988) UDS activity in the rat liver of the human carcinogens benzidine and 4-aminobiphenyl, and the rodent carcinogens 3,3'-dichlorobenzidine and Direct Black 38. *Mutagenesis,* 3:69-71.

ATSDR (1989) *Toxicological profile for 3,3'-dichlorobenzidine.* Atlanta, GA, US Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry (PB90-168691).

Banerjee S, Sikka H, Gary R, Kelly C (1978) Photodegradation of 3,3'-dichlorobenzidine. *Environmental science and technology,* 12:1425-1427.

BUA (1993) *3,3'-Dichlorobenzidine.* GDCh-Advisory Committee on Existing Chemicals of Environmental Relevance, March 1989. New York, NY, VCH Publishers, Inc. (BUA Report No. 30).

Chemicals Daily (1993) *12493 chemical products.* Chemicals Daily Co., Ltd., p. 751.

Chemicals Daily (1994) *12394 chemical products.* Chemicals Daily Co.,

Ltd., p. 767.

Cihak R, Vontorkova M (1987) Benzidine and 3,3'-dichlorobenzidine (DCB) induce micronuclei in the bone marrow and the fetal liver of mice after gavage. *Mutagenesis,* 2:267-269.

Dutka B, Kwan K (1981) Comparison of three microbial toxicity screening tests with the Microtox test. *Bulletin of environmental contamination and toxicology,* 27:753-757.

Freeman A, Weisburger E, Weisburger J, Wolford R, Maryak J, Huebner R (1973) Transformation of cell cultures as an indication of the carcinogenic potential of chemicals. *Journal of the National Cancer Institute,* 51:799-808.

Freitag D, Ballhorn L, Geyer H, Korte F (1985) Environmental hazard profile for organic chemicals. An experimental method for the assessment of the behaviour of organic chemicals in the ecosphere by means of simple laboratory tests with ^{14}C-labelled chemicals. *Chemosphere,* 14:1589-1616.

Fricke C, Clarkson C, Lomnitz E, O'Farrel T (1985) Comparing priority pollutants in municipal sludges. *Biocycle,* 26:35-37.

Gadian T (1975) Carcinogens in industry, with special reference to dichlorobenzidine. *Chemistry & industry (London),* 4:821-831.

Garner R, Walpole A, Rose F (1975) Testing of some benzidine analogues for microsomal activation to bacterial mutagens. *Cancer letters,* 1:39-42.

Gerarde H, Gerarde D (1974) Industrial experience with 3,3'-dichlorobenzidine: an epidemiology study of a chemical manufacturing plant. *Journal of occupational medicine,* 16:322-344.

Ghosal A, Iba M (1992) Enhancement of butylated hydroxytoluene of the

in vitro activation of 3,3'-dichlorobenzidine. *Mutation research,* 278:31-41.

Golub N, Kolesnichenko T, Shabad L (1975) [Oncogenic action of some nitrogen compounds on the progeny of experimental mice.] *Bulletin of experimental biology and medicine,* 78:1402-1404 (in Russian) [cited in US EPA (1988) *Health and environmental effects document for 3,3'-dichlorobenzidine.* Washington, DC, US Environmental Protection Agency, Environmental Criteria and Assessment Office (ECAO-CIN-G034)].

Government of Canada (1993) *Canadian Environmental Protection Act. Priority Substances List assessment report for 3,3'-dichlorobenzidine.* Prepared by Health Canada and Environment Canada. Ottawa, Ontario, Canada Communication Group Publishing (ISBN 0-662-21070-9).

Howard P, Boethling R, Jarvis W, Meylan W, Michalenk E (1991) *Handbook of environmental degradation rates.* Chelsea, MI, Lewis Publishers, Inc.

HSDB (1995) *Data profile for 3,3'-dichlorobenzidine.* Hamilton, Ontario, Canadian Centre for Occupational Health and Safety, Hazardous Substances Databank.

IARC (1982) *3,3'-Dichlorobenzidine and its dihydrochloride.* Lyon, International Agency for Research on Cancer, pp. 239-256 (IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man, Vol. 29).

IARC (1987) *3,3'-Dichlorobenzidine (Group 2B).* Lyon, International Agency for Research on Cancer, pp. 193-194 (IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man, Suppl. 7).

Iba M (1987) Comparative activation of 3,3'-dichlorobenzidine and related benzidines to mutagens in *Salmonella typhimurium* assays by

hepatic S9 and microsomes from rats pretreated with different inducers of cytochrome P-450. *Mutation research,* 182:231-241.

IPCS (1993) *International Chemical Safety Card - 3,3'-Dichlorobenzidine.* Geneva, World Health Organization, International Programme on Chemical Safety (No. 0481).

IPCS (1994) *Assessing human health risks of chemicals: derivation of guidance values for health-based exposure limits.* Geneva, World Health Organization, International Programme on Chemical Safety (Environmental Health Criteria 170).

Law R (1995) 3,3'-Dichlorobenzidine: a candidate for inclusion in marine monitoring programmes? *Chemosphere,* 30:1791-1797.

Lazear E, Shaddock J, Barren P, Louie S (1979) The mutagenicity of some of the proposed metabolites of Direct Black 38 and Pigment Yellow 12 in the *Salmonella typhimurium* assay system. *Toxicology letters,* 4:519-525.

MacIntyre I (1975) Experience of tumours in a British plant handling 3,3'-dichlorobenzidine. *Journal of occupational medicine,* 17:23-26.

Mackay D, Paterson S (1991) Evaluating the multimedia fate of organic chemicals: a level III fugacity model. *Environmental science and technology,* 25:427-436.

Malaiyandi M, Wightman R, LaFerriere C (1987) Concentration of selected organic pollutants: comparison of adsorption and reverse osmosis techniques. In: Malaiyandi M, ed. *Organic pollutants in water. Sampling, analysis and toxicity testing.* Washington, DC, American Chemical Society, pp. 163-179 (American Chemical Society Symposium Series No. 214).

Martin C, McDermid A, Garner R (1978) Testing of known carcinogens and noncarcinogens for their ability to induce unscheduled DNA synthesis.

Cancer research, 38:2621-2627.

Messerly E, Fekete J, Wade D, Sinsheimer J (1987) Structure-mutagenicity relationships of benzidine analogues. *Environmental and molecular mutagenesis,* 10:263-274.

Narang A, Choudhury D, Richards A (1982) Separation of aromatic amines by thin-layer and high performance liquid chromatography. *Journal of chromatographic science,* 20:235-237.

Osanai H (1976) [An experimental study on hepatoma caused by aromatic amines.] *Journal of science of labour,* 52:179-201 (in Japanese).

Pliss G (1959) [Dichlorobenzidine as a blastomogenic agent.] *Voprosy Onkologii,* 5:524-533 (in Russian).

Pliss G (1963) On some regular relationships between carcinogenicity of aminodiphenyl derivatives and the structure of substances. *Acta Unio Internationalis Contra Cancrum,* 19:499-501.

Reid T, Wang C, King C, Morton K (1984) Mutagenicity of some benzidine congeners and their *N*-acetylated and *N,N'*-diacetylated derivatives in different strains of *Salmonella typhimurium. Environmental mutagenesis,* 6:145-151.

Riggin R, Howard C, Scott D, Hedgecoke R (1983) Determination of benzidine related congeners and pigments in atmospheric particulate matter. *Journal of chromatography,* 27:321-325.

Saffiotti U, Cefis F, Montessano R, Sellakumar A (1967) Induction of bladder cancer in hamsters fed aromatic amines. In: Deichman W, Lampe K, eds. *Bladder cancer.* Birmingham, AL, Aesculapis Publishing Co., pp. 129-135.

Savard S, Josephy P (1986) Synthesis and mutagenicity of 3,3'-dihalogenated benzidines. *Carcinogenesis,* 7:1239-1241.

Sellakumar A, Montesano R, Saffiotti U (1969) Aromatic amines: carcinogenicity in hamsters. *Proceedings of the American Association for Cancer Research,* 10:78 (abstract).

Shabad L, Sorokina J, Golub N, Bogovski S (1972) Transplacental effect of some chemical compounds on organ cultures of embryonic tissue. *Cancer research,* 32:617-627.

Shiraishi Y (1986) Hypersensitive character of Bloom syndrome B-lymphoblastoid cell lines usable for sensitive carcinogen detection. *Mutation research,* 175:179-187.

Sikka H, Appleton H, Banerjee S (1978) *Fate of 3,3'-dichlorobenzidine in aquatic environments.* Athens, GA, US Environmental Protection Agency, Environmental Research Laboratory (EPA 600/3-78-068).

Slobodnik J, Groenewegen M, Brouwer E, Lingeman H, Brinkman U (1993) Fully automated multi-residue method for trace level monitoring of polar pesticides by liquid chromatography. *Journal of chromatography,* 642:359-370.

Smith E, Weber W (1990) Comparative assessment of the chemical and adsorptive characteristics of leachates from a municipal and an industrial landfill. *Water, air, and soil pollution,* 53:279-295.

Staples C, Werner A, Hoogheem T (1985) Assessment of priority pollutant concentrations in the United States using STORET database. *Environmental toxicology and chemistry,* 4:131-142.

Stula E, Sherman H, Zapp J, Clayton J (1975) Experimental neoplasia in rats from oral administration of 3,3'-dichlorobenzidine, 4,4'-methylene-bis(2-chloroaniline), and 4,4'-methylene-bis(2-methylaniline). *Toxicology and applied pharmacology,* 31:159-176.

Stula E, Barnes J, Sherman H, Reinhardt C, Zapp J (1978) Liver and urinary bladder tumours in dogs from 3,3'-dichlorobenzidine. *Journal of environmental pathology and toxicology,* 1:475-490.

Tsuda H, Miyata Y, Murasaki G, Kinoshita H, Fukushima S, Ito N (1977) Synergistic effect of urinary bladder carcinogenesis in rats treated with *N*-butyl- *N*-(4-hydroxybutyl)nitrosamine, *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide, *N*-2-fluorenylacetamide and 3,3'-dichlorobenzidine. *Gann,* 68:183-192.

US DHHS (1994) *Seventh annual report on carcinogens. Summary 1994.* Research Triangle Park, NC, US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute of Environmental Health Sciences.

US EPA (1980) *Ambient water quality criteria for dichlorobenzidine.* Washington, DC, US Environmental Protection Agency, Office of Water Regulations and Standards (PB81-117517).

US EPA (1990a) *Remedial investigation report, landfill area, Greenville, South Carolina.* Washington, DC, US Environmental Protection Agency, Office of Toxic Substances (Document No. 86-900000412).

US EPA (1990b) *Subsurface investigation, Glenholden Laboratory, Glenholden, Pennsylvania.* Washington, DC, US Environmental Protection Agency, Office of Toxic Substances (Document No. 86-910000001).

US EPA (1990c) *Letter from PMS Consolidated to USEPA containing information on study of potential workplace exposure to 3,3'-dichlorobenzidine, with attachment.* Washington, DC, US Environmental Protection Agency, Office of Toxic Substances (Document No. 89-900000363).

Valls M, Bayona J, Albaigés J (1990) Broad spectrum analysis of ionic and non-ionic organic contaminants in urban wastewaters and coastal receiving aquatic systems. *International journal of environmental analytical chemistry,* 39:329-348.

You Z, Brezzell M, Das S, Espadas-Torre M, Hooberman B, Sinsheimer J (1993) *Ortho*-substituent effects on the *in vitro* and *in vivo* genotoxicity of benzidine derivatives. *Mutation research,* 319:19-30.