3,3-Dichlorobenzidine

REFERENCES

ACGIH (1991) 3,3'-Dichlorobenzidine. In: Documentation of the threshold limit values and biological exposure indices, 6th ed. Cincinnati, OH, American Conference of Governmental Industrial Hygienists, pp. 417-419.

Anderson D, Styles J (1978) The bacterial mutation test. *British journal of cancer*, 37:924-930.

Appleton H, Sikka H (1980) Accumulation, elimination and metabolism of dichlorobenzidine in the bluegill sunfish. *Environmental science and technology*, 14:50-54.

Ashby J, Mohammed R (1988) UDS activity in the rat liver of the human carcinogens benzidine and 4-aminobiphenyl, and the rodent carcinogens 3,3'-dichlorobenzidine and Direct Black 38. *Mutagenesis*, 3:69-71.

ATSDR (1989) *Toxicological profile for 3,3'-dichlorobenzidine.* Atlanta, GA, US Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry (PB90-168691).

Banerjee S, Sikka H, Gary R, Kelly C (1978) Photodegradation of 3,3'-dichlorobenzidine. *Environmental science and technology*, 12:1425-1427.

BUA (1993) *3,3'-Dichlorobenzidine.* GDCh-Advisory Committee on Existing Chemicals of Environmental Relevance, March 1989. New York, NY, VCH Publishers, Inc. (BUA Report No. 30).

Chemicals Daily (1993) *12493 chemical products.* Chemicals Daily Co., Ltd., p. 751.

Chemicals Daily (1994) 12394 chemical products. Chemicals Daily Co.,

Ltd., p. 767.

Cihak R, Vontorkova M (1987) Benzidine and 3,3'-dichlorobenzidine (DCB) induce micronuclei in the bone marrow and the fetal liver of mice after gavage. *Mutagenesis*, 2:267-269.

Dutka B, Kwan K (1981) Comparison of three microbial toxicity screening tests with the Microtox test. *Bulletin of environmental contamination and toxicology*, 27:753-757.

Freeman A, Weisburger E, Weisburger J, Wolford R, Maryak J, Huebner R (1973) Transformation of cell cultures as an indication of the carcinogenic potential of chemicals. *Journal of the National Cancer Institute,* 51:799-808.

Freitag D, Ballhorn L, Geyer H, Korte F (1985) Environmental hazard profile for organic chemicals. An experimental method for the assessment of the behaviour of organic chemicals in the ecosphere by means of simple laboratory tests with ¹⁴C-labelled chemicals. *Chemosphere*, 14:1589-1616.

Fricke C, Clarkson C, Lomnitz E, O'Farrel T (1985) Comparing priority pollutants in municipal sludges. *Biocycle*, 26:35-37.

Gadian T (1975) Carcinogens in industry, with special reference to dichlorobenzidine. *Chemistry & industry (London)*, 4:821-831.

Garner R, Walpole A, Rose F (1975) Testing of some benzidine analogues for microsomal activation to bacterial mutagens. *Cancer letters,* 1:39-42.

Gerarde H, Gerarde D (1974) Industrial experience with 3,3'-dichlorobenzidine: an epidemiology study of a chemical manufacturing plant. *Journal of occupational medicine*, 16:322-344.

Ghosal A, Iba M (1992) Enhancement of butylated hydroxytoluene of the

in vitro activation of 3,3'-dichlorobenzidine. *Mutation research,* 278:31-41.

Golub N, Kolesnichenko T, Shabad L (1975) [Oncogenic action of some nitrogen compounds on the progeny of experimental mice.] Bulletin of experimental biology and medicine, 78:1402-1404 (in Russian) [cited in US EPA (1988) Health and environmental effects document for 3,3'-dichlorobenzidine. Washington, DC, US Environmental Protection Agency, Environmental Criteria and Assessment Office (ECA0-CIN-G034)].

Government of Canada (1993) Canadian Environmental Protection Act. Priority Substances List assessment report for 3,3'-dichlorobenzidine. Prepared by Health Canada and Environment Canada. Ottawa, Ontario, Canada Communication Group Publishing (ISBN 0-662-21070-9).

Howard P, Boethling R, Jarvis W, Meylan W, Michalenk E (1991) Handbook of environmental degradation rates. Chelsea, MI, Lewis Publishers, Inc.

HSDB (1995) *Data profile for 3,3'-dichlorobenzidine.* Hamilton, Ontario, Canadian Centre for Occupational Health and Safety, Hazardous Substances Databank.

IARC (1982) 3,3'-Dichlorobenzidine and its dihydrochloride. Lyon, International Agency for Research on Cancer, pp. 239-256 (IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man, Vol. 29).

IARC (1987) *3,3'-Dichlorobenzidine (Group 2B).* Lyon, International Agency for Research on Cancer, pp. 193-194 (IARC Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man, Suppl. 7).

Iba M (1987) Comparative activation of 3,3'-dichlorobenzidine and related benzidines to mutagens in *Salmonella typhimurium* assays by

3

hepatic S9 and microsomes from rats pretreated with different inducers of cytochrome P-450. *Mutation research*, 182:231-241.

IPCS (1993) International Chemical Safety Card -3,3'-Dichlorobenzidine. Geneva, World Health Organization, International Programme on Chemical Safety (No. 0481).

IPCS (1994) Assessing human health risks of chemicals: derivation of guidance values for health-based exposure limits. Geneva, World Health Organization, International Programme on Chemical Safety (Environmental Health Criteria 170).

Law R (1995) 3,3'-Dichlorobenzidine: a candidate for inclusion in marine monitoring programmes? *Chemosphere*, 30:1791-1797.

Lazear E, Shaddock J, Barren P, Louie S (1979) The mutagenicity of some of the proposed metabolites of Direct Black 38 and Pigment Yellow 12 in the *Salmonella typhimurium* assay system. *Toxicology letters*, 4:519-525.

MacIntyre I (1975) Experience of tumours in a British plant handling 3,3'-dichlorobenzidine. *Journal of occupational medicine*, 17:23-26.

Mackay D, Paterson S (1991) Evaluating the multimedia fate of organic chemicals: a level III fugacity model. *Environmental science and technology*, 25:427-436.

Malaiyandi M, Wightman R, LaFerriere C (1987) Concentration of selected organic pollutants: comparison of adsorption and reverse osmosis techniques. In: Malaiyandi M, ed. *Organic pollutants in water. Sampling, analysis and toxicity testing.* Washington, DC, American Chemical Society, pp. 163–179 (American Chemical Society Symposium Series No. 214).

Martin C, McDermid A, Garner R (1978) Testing of known carcinogens and noncarcinogens for their ability to induce unscheduled DNA synthesis.

4

3,3-Dichlorobenzidine

Cancer research, 38:2621-2627.

Messerly E, Fekete J, Wade D, Sinsheimer J (1987) Structuremutagenicity relationships of benzidine analogues. *Environmental and molecular mutagenesis*, 10:263-274.

Narang A, Choudhury D, Richards A (1982) Separation of aromatic amines by thin-layer and high performance liquid chromatography. *Journal of chromatographic science*, 20:235-237.

Osanai H (1976) [An experimental study on hepatoma caused by aromatic amines.] *Journal of science of labour,* 52:179-201 (in Japanese).

Pliss G (1959) [Dichlorobenzidine as a blastomogenic agent.] Voprosy Onkologii, 5:524-533 (in Russian).

Pliss G (1963) On some regular relationships between carcinogenicity of aminodiphenyl derivatives and the structure of substances. *Acta Unio Internationalis Contra Cancrum*, 19:499-501.

Reid T, Wang C, King C, Morton K (1984) Mutagenicity of some benzidine congeners and their *N*-acetylated and *N*,*N'*-diacetylated derivatives in different strains of *Salmonella typhimurium*. *Environmental mutagenesis*, 6:145-151.

Riggin R, Howard C, Scott D, Hedgecoke R (1983) Determination of benzidine related congeners and pigments in atmospheric particulate matter. *Journal of chromatography*, 27:321-325.

Saffiotti U, Cefis F, Montessano R, Sellakumar A (1967) Induction of bladder cancer in hamsters fed aromatic amines. In: Deichman W, Lampe K, eds. *Bladder cancer.* Birmingham, AL, Aesculapis Publishing Co., pp. 129-135.

Savard S, Josephy P (1986) Synthesis and mutagenicity of 3,3'-dihalogenated benzidines. *Carcinogenesis*, 7:1239-1241.

Sellakumar A, Montesano R, Saffiotti U (1969) Aromatic amines: carcinogenicity in hamsters. *Proceedings of the American Association for Cancer Research,* 10:78 (abstract).

Shabad L, Sorokina J, Golub N, Bogovski S (1972) Transplacental effect of some chemical compounds on organ cultures of embryonic tissue. *Cancer research*, 32:617-627.

Shiraishi Y (1986) Hypersensitive character of Bloom syndrome
B-lymphoblastoid cell lines usable for sensitive carcinogen detection.
Mutation research, 175:179-187.

Sikka H, Appleton H, Banerjee S (1978) *Fate of 3,3'-dichlorobenzidine in aquatic environments.* Athens, GA, US Environmental Protection Agency, Environmental Research Laboratory (EPA 600/3-78-068).

Slobodnik J, Groenewegen M, Brouwer E, Lingeman H, Brinkman U (1993) Fully automated multi-residue method for trace level monitoring of polar pesticides by liquid chromatography. *Journal of chromatography*, 642:359-370.

Smith E, Weber W (1990) Comparative assessment of the chemical and adsorptive characteristics of leachates from a municipal and an industrial landfill. *Water, air, and soil pollution,* 53:279-295.

Staples C, Werner A, Hoogheem T (1985) Assessment of priority
pollutant concentrations in the United States using STORET database.
Environmental toxicology and chemistry, 4:131-142.

Stula E, Sherman H, Zapp J, Clayton J (1975) Experimental neoplasia in rats from oral administration of 3,3'-dichlorobenzidine, 4,4'-methylene-bis(2-chloroaniline), and 4,4'-methylene-bis(2-methylaniline). *Toxicology and applied pharmacology*, 31:159-176. Stula E, Barnes J, Sherman H, Reinhardt C, Zapp J (1978) Liver and urinary bladder tumours in dogs from 3,3'-dichlorobenzidine. Journal of environmental pathology and toxicology, 1:475-490.

Tsuda H, Miyata Y, Murasaki G, Kinoshita H, Fukushima S, Ito N (1977) Synergistic effect of urinary bladder carcinogenesis in rats treated with *N*-butyl- *N*-(4-hydroxybutyl)nitrosamine, *N*-[4-(5-nitro-2-furyl)-2-thiazolyl]formamide, *N*-2-fluorenylacetamide and 3,3'-dichlorobenzidine. *Gann*, 68:183-192.

US DHHS (1994) Seventh annual report on carcinogens. Summary 1994. Research Triangle Park, NC, US Department of Health and Human Services, Public Health Service, National Institutes of Health, National Institute of Environmental Health Sciences.

US EPA (1980) Ambient water quality criteria for dichlorobenzidine. Washington, DC, US Environmental Protection Agency, Office of Water Regulations and Standards (PB81-117517).

US EPA (1990a) Remedial investigation report, landfill area, Greenville, South Carolina. Washington, DC, US Environmental Protection Agency, Office of Toxic Substances (Document No. 86-900000412).

US EPA (1990b) Subsurface investigation, Glenholden Laboratory, Glenholden, Pennsylvania. Washington, DC, US Environmental Protection Agency, Office of Toxic Substances (Document No. 86-910000001).

US EPA (1990c) Letter from PMS Consolidated to USEPA containing information on study of potential workplace exposure to 3,3'-dichlorobenzidine, with attachment. Washington, DC, US Environmental Protection Agency, Office of Toxic Substances (Document No. 89-900000363).

7

3,3-Dichlorobenzidine

Valls M, Bayona J, Albaigés J (1990) Broad spectrum analysis of ionic and non-ionic organic contaminants in urban wastewaters and coastal receiving aquatic systems. *International journal of environmental analytical chemistry*, 39:329-348.

You Z, Brezzell M, Das S, Espadas-Torre M, Hooberman B, Sinsheimer J (1993) *Ortho-*substituent effects on the *in vitro* and *in vivo* genotoxicity of benzidine derivatives. *Mutation research*, 319:19-30.