

REFERENCES

Arthur CL, Pratt K, Motlagh S, Pawliszyn J (1992) Environmental analysis of organic compounds in water using solid phase micro extraction. *Journal of high resolution chromatography*, 15(11):741-744.

Assmuth TW, Strandberg T (1993) Groundwater contamination at Finnish landfills. *Water, air, and soil pollution*, 69:179-199.

ATRG (1988) *Aquatic toxicity of multiple organic compounds, Part II: Chlorinated ethanes and chlorinated ethylenes, summary report (interim)*. Prepared by the Aquatic Toxicity Research Group for the Ontario Ministry of the Environment, Lakehead University, Thunder Bay, Ontario, 95 pp.

ATSDR (1994) *Toxicological profile for 1,1,2,2-tetrachloroethane* (draft). Atlanta, GA, US Department of Health and Human Services, Agency for Toxic Substances and Disease Registry.

Blum DJW, Speece RE (1991) A database of chemical toxicity to environmental bacteria and its use in interspecies comparisons and correlations. *Research journal of the Water Pollution Control Federation*, 63(3):198-207.

Brem H, Stein AB, Rosenkranz HS (1974) The mutagenicity and DNA-modifying effect of haloalkanes. *Cancer research*, 34:2576-2579.

Bull RJ, Sanchez IM, Nelson MA, Larson JL, Lansing AJ (1990) Liver tumor induction in B6C3F₁ mice by dichloroacetate and trichloroacetate. *Toxicology*, 63:341-359.

Callen DF, Wolf CR, Philpot RM (1980) Cytochrome P-450 mediated genetic activity and cytotoxicity of seven halogenated aliphatic hydrocarbons in *Saccharomyces cerevisiae*. *Mutation research*, 77:55-63.

Chai M, Pawliszyn J (1995) Analysis of environmental air samples by solid-phase microextraction and gas chromatography/ion trap mass spectrometry. *Environmental science and technology*, 29(3):693-701.

COARGLWQ (1986) *St. Clair River pollution investigation (Sarnia area)*. Canada-Ontario Agreement Respecting Great Lakes Water Quality.

Colacci A, Grilli S, Lattanzi G, Prodi G, Turina MP, Forti GC, Mazzullo M (1987) The covalent binding of 1,1,2,2-tetrachloroethane to macromolecules of rat and mouse organs. *Teratogenesis, carcinogenesis, and mutagenesis*, 7:465-474.

Colacci A, Perocco P, Vaccari M, Mazzullo M, Albini A, Parodi S, Taningher M, Grilli S (1990) *In vitro* transformation of BALB/c 3T3 cells by 1,1,2,2-tetrachloroethane. *Japanese journal of cancer research*, 81:786-792.

Colacci A, Perocco P, Bartoli S, Da Via C, Silingardi P, Vaccari M, Grilli S (1992) Initiating activity of 1,1,2,2-tetrachloroethane in two-stage BALB/c 3T3 cell transformation. *Cancer letters*, 64:145-153.

Colacci A, Albini A, Melchiori A, Nanni P, Nicoletti G, Noonan D, Parodi S, Grilli S (1993) Induction of malignant phenotype in BALB/c 3T3 cells by 1,1,2,2-tetrachloroethane. *International journal of oncology*, 2:937-945.

Crebelli R, Benigni R, Franekic J, Conti G, Conti L, Carere A (1988) Induction of chromosome malsegregation by halogenated organic solvents in *Aspergillus nidulans*: unspecific or specific mechanism? *Mutation research*, 201:401-411.

Daft JL (1988) Rapid determination of fumigant and industrial chemical residues in food. *Journal of the Association of Official Analytical*

Chemists, 71(4):748-760.

DeAngelo AB, Daniel FB, Stober JA, Olson GR (1991) The carcinogenicity of dichloroacetic acid in the male B6C3F₁ mouse. *Fundamental and applied toxicology*, 16:337-347.

DeMarini DM, Brooks HG (1992) Induction of prophage lambda by chlorinated organics: detection of some single-species/single-site carcinogens. *Environmental and molecular mutagenesis*, 19:98-111.

Ecobichon DJ, Allen MC (1990) *New Brunswick - Water Quality Surveillance Program, New Brunswick public water supplies, data summary report 1990*. New Brunswick Department of Health and Community Services.

Environment Agency Japan (1976) *Chemicals in the environment*. Tokyo, p. 55.

Enviro-Test Laboratories (1991) *Cayley background study: analysis of food products for target organic and inorganic parameters*. Edmonton, Alberta. Prepared for Health and Welfare Canada, Ottawa, Ontario (Series: 91-E1208).

Enviro-Test Laboratories (1992) *Windsor area background study: analysis of food products for target organic and inorganic parameters*. Edmonton, Alberta. Prepared for Health and Welfare Canada, Ottawa, Ontario (Series: 92-E1052).

Eriksson C, Brittebo EB (1991) Epithelial binding of 1,1,2,2-tetrachloroethane in the respiratory and upper alimentary tract. *Archives of toxicology*, 65:10-14.

Fellin P, Barnett SE, Tran QA (1992) *Results of a national pilot survey of airborne volatile organic compounds in Canadian residences*. Prepared by Concord Environmental Corporation for Health and Welfare Canada, Ottawa, Ontario.

Galloway SM, Armstrong MJ, Reuben C, Colman S, Brown B, Cannon C, Bloom AD, Nakamura F, Ahmed M, Duk S, Rimpo J, Margolin BH, Resnick MA, Anderson B, Zeiger E (1987) Chromosome aberrations and sister chromatid exchange in Chinese hamster ovary cells: evaluations of 108 chemicals. *Environmental and molecular mutagenesis*, 10 (Suppl. 10):1-175.

Gohlke R, Schmidt P (1972) [Subacute action of low concentrations of chlorinated ethanes with and without additional ethanol treatment in the rat.] *Internationales Archiv für Arbeitsmedizin*, 30:299-312 (in German).

Gohlke R, Schmidt P, Bahmann H (1977) [1,1,2,2-Tetrachloroethane and heat stress in animal experiment. Morphological results.] *Zeitschrift für die Gesamte Hygiene und Ihre Grenzgebiete*, 20:278-282 (in German).

Government of Canada (1993) *Canadian Environmental Protection Act Priority Substances List assessment report - 1,1,2,2-Tetrachloroethane*. Ottawa, Ontario, Environment Canada/Health and Welfare Canada.

Haag WR, Mill T (1988) Effect of a subsurface sediment on hydrolysis of haloalkanes and epoxides. *Environmental science and technology*, 22:658-663.

Hallen RT, Pyne JW, Moulton PM (1986) Transformation of chlorinated ethanes and ethenes by anaerobic microorganisms. In: *Extended abstracts, 192nd National Meeting of the American Chemical Society, Anaheim, CA*. Washington, DC, American Chemical Society.

Halpert J (1982) Cytochrome P-450-dependent covalent binding of 1,1,2,2-tetrachloroethane *in vitro*. *Drug metabolism and disposition*, 10(5):465-468.

Hanley TR Jr, Quast JF, Schumann AM (1988) *The metabolism and hepatic macromolecular interactions of 1,1,2,2-tetrachloroethane (TE) in mice and rats*. Unpublished study performed by Mammalian and Environmental Toxicology Research Laboratory, Health and Environmental Sciences, The Dow Chemical Company, Midland, MI.

Hawkins WE (1991) *Development of carcinogenesis bioassay models: response of small fish species to various classes of carcinogens*. Ocean Springs, MS, Gulf Coast Research Laboratory, 119 pp. (NTIS AD-A277-157).

Haworth S, Lawlor T, Mortelmans K, Speck W, Zeiger E (1983) *Salmonella* mutagenicity test results for 250 chemicals. *Environmental mutagenesis*, Suppl. 1:3-142.

Herren-Freund SL, Pereira MA, Khoury MD, Olson G (1987) The carcinogenicity of trichloroethylene and its metabolites, trichloroacetic acid and dichloroacetic acid, in mouse liver. *Toxicology and applied pharmacology*, 90:183-189.

Horiuchi K, Horiguchi S, Hashimoto K, Kadowaki K, Aratake K (1962) Studies on the industrial tetrachloroethane poisoning. *Osaka City medical journal*, 8:29-38.

Horvath M, Frantik E (1973) Relative sensitivity of nervous function and behavior to nonspecific effects of foreign substances. *Activitas Nervosa Superior*, 15:25-27 [cited in ATSDR, 1994].

IARC (1987) *Overall evaluations of carcinogenicity: an updating of IARC monographs Volumes 1 to 42*. Lyon, International Agency for Research on Cancer (IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Suppl. 7).

IPCS (1993) *International Chemical Safety Card - 1,1,2,2-Tetrachloroethane*. Geneva, World Health Organization, International Programme on Chemical Safety (No. 0332).

IPCS (1994) *Assessing human health risks of chemicals: derivation of guidance values for health-based exposure limits*. Geneva, World Health Organization, International Programme on Chemical Safety (Environmental Health Criteria 170).

Jeney E, Bartha F, Kondor L, Szendrei S (1957) Adatok az iizemi tetraklorethan-mergezések megelőzéséhez. [Prevention of industrial tetrachloroethane intoxication - Part III.] *Egészségtudomány*, 1:142-164.

Kaiser KLE, Comba ME (1983) Volatile contaminants in the Welland River watershed. *Journal of Great Lakes research*, 9(2):274-280.

Kanada M, Miyagawa M, Sato M, Hasegawa H, Honma T (1994) Neurochemical profile of effects of 28 neurotoxic chemicals on the central nervous system in rats. (1) Effects of oral administration on brain contents of biogenic amines and metabolites. *Industrial health*, 32:145-164.

Kennedy GL Jr, Graepel GJ (1991) Acute toxicity in the rat following either oral or inhalation exposure. *Toxicology letters*, 56:317-326.

Kulinskaya IL, Verlinskaya RV (1972) [Comparative effect of low concentration of di-, tetra- and pentachloroethane on the blood acetylcholine system.] *Gigiena Truda i Professional'nye Zabolevaniya*, 16:56-58 (in Russian).

Larson JL, Bull RJ (1992) Metabolism and lipoperoxidative activity of trichloroacetate and dichloroacetate in rats and mice. *Toxicology and applied pharmacology*, 115:268-277.

LeBlanc GA (1980) Acute toxicity of priority pollutants to water flea (*Daphnia magna*). *Bulletin of environmental contamination and toxicology*, 24:684-691.

Little AD (1983) *Cell transformation assays of 11 chlorinated*

hydrocarbon analogs (final report). US Environmental Protection Agency, Office of Toxic Substances (ICAIR Work Assignment No. 10; Document No. 40+8324457) [cited in ATSDR, 1994].

Lobo-Mendonca R (1963) Tetrachloroethane - a survey. *British journal of industrial medicine*, 20:50-56 [cited in ATSDR, 1994].

Maltoni C, Lefemine G, Cotti G (1986) Experimental research on trichloroethylene carcinogenesis. *Archives of research on industrial carcinogenesis*, Vol. V. Princeton, NJ, Princeton Scientific Publishing, 393 pp.

Maltoni C, Lefemine G, Cotti G, Perino G (1988) Long-term carcinogenicity bioassays on trichloroethylene administered by inhalation to Sprague-Dawley rats and Swiss and B6C3F₁ mice. *Annals of the New York Academy of Sciences*, 534:316-342.

McGregor DB (1980) *Tier II mutagenic screening of 13 NIOSH priority compounds, individual compound report, 1,1,2,2-tetrachloroethane*. Report prepared by Inveresk Research International Limited, Musselburgh, for the National Institute for Occupational Safety and Health, Cincinnati, OH (Report No. 26).

Mersch-Sundermann V (1989a) [The mutagenicity of organic microcontamination in the environment. II. The mutagenicity of volatile organic halogens in the *Salmonella* microsome test (Ames test) with regard to the contamination of groundwater and drinking-water.] *Zentralblatt für Bakteriologie und Mikrobiologie, Hygiene B*, 187:230-243 (in German).

Mersch-Sundermann V (1989b) [Examination of mutagenicity of organic microcontamination of the environment. IV. Communication: The mutagenicity of halogenated aliphatic hydrocarbons with the SOS-chromotest.] *Zentralblatt für Bakteriologie und Mikrobiologie, Hygiene B*, 189:266-271 (in German).

Milman HA, Story DL, Riccio ES, Sivak A, Tu AS, Williams GM, Tong C, Tyson CA (1988) Rat liver foci and *in vitro* assays to detect initiating and promoting effects of chlorinated ethanes and ethylenes.

Annals of the New York Academy of Sciences, 534:521-530.

Mirsalis JC, Tyson CK, Steinmetz KL, Loh EK, Hamilton CM, Bakke JP, Spalding JW (1989) Measurement of unscheduled DNA synthesis and S-phase synthesis in rodent hepatocytes following *in vivo* treatment; testing of 24 compounds. *Environmental and molecular mutagenesis*, 14:155-164.

Mitoma C, Steeger T, Jackson SE, Wheeler KP, Rogers JH, Milman HA (1985) Metabolic disposition study of chlorinated hydrocarbons in rats and mice. *Drug chemistry and toxicology*, 8(3):183-194.

Navrotsky VK, Kashin LM, Kulinskaya IL (1971) [Comparative assessment of the toxicity of a number of industrial poisons when inhaled in low concentrations for prolonged periods.] *Trudy Szed Gigiena Ukrainskoi*, 8:224-226 (in Russian) [cited in ATSDR, 1994].

NCI (1977) *Bioassay of tetrachloroethylene for possible carcinogenicity*. Bethesda, MD, US Department of Health, Education and Welfare, Public Health Services, National Institutes of Health, National Cancer Institute (DHEW/PUB/NIH-77-813).

NCI (1978) *Bioassay of 1,1,2,2-tetrachloroethane for possible carcinogenicity*. Bethesda, MD, US Department of Health, Education and Welfare, Public Health Services, National Institutes of Health, National Cancer Institute (NTIS PB277 4537GA; DHEW/PUB/NIH-78-827).

Nestmann ER, Lee EG-H (1983) Mutagenicity of constituents of pulp and paper mill effluent in growing cells of *Saccharomyces cerevisiae*. *Mutation research*, 119:273-280.

Nestmann ER, Lee EG-H, Matula TI, Douglas GR, Mueller JC (1980) Mutagenicity of constituents identified in pulp and paper mill

effluents using the *Salmonella* mammalian-microsome assay.

Mutation research, 79:203-212.

Nichols JW, McKim JM, Lien GJ, Hoffman AD, Bertelsen SL, Gallinat CA (1993) Physiologically-based toxicokinetic modelling of three waterborne chloroethanes in channel catfish, *Ictalurus punctatus*.

Aquatic toxicology, 27:83-112.

Nimitz JS, Skaggs SR (1992) Estimating tropospheric lifetimes and ozone-depletion potentials of one- and two-carbon hydrofluorocarbons and hydrochlorofluorocarbons. *Environmental science and technology*, 26(4):739-744.

NIOSH (1994) *NIOSH pocket guide to chemical hazards*. US Department of Health and Human Services, Public Health Service, Center for Disease Control and Prevention, National Institute for Occupational Safety and Health, June.

Norman JE, Robinette CD, Fraumeni JF (1981) The mortality experience of army World War II chemical processing companies. *Journal of occupational medicine*, 23(12):818-822.

NTP (1986) *Toxicology and carcinogenesis studies of tetrachloroethylene (perchloroethylene) (CAS No. 127-18-4) in F344/N rats and B6C3F₁ mice (inhalation studies)*. Research Triangle Park, NC, US Department of Health and Human Services, National Institutes of Health, National Toxicology Program (NTP-TR-311).

NTP (1990) *Carcinogenesis studies of trichloroethylene (without epichlorohydrin) (CAS No. 79-01-6) in F344/N rats and B6C3F₁ mice (gavage studies)*. Research Triangle Park, NC, US Department of Health and Human Services, National Institutes of Health, National Toxicology Program (NTP TR 243).

NTP (1991a) *Range finding studies: developmental toxicity - 1,1,2,2-tetrachloroethane when administered via feed in CD*

Sprague-Dawley rats. Research Triangle Park, NC, US Department of Health and Human Services, National Institutes of Health, National Toxicology Program (NTP-91-RF/DT-017).

NTP (1991b) *Range finding studies: developmental toxicity - 1,1,2,2-tetrachloroethane (repeat) when administered via feed in Swiss CD-1 mice*. Research Triangle Park, NC, US Department of Health and Human Services, National Institutes of Health, National Toxicology Program (NTP-91-RF/DT-020).

NTP (1993) *1,1,2,2-Tetrachloroethane. C: C3554. Sperm motility vaginal cytology evaluation in rodents*. Research Triangle Park, NC, US Department of Health and Human Services, National Institutes of Health, National Toxicology Program (SMVCE-93-192).

NTP (1996) *NTP technical report on renal toxicity studies of selected halogenated ethanes administered by gavage to F344/N rats*. Research Triangle Park, NC, US Department of Health and Human Services, National Institutes of Health, National Toxicology Program (Toxicity Report Series Number 45).

Paolini M, Sapigni E, Mesirca R, Pedulli GF, Corongiu FP, Dessi MA, Cantelli-Forti G (1992) On the hepatotoxicity of 1,1,2,2-tetrachloroethane. *Toxicology*, 73:101-115.

Pawlisz AV, Peters RH (1995) Effects of sublethal exposure on lethal body burdens of narcotic organic chemicals in *Daphnia magna*. *Environmental science and technology*, 29(3):613-621.

Price NH, Allen SD, Daniels AU, Yates WG (1978) *Toxicity data for establishing "immediately dangerous to life or health" (IDLH) values* (NTIS PB87-163531) [cited in ATSDR, 1994].

Richter JE, Peterson SF, Kleiner CF (1983) Acute and chronic toxicity of some chlorinated benzenes, chlorinated ethanes, and tetrachloroethylene to *Daphnia magna*. *Archives of environmental*

contamination and toxicology, 12:679-684.

Roldan-Arjona T, Garcia-Pedrajas MD, Luque-Romero FL, Hera C, Pueyo C (1991) An association between mutagenicity of the Ara test of *Salmonella typhimurium* and carcinogenicity in rodents for 16 halogenated aliphatic hydrocarbons. *Mutagenesis*, 6(3):199-205.

Sack TM, Steele DH, Hammerstrom K, Remmers J (1992) A survey of household products for volatile organic compounds. *Atmospheric environment*, 26A(6):1063-1070.

Schmidt P, Binnevies S, Gohlke R, Rothe R (1972) [Subacute action of low concentration of chlorinated ethanes on rats with and without additional ethanol treatment. I. Biochemical and toxicometrical aspects, especially results in subacute and chronic toxicity studies with 1,1,2,2-tetrachloroethane.] *Internationales Archiv für Arbeitsmedizin*, 30:283-298 (in German).

Schmidt P, Ulanova IP, Avilova GG, Binnevis SM (1975) [Comparison of the processes of adaptation of the organism to monotonic and intermittent action of 1,1,2,2-tetrachloroethane.] *Gigiena Truda i Professional'nye Zabolevaniya*, 2:30-34 (in Russian).

Shah JJ, Heyerdahl EK (1988) *National ambient volatile organic compounds (VOCs) database update*. Report prepared by Nero and Associates, Inc., Portland, OR, for Office of Research and Development, US Environmental Protection Agency, Research Triangle Park, NC (EPA/600/3-88-010a; NTIS No. PB88-195631).

Shmutter LM (1977) [The effect of chronic exposure to low concentration of ethane series chlorinated hydrocarbons on specific and nonspecific immunological reactivity in animal experiments.] *Gigiena Truda i Professional'nye Zabolevaniya*, 8:38-43 (in Russian).

Smith AD, Bharath A, Mallard C, Orr D, Smith K, Sutton JA, Vukmanich J, McCarty LS, Ozburn GW (1991) The acute and chronic toxicity of ten

chlorinated organic compounds to the American flagfish (*Jordanella floridae*). *Archives of environmental contamination and toxicology*, 20:94-102.

Smyth HF Jr, Carpenter CP, Weil CS, Pozzani UC, Striegel JA, Nycum JS (1969) Range-finding toxicity data - List VII. *American Industrial Hygiene Association journal*, 30:470-476.

Stoner GD (1991) Lung tumors in strain A mice as a bioassay for carcinogenicity of environmental chemicals. *Experimental lung research*, 17:405-423.

Storm DL (1994) Chemical monitoring of California's public drinking water sources: public exposures and health impacts. In: Wang RGM, ed. *Water contamination and health. Integration of exposure assessment, toxicology, and risk assessment*. New York, NY, Marcel Dekker, Inc., pp. 67-124.

Story DL, Meierhenry EF, Tyson CA, Milman HA (1986) Differences in rat liver enzyme-altered foci produced by chlorinated aliphatics and phenobarbital. *Toxicology and industrial health*, 2(4):351-362.

Theiss JC, Stoner GD, Shimkin MB, Weisburger EK (1977) Test for carcinogenicity of organic contaminants of United States drinking waters by pulmonary tumor response in strain A mice. *Cancer research*, 37(8):2717-2720.

Truffert L, Girard-Wallon C, Emmerich E, Neauport C, Ripault J (1977) [Early experimental demonstration of the hepatotoxicity of some chlorinated solvents by the study of the synthesis of hepatic DNA.] *Archives des maladies professionnelles de medecine du travail et de securité sociale (Paris)*, 38:261-263 (in French).

Tse G, Orbey H, Sandler SI (1992) Infinite dilution activity coefficients and Henry's law coefficients of some priority water pollutants determined by a relative gas chromatographic method.

Environmental science and technology, 26(1):2017-2022.

Tu AS, Murray TA, Hatch KM, Sivak A, Milman HA (1985) *In vitro* transformation of BALB/c-3T3 cells by chlorinated ethanes and ethylenes. *Cancer letters*, 28:85-92.

Ulanova IP, Khalepo AI, Avilova GG (1984) Intermittent exposure to toxic compounds in the working-zone atmosphere viewed from the aspect of hygienic standardization. *Journal of hygiene, epidemiology, microbiology, and immunology*, 29(3):243-251.

Veith GD, Call DJ, Brooke LT (1983) Structure-toxicity relationships for the fathead minnow, *Pimephales promelas*: Narcotic industrial chemicals. *Canadian journal of fisheries and aquatic sciences*, 40:743-748.

Vogel EW, Nivard MJM (1993) Performance of 181 chemicals in a *Drosophila* assay predominantly monitoring interchromosomal mitotic recombination. *Mutagenesis*, 8(1):57-81.

Walbridge CT, Fiandt JT, Phipps GL, Holcombe GW (1983) Acute toxicity of ten chlorinated aliphatic hydrocarbons to the fathead minnow (*Pimephales promelas*). *Archives of environmental contamination and toxicology*, 12:661-666.

Warner JR, Hughes TJ, Claxton LD (1988) Mutagenicity of 16 volatile organic chemicals in a vaporization technique with *Salmonella typhimurium* TA100. *Environmental and molecular mutagenesis*, 11 (Suppl. 11):111.

Williams G (1983) *DNA repair tests of 11 chlorinated hydrocarbon analogs final report EPA contract*. US Environmental Protection Agency, Office of Toxic Substances (Document No. 40+8324292) [cited in ATSDR, 1994].

Wittsiepe J (1990) Occurrence of vinyl chloride and other halogenated

C₁- and C₂-hydrocarbons in German surface water. *Organohalogen compounds*, 4:425-434.

Woodruff RC, Mason JM, Valencia R, Zimmering S (1985) Chemical mutagenesis testing in *Drosophila*. 5. Results of 53 coded compounds tested for the National Toxicology Program. *Environmental mutagenesis*, 7:677-702.

Yllner S (1971) Metabolism of 1,1,2,2-tetrachloroethane-¹⁴C in the mouse. *Acta Pharmacologica et Toxicologica*, 29:499-512.