

REFERENCES

- Abe S, Sasaki M (1977) Chromosome aberrations and sister chromatid exchanges in Chinese hamster cells exposed to various chemicals. *Journal of the National Cancer Institute*, 58:1635-1641.
- Ahel M (1991) Infiltration of organic pollutants into groundwater: field studies in the alluvial aquifer of the Sava river. *Bulletin of environmental contamination and toxicology*, 47:586-593.
- Ambrose AM, Booth AN, DeEds F, Cox AJ (1960) A toxicological study of biphenyl, a citrus fungistat. *Food research*, 25:328-336.
- Anklam E, Mueller A (1994) A simple method of sample preparation for analysis of biphenyl residues in citrus fruit peels by gas chromatography. *Zeitschrift fuer Lebensmittel Untersuchung und Forschung*, 198:329-330.
- Anon. (1994-95) *The Chemical Daily*, pp. 679-680 (no further information available).
- Atkinson R, Arey J (1994) Atmospheric chemistry of gas-phase polycyclic aromatic hydrocarbons: formation of atmospheric mutagens. *Environmental health perspectives*, 102 (Suppl. 4):117-126.
- Atkinson R, Aschmann SM (1985) Rate constants for the gas-phase reaction of hydroxyl radicals with biphenyl and the monochlorobiphenyls at 294 ± 1 K. *Environmental science and technology*, 19:462-464.
- ATSDR (1990) Toxicological profile for creosote. Atlanta, GA, US Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry (Report No. TP-90-09).
- Baranski Z (1991) Evaluation of occupational exposure to aromatic polycyclic hydrocarbons in bituminous mastics plants. *Roczniki*

Panstwowego Zakladu Higieny, 42:223-237.

Bend JR, Hook GER, Easterling RE, Gram TE, Fouts JR (1972) A comparative study of the hepatic and pulmonary microsomal mixed-function oxidase systems in the rabbit. *Journal of pharmacology and experimental therapeutics*, 183:206-217.

Bevinakatti BG, Ninnekar HZ (1992) Degradation of biphenyl by a *Micrococcus* species. *Applied microbiology and biotechnology*, 38:273-275.

Booth AN, Ambrose AM, DeEds F (1956) Reversible nephrotoxic effects of biphenyl. *Federation proceedings*, 15:403 (Abstract 1313).

Booth AN, Ambrose AM, DeEds F, Cox AJ (1961) The reversible nephrotoxic effects of biphenyl. *Toxicology and applied pharmacology*, 3:560-567.

Bos RP, Theuws JLG, Jongeneelen FJ, Henderson PT (1988) Mutagenicity of bi-, tri- and tetra-cyclic aromatic hydrocarbons in the "taped-plate assay" and in the conventional *Salmonella* mutagenicity assay. *Mutation research*, 204:203-206.

Boutwell RK, Bosch DK (1959) The tumor-promoting action of phenol and related compounds for mouse skin. *Cancer research*, 19:413-424.

Brams A, Buchet JP, Crutzen-Fayt MC, de Meester C, Lauwerys R, Leonard A (1987) A comparative study, with 40 chemicals, of the efficiency of the *Salmonella* assay and the SOS chromotest (kit procedure). *Toxicology letters*, 38:123-133.

Bronzetti G, Esposito A, Pagano G, Quinto I (1981) A comparative study on the toxicity and mutagenicity of biphenyl (BP) and diphenyl ether (DPE) in sea urchin, *S. typhimurium* and *S. cerevisiae*. *Mutation research*, 85:233.

Brouns RE, Poot M, de Vrind R, van Hoek-Kon T, Henderson PT (1979) Measurement of DNA-excision repair in suspensions of freshly isolated rat hepatocytes after exposure to some carcinogenic compounds. Its possible use in carcinogenicity screening. *Mutation research*, 64:425-432.

BUA (1990) *BUA-Stoffbericht Biphenyl (1,1'-Biphenyl)*. Berater gremium fuer Umweltrelevante Altstoffe. Weinheim, VCH VerlagsGmbH (Report No. 50; July 1990).

BUA (1994) *BUA-Stoffbericht 133 (Ergaenzungsberichte II)*. Berater gremium fuer Umweltrelevante Altstoffe. Weinheim, VCH VerlagsGmbH.

Carella G, Bettolo PM (1994) Reversible hepatotoxic effects of diphenyl: report of a case and a review of the literature. *Journal of occupational medicine*, 36:575-576.

CITI (1992) *Biodegradation and bioaccumulation. Data of existing chemicals based on the CSCL Japan*. Tokyo, Japan Chemical Industry Ecology-Toxicology & Information Center, Chemicals Inspection & Testing Institute, p. 4-1.

Cline JC, McMahon RE (1977) Detection of chemical mutagens. Use of concentration gradient plates in a high capacity screen. *Research communications in chemical pathology and pharmacology*, 16:523-533.

Cohen SM (1995) Human relevance of animal carcinogenicity studies. *Regulatory toxicology and pharmacology*, 21:75-80.

Collin G, Hoeke H (1995) Tar and pitch. In: Elvers B, Hawkins S, Russes W, eds. *Ullmann's encyclopedia of industrial chemistry*. Vol. A26. 5th ed. Weinheim, VCH Verlagsgesellschaft, pp. 91-127.

Deichmann WB, Kitzmiller KV, Dierker M, Witherup S (1947) Observations on the effects of diphenyl, *o*- and *p*-aminodiphenyl, *o*- and *p*-nitrodiphenyl and dihydroxyoctachlorodiphenyl upon experimental

animals. *Journal of industrial hygiene and toxicology*, 29:1-13.

Deusen C, Kleinermanns K (1993) Identification of exhaust air components with thermal inertization of dusts from cold setting moulding materials. *Giessereiforschung*, 45:147-150.

Di Muccio A, Barbini DA, De Merulis G, Vergori L, Girolimetti S, Sernicola L, Dommarco R (1995) *Rapporto sulle revisioni di analisi per residui di antiparassitari: 1988-1995*. Rome, Istituto Superiore di Sanita.

Dive D, Leclerc H, Persoone G (1980) Pesticide toxicity on the ciliate protozoan *Colpidium campylum*: possible consequences of the effect of pesticides in the aquatic environment. *Ecotoxicology and environmental safety*, 4:129-133.

Donkin P, Widdows J, Evans SV, Brinsley MD (1991) QSARs for the sublethal responses of marine mussels (*Mytilus edulis*). *Science of the total environment*, 109(100):461-476.

Dorgelo FO, Verver G, Wieling G, Topp RJ, Boleij JSM, Pal TM (1985) Urinary hydroxydiphenyl excretion of workers occupationally exposed to a mixture of diphenyl and diphenylether (Dowtherm A). *International archives of occupational and environmental health*, 56:129-134.

Dow Chemical Co. (1974) *Acute inhalation toxicity and industrial handling hazards of biphenyl heated to 85°C* (EPA Document I.D.: 878213725, received 1983) [cited in BUA, 1994].

Dow Chemical Co. (1976) *Cytogenetic effects of diphenyl-99 on rat bone marrow cells* (EPA Document I.D.: 878213726, received 1983) [cited in BUA, 1994].

Dreist M, Kolb J (1993) *Untersuchungen auf hautsensibilisierende Wirkung am Meerschweinchen (Maximierungstest nach Magnusson und Kligman)* (Bericht Nr. 22057 vom 19.02.1993) [cited in BUA, 1994].

EC (1996) *Technical guidance documents in support of the Commission Directive 93/67/EEC on risk assessment for new notified substances and the Commission Regulation (EC) 1488/94 on risk assessment for existing substances*. Ispra, European Chemicals Bureau.

Engewald W, Knobloch T, Efer J (1993) Fluechtige organische Verbindungen in Emissionen aus dem Hausbrand von Braunkohle. *Umweltwissenschaften Schadstoff Forschung*, 6:303-308.

Farkas A (1939) *Hadar*, 12:227 (no further information available) [cited in JMPR, 1967].

Freitag D, Geyer H, Kraus A, Viswanathan R, Kotzias D, Attar A, Klein W, Korte F (1982) Ecotoxicological profile analysis -- VII. Screening chemicals for their environmental behavior by comparative evaluation. *Ecotoxicology and environmental safety*, 6:60-81.

Fujita H, Kojima A, Sasaki M, Hiraga K (1985) Mutagenicity test of antioxidants and fungicides with *Salmonella typhimurium* TA97a, TA102. *Kenkyu Nenpo-Tokyo-toritsu Eisei Kenkyusho*, 36:413-417.

Garberg P, Akerblom E-L, Bolcsfoldi G (1988) Evaluation of a genotoxicity test measuring DNA-strand breaks in mouse lymphoma cells by alkaline unwinding and hydroxyapatite elution. *Mutation research*, 203:155-176.

Gersich FM, Bartlett EA, Murphy PG, Milazzo DP (1989) Chronic toxicity of biphenyl to *Daphnia magna* Straus. *Bulletin of environmental contamination and toxicology*, 43:355-362.

Glatt H, Anklam E, Robertson LW (1992) Biphenyl and fluorinated derivatives: liver enzyme-mediated mutagenicity detected in *Salmonella typhimurium* and Chinese hamster V79 cells. *Mutation research*, 281:151-156.

- Haekkinen I, Siltanen E, Hernberg S, Seppaelaenen AM, Karli P, Vikkula E (1973) Diphenyl poisoning in fruit paper production. *Archives of environmental health*, 26:70-74.
- Haworth S, Lawlor T, Mortelmans K, Speck W, Zeiger E (1983) *Salmonella* mutagenicity test results for 250 chemicals. *Environmental mutagenesis*, 5 (Suppl. 1):3-142.
- Hawthorne SB, Miller DJ, Langenfeld JJ, Krieger MS (1992) PM-10 high-volume collection and quantitation of semi- and nonvolatile phenols, methoxylated phenols, alkanes, and polycyclic aromatic hydrocarbons from winter urban air and their relationship to wood smoke emissions. *Environmental science and technology*, 26:2251-2262.
- Hites RA (1973) Analysis of trace organic compounds in New England rivers. *Journal of chromatographic science*, 11:570-574.
- Hook GER, Bend JR (1976) Pulmonary metabolism of xenobiotics. *Life sciences*, 18:279-290.
- Hook GER, Bend JR, Hoel D, Fouts JR, Gram TE (1972) Preparation of lung microsomes and a comparison of the distribution of enzymes between subcellular fractions of rabbit lung and liver. *Journal of pharmacology and experimental therapeutics*, 182:474-490.
- Hulzebos EM, Adema DMM, Dirven-van Breemen EM, Henzen L, van Dis HA, Herbold HA, Hoekstra JA, Baerselman R, van Gestel CAM (1993) Phytotoxicity with *Lactuca sativa* in soil and nutrient solution. *Environmental toxicology and chemistry*, 12:1079-1094.
- IARC (1985) *Polynuclear aromatic compounds. Part 4. Bitumens, coal-tars and derived products, shale-oils and soots*. Lyon, International Agency for Research on Cancer, pp. 83-159 (IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 35).

Innes JRM, Ulland BM, Valerio MG, Petrucelli L, Fishbein L, Hart ER, Pallotta AJ, Bates RR, Falk HL, Gart JJ, Klein M, Mitchell I, Peters J (1969) Bioassay of pesticides and industrial chemicals for tumorigenicity in mice: a preliminary note. *Journal of the National Cancer Institute*, 42:1101-1114.

IPCS (1993) *International Chemical Safety Card -- Biphenyl*. Geneva, World Health Organization, International Programme on Chemical Safety (ICSC 0106).

IRPTC (1994) *IRPTC legal and treatment and disposal methods for waste chemical files: Biphenyl (CAS-No. 92-52-4) and polychlorinated biphenyls (CAS-No. 1336-36-3)*. Geneva, United Nations Environment Programme, International Register of Potentially Toxic Chemicals.

Ishidate M, Odashima S (1977) Chromosome tests with 134 compounds on Chinese hamster cells *in vitro* -- a screening for chemical carcinogens. *Mutation research*, 48:337-354.

Ishidate M, Sofuni T, Yoshikawa K, Hayashi M, Nohmi T, Sawada M, Matsuoka A (1984) Primary mutagenicity screening of food additives currently used in Japan. *Food and chemical toxicology*, 22:623-636.

Isshiki K, Tsumura S, Watanabe T (1982) Post-harvest fungicides in edible parts of citrus fruits. *Agricultural and biological chemistry*, 46:993-999.

Japan Bioassay Research Center (1996) *Two year feeding study of biphenyl in rats and mice*. Tokyo, National Institute of Health Sciences (unpublished report).

Jeng CY, Chen DH, Yaws DL (1992) Data compilation for soil sorption coefficient. *Pollution engineering*, 15:54-60.

JMPR (1967) *1967 evaluations of some pesticide residues in food*.
Joint meeting of the FAO working party of experts and the WHO expert committee on pesticide residues, Rome, 4-11 December 1967. Rome, World Health Organization.

Karanassios IG, Georakilas V, Lahaniatis ES, Pilidis GA (1994)
Determination of airborne aromatic and polyaromatic hydrocarbons in two towns of north-western Greece. *Fresenius environmental bulletin*, 3:511-516.

Kawachi T, Yahagi T, Kada T, Tazima Y, Ishidate M, Sasaki M, Sugiyama T (1980) Cooperative programme on short-term assays for carcinogenicity in Japan. In: Montesano R, Bartsch H, Tomatis L, eds. *Molecular and cellular aspects of carcinogen screening tests*. Lyon, International Agency for Research on Cancer, pp. 323-330 (IARC Scientific Publications No. 27).

Khera KS, Whalen C, Angers G, Trivett G (1979) Assessment of the teratogenic potential of piperonyl butoxide, biphenyl, and phosalone in the rat. *Toxicology and applied pharmacology*, 47:353-358.

Kirton P, Ellis J, Crisp PT (1991) The analysis of organic matter in coke oven emissions. *Fuel*, 70:1383-1389.

Kishi H, Hasimoto Y (1991) Contribution of soil constituents to the adsorption of chemicals. In: Arend F, Hinsenveld M, Van den Brink WJ, eds. *Altlastensanierung 90, 3rd KfK/TNO Kongress*. Bundesministerium Forschung Technologie, pp. 387-393.

Kiyohara H, Takizawa N, Nagao K (1992) Natural distribution of bacteria metabolizing many kinds of polycyclic aromatic hydrocarbons. *Journal of fermentation and bioengineering*, 74:49-51.

Kostiainen R (1995) Volatile organic compounds in the indoor air of normal and sick houses. *Atmospheric environment*, 29:693-702.

Kotzias D, Geyer H, Viswanathan R, Kraus A, Freitag D, Klein W, Korte F (1980) An approach to the ecotoxicological evaluation of environmental chemicals. In: Kovatsis A, ed. *Toxicological aspects*. 9th International Congress of the European Association of Poison Control Centers and the European Meeting of the International Association of Forensic Toxicologists, Thessaloniki, 24-27 August 1980, pp. 257-268.

Kurata Y, Asamoto M, Hagiwara A, Masui T, Fukushima S (1986) Promoting effects of various agents in rat urinary bladder carcinogenesis initiated by *N*-butyl-*N*(4-hydroxybutyl)nitrosamine. *Cancer letters*, 32:125-135.

Leach JM, Otson R, Armstrong V (1987) Airborne contaminants in two small Canadian coal liquefaction pilot plants. *American Industrial Hygiene Association Journal*, 48:693-697.

LWA (1993-94) *Gewaesserguetebericht '93/'94*. Nordrhein-Westfalen, Landesamt fuer Wasser und Abfall.

Macintosh FC (1945) The toxicity of diphenyl and *o*-phenyl-phenol. *Analyst*, 70:334-335.

Mackay D, Shiu WY, Ma KC (1992) *Illustrated handbook of physical-chemical properties and environmental fate for organic chemicals. Vol. II. Polynuclear aromatic hydrocarbons, polychlorinated dioxins, and dibenzofurans*. Boca Raton, FL, Lewis Publishers.

Malins DC, Krahn MM, Brown DW, Rhodes LD, Myers MS, McCain BB, Chan S (1985) Toxic chemicals in marine sediment and biota from Mukilteo, Washington: Relationships with hepatic neoplasms and other hepatic lesions in English sole (*Parophrys vetulus*). *Journal of the National Cancer Institute*, 74:487-494.

Matsubara T, Prough RA, Burke MD, Estabrook RW (1974) The preparation

of microsomal fractions of rodent respiratory tract and their characterization. *Cancer research*, 34:2196-2203.

Meyer T (1977) The metabolism of biphenyl. IV. Phenolic metabolites in the guinea pig and the rabbit. *Acta Pharmacologica et Toxicologica*, 40:193-200.

Meyer T, Scheline RR (1976) The metabolism of biphenyl. II. Phenolic metabolites in the rat. *Acta Pharmacologica et Toxicologica*, 39:419-432.

Meyer T, Larsen JC, Hansen EV, Scheline RR (1976a) The metabolism of biphenyl. III. Phenolic metabolites in the pig. *Acta Pharmacologica et Toxicologica*, 39:433-441.

Meyer T, Aarbakke J, Scheline RR (1976b) The metabolism of biphenyl. I. Metabolic disposition of ¹⁴C-biphenyl in the rat. *Acta Pharmacologica et Toxicologica*, 39:412-418.

Monsanto Co. (1959) Animal inhalation study on biphenyl at 80°F and 100°F (EPA Document I.D.: 878213571, received 1983) [cited in BUA, 1994].

Newell GW (1953) *A toxicological study of diphenyl in citrus wraps* (Stanford Research Institute Report No. B 326) [cited in Monsanto Co. (1996) *Toxicological data on biphenyl*].

Nielsen PH, Christensen TH (1994) Variability of biological degradation of aromatic hydrocarbons in an aerobic aquifer determined by laboratory batch experiments. *Journal of contaminant hydrology*, 15:305-320.

NTIS (1968) *Evaluation of carcinogenic, teratogenic and mutagenic activities of selected pesticides and industrial chemicals* (National Technical Information Service PB-223159, August 1968) [cited in BUA, 1990].

NTP (1980) *Annual plan for fiscal year 1981*. Research Triangle Park, NC, US Department of Health and Human Services, National Toxicology Program, p. 32.

Otson R, Fellin R, Tran Q (1994) VOCs in representative Canadian residences. *Atmospheric environment*, 28:3563-3569.

Paasivirta J, Kaaerlahti H, Lahtipera M, Pellinen J, Sinkkonen S (1982) Oil residues in Baltic sediment, mussel and fish. II. Study of the Finnish Archipelago 1979-81. *Chemosphere*, 11:811-821.

Pagano G, Esposito A, Giordano GG, Vamvakinos E, Quinto I, Bronzetti G, Bauer C, Corsi C, Neri R, Ciajolo A (1983) Genotoxicity and teratogenicity of diphenyl and diphenyl ether: a study of sea urchins, yeast, and *Salmonella typhimurium*. *Teratogenesis, carcinogenesis, and mutagenesis*, 3:377-393.

Pagano G, Cipollaro M, Corsale G, Della Morte R, Esposito A, Giordano GG, Micallo G, Quinto I, Staiano N (1988) Comparative toxicity of diphenyl, diphenyl ester, and some of their hydroxy derivatives. *Médecine Biologie Environnement*, 16:291-297.

Paschke A, Herbel W, Steinhart H (1992) Determination of mono- to tetracyclic aromatic hydrocarbons in lubricating oil. *Journal of high resolution chromatography*, 15:827-833.

Penttilä P-L, Siivinen K (1996) Control and intake of pesticide residues during 1981-1993 in Finland. *Food additives and contaminants*, 13:609-622.

Powis G, Moore DJ, Wilke TJ, Santone KS (1987) A high-performance liquid chromatography assay for measuring integrated biphenyl metabolism by intact cells: its use with rat liver; human liver and kidney. *Analytical biochemistry*, 167:191-198.

Probst GS, McMahon RE, Hill LE, Thompson CZ, Epp JK, Neal SB (1981) Chemically-induced unscheduled DNA synthesis in primary rat hepatocyte cultures: a comparison with bacterial mutagenicity using 218 compounds. *Environmental mutagenesis*, 3:11-32.

Prough RA, Burke MD (1975) The role of NADPH-cytochrome c reductase in microsomal hydroxylation reactions. *Archives of biochemistry and biophysics*, 170:160-168.

Purchase IFH, Longstaff E, Ashby J, Styles JA, Anderson D, Lefevre PA, Westwood FR (1978) An evaluation of 6 short-term tests for detecting organic chemical carcinogens. *British journal of cancer*, 37:873-959.

Selle WA (1952) *Progress reports on the effects of topical application of diphenyl (November 6, 1952, July 23, 1953, February 23, 1954)* [cited in *Verwendung von Diphenyl, Orthophenylphenol und dessen Natriumverbindung zur Oberflaechenbehandlung von Zitrusfruechten*. Bundesgesundheitsblatt 11 (dated 26 May 1967), pp. 168-173].

Shibata MA, Yamada M, Tanaka H, Kagawa M, Fukushima S (1989a) Changes in urine composition, bladder epithelial morphology, and DNA synthesis in male F344 rats in response to ingestion of bladder tumor promoters. *Toxicology and applied pharmacology*, 99:37-49.

Shibata MA, Tanaka H, Yamada M, Tamano S, Fukushima S (1989b) Proliferative response of renal pelvic epithelium in rats to oral administration of ortho-phenylphenol sodium ortho-phenylphenate and diphenyl. *Cancer letters*, 48:19-28.

Shiraiwa K, Takita M, Tsutsumi M, Kinugasa T, Denda A, Takahashi S, Konishi Y (1989) Diphenyl induces urolithiasis but does not possess the ability to promote carcinogenesis by *N*-ethyl- *N*-hydroxyethylnitrosamine in kidneys of rats. *Journal of toxicologic pathology*, 2:41-48.

Siegl WO, Chladek E (1992) Measurement of gas-phase polycyclic aromatic hydrocarbons (PAH) in gasoline vehicle exhaust. *American Chemical Society Division of Petroleum Chemistry*, 4:1499-1504.

Snyder RD, Matheson DW (1985) Nick translation -- a new assay for monitoring DNA damage and repair in cultured human fibroblasts. *Environmental mutagenesis*, 7:267-279.

Sofuni T, Hayashi M, Matsuoka A, Sawada M, Hatanaka M, Ishidate M (1985) Mutagenicity tests on organic chemical contaminants in city water and related compounds. II. Chromosome aberration tests in cultured mammalian cells. *Eisei Shikensho Hokoku*, 103:64-75.

Sondergaard D, Blom L (1979) Polycystic changes in rat kidney induced by biphenyl fed in different diets. *Archives for toxicology, Suppl.* 2:499-502.

Stanford Research Institute (undated) *Final report -- a toxicological study of diphenyl in citrus wraps*. Menlo Park, CA [cited in US EPA (1984) *Health and environmental effects profile for 1,1'-biphenyl*. Cincinnati, OH, US Environmental Protection Agency].

Sun Co. Inc. (1977a) *Acute inhalation toxicity of biphenyl -- with cover letter* (EPA Document I.D.: 878213530, received 1983) [cited in BUA, 1994].

Sun Co. Inc. (1977b) *Subacute inhalation toxicity of biphenyl* (EPA Document I.D.: 878213531, received 1983) [cited in BUA, 1994].

Sun Co. Inc. (1977c) *90-day inhalation toxicity study of biphenyl (99+% purity) in CD mice* (EPA Document I.D.: 878213532, received 1983) [cited in BUA, 1994].

Takita M (1983) Urolithiasis induced by oral administration of diphenyl in rats. *Journal of the Nara (Medical University) Medical*

Association, 34:565-584.

Tamano S, Asakawa E, Boomyaphiphat P, Masui T, Fukushima S (1993) Lack of promotion of *N*-butyl-*N*-(4-hydroxybutyl)nitrosamine-initiated urinary bladder carcinogenesis in mice by rat cancer promoters. *Teratogenesis, carcinogenesis, and mutagenesis*, 13:89-96.

Tanaka A, Morimoto K, Yamaha T (1993) Small scale synthesis of labeled diphenyl and its binding to mouse liver microsomes. *Radio isotopes*, 42:564-568.

Wangenheim J, Bolcsfoldi G (1988) Mouse lymphoma L5178Y thymidine kinase locus assay of 50 compounds. *Mutagenesis*, 3:193-205.

Waters MD, Sandhu SS, Simmon VF, Mortelmans KE, Mitchell AD, Jorgenson TA, Jones DCL, Valencia R, Garrett NE (1982) Study of pesticide genotoxicity. *Basic life sciences*, 21:275-326.

Weil E, Kusterer L, Brogard MH (1965) *Archives des Maladies Professionnelles*, 26:405 [cited in Henschler D (1979) *Toxikologisch-arbeitsmedizinische Begründungen von MAK-Werten*. Weinheim, VCH VerlagsGmbH].

Wienecke J, Kruse H, Wassermann O (1992) Organic compounds in the flue gas from a power station with circulating fluid bed combustion of coal. *Chemosphere*, 25:1889-1895.

Wilkins CK, Wolkoff P, Gyntelberg F, Skov P, Valbjørn O (1993) Characterization of office dust by VOCs and TVOC release -- identification of potential irritant VOCs by partial least squares analysis. *Indoor air*, 3:283-290.

Williams GM (1978) Further improvements in the hepatocyte primary culture DNA repair test for carcinogens: Detection of carcinogenic biphenyl derivatives. *Cancer letters*, 4:69-75.

Windeatt AJ, Tapp JF, Stanley RD (1991) The use of soil-based tests based on the OECD guidelines. In: Gorsuch JW, Lower WR, Wang W, Lewis MA, eds. *Plants for toxicity assessment. Vol. 2*. Philadelphia, PA, American Society for Testing and Materials, pp. 29-40 (ASTM Special Technical Publication 1115).

Yao W, Xu X (1991) Determination of pollutants emitted from burning coal and of their mutagenicities. *Analytical science*, 7:1381-1384.

Zhang Y, Rott B, Freitag D (1983) Accumulation and elimination of 14-C-PCB's by *Daphnia magna* Straus 1820. *Chemosphere*, 12:1645-1651.

Zimmermann FK, von Borstel RC, von Halle ES, Parry JM, Siebert D, Zetterberg G, Barale R, Loprieno N (1984) Testing of chemicals for genetic activity with *Saccharomyces cerevisiae*: a report of the U.S. Environmental Protection Agency Gene-Tox Program. *Mutation research*, 133:199-244.