

REFERENCES

- Baker R, Bonin A (1981) Study of 42 coded compounds with *Salmonella*/mammalian microsome assay. In: de Serres FJ, Ashby J, eds. *Progress in mutation research. Vol. 1. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 249-260.
- Baker R, Bonin A (1985) Tests with the *Salmonella* plate-incorporation assay. In: Ashby J, de Serres FJ, Draper M, Ishidate M Jr, Margolin BH, Matter BE, Shelby MD, eds. *Progress in mutation research. Vol. 5. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 177-180.
- Birnier G, Neumann H (1988) Biomonitoring of aromatic amines. II: Haemoglobin binding of some monocyclic aromatic amines. *Archives of toxicology*, 62(2/3):110-115.
- Brown K, Teass A, Simon S, Ward E (1995) A biological monitoring method for o-toluidine in urine using high performance liquid chromatography with electrochemical detection. *Applied occupational and environmental hygiene*, 10(6):557-565.
- Cesarone C, Bolognesi C, Santi L (1982) Evaluation of damage to DNA after *in vivo* exposure to different classes of chemicals. *Archives of toxicology*, Suppl. 5:355-359.
- Cheever K, Richards D, Plotnick H (1980) Metabolism of o-, m- and p-toluidine in the adult male rat. *Toxicology and applied pharmacology*, 56:361-369.
- Conso F, Pontal P (1982) Amino-tumours of the bladder. Possible part of the industrial exposure to o-toluidine and o-aminoazotoluene. *Archives des maladies professionnelles de medecine du travail et de securité sociale*, 43(4):273-319 (HSE Translation No. 14195A).

Danford N (1985) Tests for chromosome aberrations and aneuploidy in the Chinese hamster fibroblast cell line CH1-L. In: Ashby J, de Serres FJ, Draper M, Ishidate M Jr, Margolin BH, Matter BE, Shelby MD, eds. *Progress in mutation research. Vol. 5. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 397-411.

Ferretti J, Lu W, Liu M (1977) Mutagenicity of benzidine and related compounds employed in the detection of haemoglobin. *American journal of clinical pathology*, 67(6):526-527.

Garner R, Nutman C (1977) Testing of some azo dyes and their reduction products for mutagenicity using *Salmonella typhimurium* TA 1538. *Mutation research*, 44:9-19.

Garner R, Welch A, Pickering C (1981) Mutagenic activity of 42 coded compounds in the *Salmonella*/microsome assay. In: de Serres FJ, Ashby J, eds. *Progress in mutation research. Vol. 1. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 280-284.

Goodman D, Ward J, Reichardt W (1984) Splenic fibrosis and sarcomas in F344 rats fed diets containing aniline HCL, *p*-chloroaniline, azobenzene, *o*-toluidine HCL, 4,4'-sulfonyldianiline or D+C red No. 9. *Journal of the National Cancer Institute*, 73(1):265-273.

Gregg N, South D, Brown R, Cocker J (1996) *o-Toluidine; Criteria document for an occupational exposure limit*. London, HSE Books.

Gulati D, Sabharwal P, Shelby M (1985) Tests for the induction of chromosomal aberrations and sister-chromatid exchanges in cultured Chinese hamster ovary (CHO) cells. In: Ashby J, de Serres FJ, Draper M, Ishidate M Jr, Margolin BH, Matter BE, Shelby MD, eds. *Progress in mutation research. Vol. 5. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 413-426.

Haseman JK, Arnold J, Eustis SL (1990) Tumour incidences in Fischer 344 rats: NTP historical data. In: Boorman GA, Eustis SL, Elwell MR, Montgomery CA Jr, MacKenzie WF, eds. *Pathology of the Fischer rat. Reference and atlas*. San Diego, CA, Academic Press, pp. 555-564.

Hecht S, El-Bayoumy K, Riverson A, Fiala E (1982) Comparative carcinogenicity of o-toluidine hydrochloride and o-nitrosotoluene in F-344 rats. *Cancer letters*, 16:103-108.

Hecht S, El-Bayoumy K, Riverson A, Fiala E (1983) Bioassay for carcinogenicity of 3,2'-dimethyl-4-nitrosobiphenyl, o-nitrosotoluene, nitrosobenzene and the corresponding amines in Syrian golden hamsters. *Cancer letters*, 20(3):349-354.

HSE (1993) *Aromatic amines in air and on surfaces*. London, Health & Safety Executive (Methods for the Determination of Hazardous Substances, No. 75).

IARC (1987) *Ortho-toluidine*. In: *Overall evaluations of carcinogenicity: an updating of IARC Monographs Volumes 1-42*. Lyon, International Agency for Research on Cancer, pp. 362-363 (IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, Supplement No. 7).

Ishidate M Jr, Sofuni T (1985) The *in vitro* chromosomal aberration test using Chinese hamster lung (CHL) fibroblast cells in culture. In: Ashby J, de Serres FJ, Draper M, Ishidate M Jr, Margolin BH, Matter BE, Shelby MD, eds. *Progress in mutation research. Vol. 5. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 427-432.

Jacobson K (1972) Acute oral toxicity of mono- and di-alkyl ring-substituted derivatives of aniline. *Toxicology and applied pharmacology*, 22:153-154.

Khlebnikova M, Gladkova E, Kurenko L, Pshenitsyn A, Shalin B (1970)

[Problems of industrial hygiene and health status of workers engaged in the production of o-toluidine.] *Gigiena Truda i Professional'nye Zabolevaniya*, 14:7-10 (in Russian).

MacDonald D (1981) *Salmonella*/microsome tests on 42 coded compounds. In: de Serres FJ, Ashby J, eds. *Progress in mutation research. Vol. 1. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 285-297.

Martire G, Vricella G, Perfumo A, de Lorenzo F (1981) Evaluation of the mutagenic activity of coded compounds in the *Salmonella* test. In: de Serres FJ, Ashby J, eds. *Progress in mutation research. Vol. 1. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 271-279.

Matsushima T, Takamoto Y, Shirai A, Sawamura M, Sugimura T (1981) Reverse mutation test on 42 coded compounds with the *E. coli* WP2 system. In: de Serres FJ, Ashby J, eds. *Progress in mutation research. Vol. 1. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 387-395.

McCann J, Choi E, Yamasaki E, Ames B (1975) Detection of carcinogens as mutagens in the *Salmonella*/microsome test: assay of 300 chemicals. *Proceedings of the National Academy of Sciences of the United States of America*, 72:5135-5139.

McFee A, Jauhar P, Lowe K, MacGregor J, Wehr C (1989) Assays of three carcinogen/noncarcinogen chemical pairs for *in vivo* induction of chromosome aberrations, sister chromatid exchanges and micronuclei. *Environmental and molecular mutagenesis*, 14(4):207-220.

Morigami S, Nisimura I (1940) Experimental studies on aniline bladder tumours. *Gann*, 34:146-147.

Nagao M, Takahashi Y (1981) Mutagenic activity of 42 coded compounds in the *Salmonella*/microsome assay. In: de Serres FJ, Ashby J, eds.

Progress in mutation research. Vol. 1. Evaluation of short-term tests for carcinogens. Amsterdam, Elsevier Science Publishers, pp. 361-370.

Nagao M, Yahagi T, Sugimura T (1978) Differences in effects of norharman with various classes of chemical mutagens and amounts of S9. *Biochemical and biophysical research communications*, 83(2):373-378.

NCI (1979) *Bioassay of o-toluidine hydrochloride for possible carcinogenicity (CAS No. 636-21-5).* Bethesda, MD, US Department of Health, Education and Welfare, Public Health Service, National Institutes of Health, National Cancer Institute (Carcinogenesis Technical Report Series No. 153; NIH Publication No. 79-1709).

NIOSH (1987) Method 2002. In: *NIOSH manual of analytical methods*, 3rd ed. Department of Health, Education and Welfare, National Institute for Occupational Safety and Health (DHEW Publication No. 84-100; 1984, revised 1987).

Pereira W, Rostad C, Garbarino J, Hult M (1983) Groundwater contamination by organic bases derived from coal tar wastes. *Toxicology and chemistry*, 2:283-294.

Priston R, Dean B (1985) Tests for the induction of chromosome aberrations, polyploidy and sister-chromatid exchanges in rat liver (RL₄) cells. In: Ashby J, de Serres FJ, Draper M, Ishidate M Jr, Margolin BH, Matter BE, Shelby MD, eds. *Progress in mutation research. Vol. 5. Evaluation of short-term tests for carcinogens.* Amsterdam, Elsevier Science Publishers, pp. 387-395.

Rexroat M, Probst G (1985) Mutation tests with *Salmonella* using the plate incorporation assay. In: Ashby J, de Serres FJ, Draper M, Ishidate M Jr, Margolin BH, Matter BE, Shelby MD, eds. *Progress in mutation research. Vol. 5. Evaluation of short-term tests for carcinogens.* Amsterdam, Elsevier Science Publishers, pp. 201-212.

Richold M, Jones E (1981) Mutagenic activity of 42 coded compounds in the *Salmonella*/microsome assay. In: de Serres FJ, Ashby J, eds. *Progress in mutation research. Vol. 1. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 314-322.

Rosenkranz H, Poirier L (1979) Evaluation of the mutagenicity and DNA modifying activity of carcinogens and non-carcinogens in microbial systems. *Journal of the National Cancer Institute*, 62:873-892.

Rowland I, Severn B (1981) Mutagenicity of carcinogens and noncarcinogens in the *Salmonella*/microsome test. In: de Serres FJ, Ashby J, eds. *Progress in mutation research. Vol. 1. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 323-332.

Rubino G, Scansetti G, Piolatto G, Pira E (1982) The carcinogenic effect of aromatic amines. An epidemiological study on the role of o-toluidine and 4,4'-methylene bis (2-methylaniline) in inducing bladder cancer in man. *Environmental research*, 27(2):241-254.

Salamone M, Heddle J, Katz M (1981) Mutagenic activity of 41 compounds in the *in vivo* micronucleus assay. In: de Serres FJ, Ashby J, eds. *Progress in mutation research. Vol. 1. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 686-697.

Senczuk W, Rucinska H, Zak I (1984) Toxicodynamic properties of toluidines. Part IV. Dermal absorption of toluidines. *Bromatologia i Chemia Toksykologiczna*, 17(2):109-112 (HSE Translation No. 14309).

Short C, King C, Sistrunk P, Kerr K (1983) Subacute toxicity of several ring-substituted dialkylanilines in the rat. *Fundamental and applied toxicology*, 3(4):285-292.

Simmon V (1979) *In vitro* mutagenicity assays of chemical carcinogens

and related compounds with *Salmonella typhimurium*. *Journal of the National Cancer Institute*, 62:893-899.

Simmon V, Shepherd G (1981) Mutagenic activity of 42 coded compounds in the *Salmonella*/microsome assay. In: de Serres FJ, Ashby J, eds. *Progress in mutation research. Vol. 1. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 333-342.

Smyth H, Carpenter C, Weil C (1962) Range-finding toxicity data - List VI. *American Industrial Hygiene Association journal*, 23:95-107.

Son O, Weiss L, Fiala E, Weisburger E (1977) Metabolism of the carcinogen o-toluidine. *Proceedings of the American Association for Cancer Research*, 18:492.

Steinhoff D (1981) Possible methods of carcinogenicity testing for substances used at the place of work. *Cancer detection and prevention*, 4:41-46.

Sugimura T, Nagao M (1981) Carcinogenic, mutagenic and comutagenic aromatic amines in human foods. *National Cancer Institute monographs*, 58:27-33.

Trueman R (1981) Mutagenicity of 42 coded compounds in a bacterial assay using *Escherichia coli* and *Salmonella typhimurium*. In: de Serres FJ, Ashby J, eds. *Progress in mutation research. Vol. 1. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 343-350.

Tsuchimoto T, Matler B (1981) Activity of coded compounds in the micronucleus test. In: de Serres FJ, Ashby J, eds. *Progress in mutation research. Vol. 1. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 705-711.

Venitt S, Crofton-Sleigh C (1981) Mutagenicity of 42 coded compounds

in a bacterial assay using *E. coli* and *S. typhimurium*. In: de Serres FJ, Ashby J, eds. *Progress in mutation research. Vol. 1. Evaluation of short-term tests for carcinogens*. Amsterdam, Elsevier Science Publishers, pp. 351-361.

Vigliani E, Barsotti M (1961) Environmental tumours of the bladder in some Italian dyestuff factories. *Medicina del Lavoro*, 52:241-250.

Ward E, Carpenter A, Markowitz S, Roberts D, Halperin W (1991) Excess number of bladder cancers in workers exposed to o-toluidine and aniline. *Journal of the National Cancer Institute*, 83(7):501-506.

Ward E, Sabbioni G, DeBord D, Teass A, Brown K, Talaska G, Roberts D, Ruder A, Streicher R (1996) Monitoring of aromatic amine exposures in workers at a chemical plant with a known bladder cancer excess. *Journal of the National Cancer Institute*, 88(15):1046-1052.

Wegman R, de Korte G (1981) Aromatic amines in surface waters of the Netherlands. *Water research*, 15:391-394.

Weisburger E, Russfield A, Homburger F, Weisburger J, Boger E, van Dongen C, Chu K (1978) Testing of twenty-one environmental aromatic amines or derivatives for long term toxicity or carcinogenicity. *Journal of environmental pathology and toxicology*, 2(2):325-356.

Yoshida K, Shigeoka T, Yamauchi F (1983) Non-steady-state equilibrium model for the preliminary prediction of the fate of chemicals in the environment. *Ecotoxicology and environmental safety*, 7:179-190.

Zavon M, Hoegg V, Bingham E (1973) Benzidine exposure as a cause of bladder tumours. *Archives of environmental health*, 27:1-7.

Zimmer D, Mazurek J, Petzold G, Bhuyan B (1980) Bacterial mutagenicity and mammalian cell DNA damage by several substituted anilines. *Mutation research*, 77:317-326.

o-Toluidine

Zoeteman B, Harmsen K, Linders J, Morra C, Slooff W (1980) Persistent organic pollutants in river water and ground water of the Netherlands.

Chemosphere, 9:231-249.