

REFERENCES

Ames M, Kovach JS, Rubin J (1984) Pharmacological characterization of Teroxirone, a triepoxide antitumour agent in rats, rabbits and humans.

Cancer research, 44:4151-4156.

Atassi G, Spreafico F, Dumont P, Nayer P, Klatersky J (1980)

Antitumoral effect in mice of a new triepoxide derivative:

1,3,5-triglycidyl- S-triazinetriene (NSC 296934). *European journal of cancer*, 16(12):1561-1567.

Bushy Run (1991) *PL90-810: Acute dust inhalation toxicity test in mice*. Export, PA, Bushy Run Research Center.

Bushy Run (1992a) *PL90-810: Chromosomal aberrations assay in mouse spermatogonial cells, Project No. 54-520*. Export, PA, Bushy Run Research Center.

Bushy Run (1992b) *Dominant lethal assay of inhaled PL 90-810 dust in CD-1 mice (No. 54-515)*. Export, PA, Bushy Run Research Center.

Ciba-Geigy (1975a) *Acute oral toxicity in the rat of TK 10622 (No. SISS 4735)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1975b) *Acute dermal toxicity of TK 10622 in the rat*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1979a) *Acute aerosol inhalation toxicity in the rat of TK 10622/3 (No. 790339)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1979b) *Acute aerosol inhalation toxicity in the rat of TK 10622 (No. 790336)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1979c) *Skin irritation in the rabbit after single application of TK 10622/3 (No. 790340)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1979d) *Skin irritation in the rabbit after single application of TK 10622 (No. 790337)*. Basel, Ciba-Geigy Ltd.

Triglycidyl Isocyanurate

Ciba-Geigy (1979e) *Eye irritation in the rabbit after single application of TK 10622/3 (No. 790341)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1982a) *Acute oral toxicity in the rat (No. 820694) with TK 10622*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1982b) *Acute skin irritation in the rabbit with TK 10622 (No. 820697)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1982c) *Acute eye irritation study in the rabbit with TK 10622 (No. 820696)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1982d) *Salmonella and Escherichia/ liver microsome test with TK 10622*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1983a) *L5178Y/TK+/ α mouse lymphoma mutagenicity test with TK 10622 (No. 830797)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1983b) *BALB/3T3 cell transformation assay with TK 10622 (No. 820934)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1983c) *Nucleus anomaly test in somatic interphase nuclei of Chinese hamster with TK 10622 (No. 820931)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1983d) *Sister chromatid exchange studies on somatic cells of the Chinese hamster (No. 820932)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1984) *Sister chromatid exchange studies on somatic cells of Chinese hamster (No. 830989)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1985) *Chromosome studies on human lymphocytes in vitro with TK 10622 (No. 850071)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1986a) *Transformation/liver microsome test with TK 10622 (No. 850072)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1986b) *Chromosome studies on male germinal epithelium of mouse spermatogonia (No. 850067)*. Basel, Ciba-Geigy Ltd.

Triglycidyl Isocyanurate

Ciba-Geigy (1986c) *Dominant lethal test, mouse, three weeks (No. 850069)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1986d) *Mammalian spot test, mouse, 8 weeks (No. 850070) with TK 10622*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1986e) *Chromosome studies on male epithelium mouse spermatocytes (No. 850068) with TK 10622*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1988a) *Autoradiographic DNA repair test on human fibroblasts with TK 10622 (No. 874267)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1988b) *Skin sensitization test in the guinea pig, modified maximization test (No. 884210)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1988c) *Autoradiographic DNA repair test on rat hepatocytes with TK 10622 (No. 874266)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1988d) *Report on the test for ready biodegradability of TK 10622 in the modified Sturm test (Report No. 884053)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1988e) *Report on the test for acute toxicity of TK 10622 to zebra fish (Brachydanio rerio)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1988f) *Report on the test for acute toxicity of TK 10622 to Daphnia magna*. Basel, Ciba-Geigy Ltd, March.

Ciba-Geigy (1990a) *Acute oral toxicity in the rat (No. 894516) of TK 10622 (Araldite PT 810)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1990b) *Acute dermal toxicity in the rat (No. 894517) with TK 10622 (Araldite PT 810)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1990c) *Potential for DNA binding of Araldite PT 810 (No. PS32-01903)*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1991) *Analytical method, Araldite PT 810 pure in powder coatings*. Basel, Ciba-Geigy Ltd.

Triglycidyl Isocyanurate

Ciba-Geigy (1993a) *Hazard assessment with Araldite PT 810: Inactivation by subcellular liver fractions and binding to liver DNA, Project No. 924004*. Basel, Ciba-Geigy Ltd.

Ciba-Geigy (1993b) *Report on the test for inherent biodegradability in a combined Zahn-Wellers/carbon dioxide evolution test of Araldite PT 810*. Basel, Ciba-Geigy Ltd.

CIT (1995) *13-week toxicity study and fertility study by oral route (dietary admixture) in male rats with PT 810^(R) (TGIC)*. Miserey, Centre Internationale de Toxicologie.

Dooms-Goossens A, Bedert R, Vandaele M, Degreef H (1989) Airborne contact dermatitis due to triglycidyl isocyanurate. *Contact dermatitis*, 21(3):202-203.

Foulds IS, Koh D (1992) Allergic contact dermatitis from resin hardeners during the manufacture of thermosetting coating paints. *Contact dermatitis*, 26:87-90.

Hazleton (1987) *Mutagenicity test on Araldite PT 810 in the Ames Salmonella/microsome reverse mutation assay (No. E-9782-0-401)*. Veenendaal, Hazleton Biotechnologies.

Hazleton (1989a) *Mutagenicity test on PL88-810 in the mouse spermatogonial cell cytogenetic assay (No. 10386-0-474)*. Kensington, MD, Hazleton Laboratories America Inc.

Hazleton (1989b) *Mutagenicity test on PL88-810 in the dominant lethal assay (No. 10386-0-471)*. Kensington, MD, Hazleton Laboratories America Inc.

Hazleton (1991) *Study to evaluate the chromosome damaging potential of TK 10622 (PT810 [TGIC, 97%]) by its effects on the spermatogonial cells of treated mice*. Heslington, York, Hazleton Microtest.

Howard P (1989) *Handbook of environmental fate and exposure data for organic chemicals. Vol.1. Large production and priority pollutants*. Chelsea, MI, Lewis Publishers, p. 485.

Triglycidyl Isocyanurate

HSE (1992) *Toxicity review 27 - Part 1: Triglycidyl isocyanurate.*

United Kingdom, Health and Safety Executive, HMSO Publication (ISBN 0 11 886343 6).

HSE (1994) *Triglycidyl isocyanurate, a review of use and exposure.*

United Kingdom, Health and Safety Executive, Hygiene Technology and Chemical Agents Unit.

IPCS (1997) *International Chemical Safety Card - Triglycidyl isocyanurate.* Geneva, World Health Organization, International Programme on Chemical Safety (No. 1274).

Jolanki R, Kanerva L, Estlander T, Tarvainen K (1994) Concomitant sensitization to triglycidyl isocyanurate, diaminodiphenylmethane and 2-hydroxyethyl methacrylate from silk-screen printing coatings in the manufacture of circuit boards. *Contact dermatitis*, 30:12-15.

Loveday KS, Anderson BE, Resnick MA, Zeiger E (1990) Chromosome aberration and sister chromatid exchange tests in Chinese hamster ovary cells *in vitro*. V: Results with 46 chemicals. *Environmental and molecular mutagenesis*, 16:272-303.

Matthias CG (1988) Allergic contact dermatitis from triglycidyl isocyanurate in polyester paint pigments. *Contact dermatitis*, 19(1):67-68.

McFadden JP, Rycroft RJG (1993) Occupational contact dermatitis from triglycidyl isocyanurate in a powder paint sprayer. *Contact dermatitis*, 28:251.

Munro CS, Lawrence CM (1992) Occupational contact dermatitis from triglycidyl isocyanurate in a powder paint factory. *Contact dermatitis*, 26:59.

Neidhart JA (1984) Phase I trial of Teroxirone. *Cancer treatment reports*, 68:1115-1119.

NICNAS (1994) *Priority Existing Chemical No.1 - Triglycidyl isocyanurate, full public report, National Industrial Chemicals Notification and Assessment Scheme.* Canberra, Australian Government

Triglycidyl Isocyanurate
Publishing Service, April.

Nishioka K, Ogasawara M, Asagami C (1988) Occupational contact allergy to triglycidyl isocyanurate (TGIC, TEPIC). *Contact dermatitis*, 19(5):379-380.

Nissan (no date) *TEPIC, information on basic properties*. Tokyo, Nissan Chemical Industries Ltd.

Piirila P, Estlander T, Keskinen H, Jolanki R, Laakkonen A, Pfaffli P, Tupasela O, Tuppurainen M, Nordman H (1997) Occupational asthma caused by triglycidyl isocyanurate (TGIC). *Clinical and experimental allergy*, 27:510-514.

Rubin J, Kovach JS, Ames MM, Moertel CG, Creagan ET, O'Connell MJ (1987) Phase I study of two schedules of Teroxirone. *Cancer treatment reports*, 71:489-492.

Safepharm (1988a) *TEPIC-G: Acute oral toxicity test in the rat (No. 14/10)*. Derby, Safepharm Laboratories Ltd.

Safepharm (1988b) *TEPIC-G: Acute dermal toxicity (limit test) in the rat (No. 14/11)*. Derby, Safepharm Laboratories Ltd.

Safepharm (1988c) *TEPIC-G: Acute dermal irritation test in the rabbit (No. 14/12)*. Derby, Safepharm Laboratories Ltd.

Safepharm (1988d) *TEPIC-G: Acute dermal irritation test in the rabbit (24-hour exposure) (No. 14/13)*. Derby, Safepharm Laboratories Ltd.

Safepharm (1988e) *TEPIC-G: Magnusson and Kligman maximisation study in the guinea pig (No. 14/14)*. Derby, Safepharm Laboratories Ltd.

Safepharm (1991) *TEPIC SP: Five-day repeat exposure inhalation toxicity study in the male mouse (No. 14/68)*. Derby, Safepharm Laboratories Ltd.

Safepharm (1992) *TGIC technical and TGIC ten per cent powder: Chromosome analysis in mouse spermatogonial cells, comparative*

Triglycidyl Isocyanurate

inhalation study (No. 14/75) [draft]. Derby, Safepharm Laboratories Ltd.

Scheunert I (1992) Transformation and degradation of pesticides in soil. In: Ebing W, ed. *Terrestrial behavior of pesticides*. Berlin, Springer-Verlag, p. 64.

Shell (1971) *Toxicity studies on the diglycidyl esters of tetrahydrophthalic and hexahydrophthalic acids and of triglycidylisocyanurate: Repeated dosing experiments with rats (TLGR.0019.71)*. London, Shell Research Ltd.

Sofuni T, Matsuoka A, Sawada M, Ishidate M Jr, Zeiger E, Shelby MD (1990) A comparison of chromosome aberration induction by 25 compounds tested by two Chinese hamster cell (CHL and CHO) systems in culture. *Mutation research*, 241:175-213.