

文献リスト

表の引用文献の数字は三種類。

HEATOX 脂質過熱産物と記載されている物質については I

HEATOX メイラードと記載されている物質については II

それ以外については III のリストの番号を参照。

リスト I : Heatox 脂質

- 1 Elmore, J. S.; Campo, M. M.; Mottram, D. S.; Enser, M. Effect of lipid composition on meat-like model systems containing cysteine, ribose, and polyunsaturated fatty acids. *Journal of Agricultural and Food Chemistry* 2002, 50, 1126-1132.
- 2 Horiuchi, M.; Umamo, K.; Shibamoto, T. Analysis of volatile compounds formed from fish oil heated with cysteine and trimethylamine oxide. *Journal of Agricultural and Food Chemistry* 1998, 46, 5232-5237.
- 3 Warner, K.; Neff, W. E.; Byrdwell, W. C.; Gardner, H. W. Effect of oleic and linoleic acids on the production of deep-fried odor in heated triolein and trilinolein. *Journal of Agricultural and Food Chemistry* 2001, 49, 899-905.
- 4 Thompson, J. A.; May, W. A.; Paulose, M. M.; Peterson, R. J.; Chang, S. S. Chemical reactions involved in the deep fat frying of foods. III. Identification of volatile decomposition products of trilinolein. *Journal of the American Oil Chemists' Society* 1978, 55, 897-901.
- 5 Selke, E.; Rohwedder, W. K.; Dutton, H. J. Volatile compounds from tristearin heated in air. *Journal of the American Oil Chemists' Society* 1975, 52, 232-235.
- 6 Selke, E.; Rohwedder, W. K.; Dutton, H. J. Volatile components from triolein heated in air. *Journal of the American Oil Chemists Society* 1977, 54, 62-67.
- 7 Selke, E.; Rohwedder, W. K.; Dutton, H. J. Volatile components from trilinolein heated in air. *Journal of the American Oil Chemists Society* 1980, 57, 25-30.
- 8 Selke, E.; Rohwedder, W. K. Volatile components from trilinolenin heated in air. *Journal of the American Oil Chemists Society* 1983, 60, 1853-1858.
- 9 Blank, I.; Lin, J.; Vera, F.A.; Welti, D.H.; Fay, L.B. Identification of potent odorants formed by autoxidation of arachidonic acid: Structure elucidation and Synthesis of (E,Z,Z)-2,4,7-tridecatrienal. *Journal of Agricultural and Food Chemistry* 2001, 49, 2959-2965

リスト II : HEATOX メイラード

- 1 Baltes, W.; Bochmann, G. Model reactions on roast aroma formation. 2.

Mass-spectrometric identification of furans and furanones from the reaction of serine and threonine with sucrose under the conditions of coffee roasting. *Z. Lebensm.-Unters. -Forsch.* 1987, 184, 179-186.

2 Baltes, W.; Bochmann, G. Model reactions on roast aroma formation. 3.

Mass-spectrometric identification of pyrroles from the reaction of serine and threonine with sucrose under the conditions of coffee roasting. *Z. Lebensm.-Unters. -Forsch.* 1987, 184, 478-484.

3 Baltes, W.; Bochmann, G. Model reactions on roast aroma formation. 4.

Mass-spectrometric identification of pyrazines from the reaction of serine and threonine with sucrose under the conditions of coffee roasting. *Z. Lebensm.-Unters. -Forsch.* 1987, 184, 485-493.

4 Baltes, W.; Bochmann, G. Model reactions on roast aroma formation. 5.

Mass-spectrometric identification of pyridines, oxazoles and carbocyclic compounds from the reaction of serine and threonine with sucrose under the conditions of coffee roasting. *Z. Lebensm.-Unters. -Forsch.* 1987, 185, 5-9.

5 Bohnenstengel, C.; Baltes, W. Model reactions in roast aroma formation. 12.

Reaction of glucose with aspartic acid or asparagine at three different temperatures. *Z. Lebensm.-Unters. -Forsch.* 1992, 194, 366-371.

6 Chen, C.-W.; Lu, G.; Ho, C.-T. Generation of proline-specific maillard compounds by the reaction of 2-deoxyglucose with proline. *J. Agric. Food Chem.* 1997, 45, 2996-2999.

7 Chen, J.; Ho, C.-T. Volatile compounds generated in serine-monosaccharide model systems. *J. Agric. Food Chem.* 1998, 46, 1518-1522.

8 Chen, J.; Ho, C.-T. Comparison of volatile generation in serine/threonine/glutamine-ribose/glucose/fructose model systems. *J. Agric. Food Chem.* 1999, 47, 643-647.

9 Chen, Y.; Xing, J.; Chin, C.-K.; Ho, C.-T. Effect of urea on volatile generation from Maillard reaction of cysteine and ribose. *J. Agric. Food Chem.* 2000; 48, 3512-3516.

10 Elmore, J. S.; Campo, M. M.; Enser, M.; Mottram, D. S. Effect of lipid composition on meat-like model systems containing cysteine, ribose, and polyunsaturated fatty acids. *J. Agric. Food Chem.* 2002, 50, 1126-1132.

11 Gi, U.-S.; Baltes, W. Model reactions in Roast Aroma Formation. 14. Formation of 2-acetylpyrido[3,4-d]imidazole by heating of glucose with histidine. *J. Agric. Food Chem.* 1993, 41, 644-646.

12 Güntert, M.; Bertram, H.-J.; Hopp, R.; Silberzahn, W.; Sommer, H.; Werkhoff, P. Thermal generation of flavor compounds from thiamin and various amino acids. In:

Recent Developments In Flavor and Fragrance Chemistry, Hopp, R.; Mori, K., Eds. VCH: Weinheim, 1993; pp 215-240.

13 Güntert, M.; Brüning, J.; Emberger, R.; Köpsel, M.; Kuhn, W.; Thielmann, T.; Werkhoff, P. Identification and formation of some selected sulfur-containing flavor compounds in various meat model systems. *J. Agric. Food Chem.* 1990, 38, 2027-2041.

14 Hofmann, T.; Schieberle, P. Identification of potent aroma compounds in thermally treated mixtures of glucose/cysteine and rhamnose/cysteine using aroma extract dilution techniques. *J. Agric. Food Chem.* 1997, 45, 898-906.

15 Hofmann, T.; Schieberle, P. Flavor contribution and formation of the intense roast-smelling odorants 2-propionyl-1-pyrroline and 2-propionyltetrahydropyridine in Maillard-type reactions. *J. Agric. Food Chem.* 1998, 46, 2721-2726.

16 Hwang, H.-I.; Hartman, T.G.; Ho, C.-T. Relative reactivities of amino acids in the formation of pyridines, pyrroles, and oxazoles. *J. Agric. Food Chem.* 1995, 43, 2917-2921.

17 Kunert-Kirchhoff, J.; Baltes, W. Model reactions on roast aroma formation. 8. Volatile reaction products from the reaction of phenylalanine with 2,5-dimethyl-4-hydroxy-3(2H)-furanone (Furaneol) by cooking in a laboratory autoclave. *Z. Lebensm.-Unters. -Forsch.* 1990, 190, 14-16.

18 Kunert-Kirchhoff, J.; Baltes, W. Model reactions on roast aroma. 7. Specific products of phenylalanine after cooking L-phenylalanine with D-glucose in a laboratory autoclave. *Z. Lebensm.-Unters. -Forsch.* 1990, 190, 9-13.

19 Lu, G.; Yu, T.-H.; Ho, C.-T. Generation of flavor compounds by the reaction of 2-deoxyglucose with selected amino acids. *J. Agric. Food Chem.* 1997, 45, 233-236.

20 Meynier, A.; Mottram, D. S. The effect of pH on the formation of volatile compounds in meat-related model systems. *Food Chem.* 1995, 52, 361-366.

21 Mottram, D.S., Nobrega, I.C.C. Formation of sulfur aroma compounds in reaction mixtures containing cysteine and three different forms of ribose. *J. Agric. Food Chem.* 2002, 50, 4080-4086,

22 Mulders, E. J. Volatile components from the non-enzymatic browning reaction of the cysteine/cystine-ribose system. *Z. Lebensm.-Unters. -Forsch.* 1973, 152, 193-201.

23 Negroni, M.; D'Agostina, A.; Arnoldi, A. Autoxidation in xylose/lysine model systems. *J. Agric. Food Chem.* 2000, 48, 479-483.

24 Silwar, R. Gas chromatography-mass spectrometry investigation of aroma compounds from the reaction of cysteine and rhamnose under roasting conditions. *Z. Lebensm.-Unters. -Forsch.* 1992, 195, 112-119.

25 Tressl, R., Rewicki, D.; Helak, B.; Kamperschroer, H.; Martin, N. Formation of

- 2,3-dihydro-1H-pyrrolizines as proline specific Maillard products. *J. Agric. Food Chem.* 1985, 33, 919-923.
- 26 Tressl, R., Rewicki, D.; Helak, B.; Kamperschroer, H. Formation of pyrrolidines and piperidines on heating L-proline with reducing sugars. *J. Agric. Food Chem.* 1985, 33, 924-928.
- 27 Tressl, R.; Helak, B.; Koepler, H.; Rewicki, D. Formation of 2-(1-pyrrolidinyl)-2-cyclopentenones and cyclopent(b)azepin-8(1H)-ones as proline specific Maillard products. *J. Agric. Food Chem.* 1985, 33, 1132-1137.
- 28 Tressl, R., Grünewald, K.G.; Kersten, E.; Rewicki, D. Formation of pyrroles and tetrahydroindolizin-6-ones as hydroxyproline-specific Maillard products from glucose and rhamnose. *J. Agric. Food Chem.* 1985, 33, 1137-1142.
- 29 Tressl, R.; Grünewald, K.G.; Kersten, E.; Rewicki, D. Formation of pyrroles and tetrahydroindolizin-6-ones as hydroxyproline-specific Maillard products from erythrose and arabinose. *J. Agric. Food Chem.* 1986, 34, 347-350.
- 30 Tressl, R.; Kersten, E.; Rewicki, D. Formation of pyrroles, 2-pyrrolidones, and pyridones by heating of 4-aminobutyric acid and reducing sugars. *J. Agric. Food Chem.* 1993, 41, 2125-2130.
- 31 van den Ouweland, G. A. M.; Peer, H. G. Components contributing to beef flavor. Volatile compounds produced by the reaction of 4-hydroxy-5-methyl-3(2H)-furanone and its thio analog with hydrogen sulfide. *J. Agric. Food Chem.* 1975, 23, 501-505.
- 32 Whitfield, F. B.; Mottram, D. S.; Brock, S.; Puckey, D. J.; Salter, L. J. Effect of phospholipid on the formation of volatile heterocyclic compounds in heated aqueous solutions of amino acids and ribose. *J. Sci. Food Agric.* 1988, 42, 261-272.
- 33 Whitfield, F. B.; Mottram, D. S. Heterocyclic volatiles formed by heating cysteine or hydrogen sulfide with 4-hydroxy-5-methyl-3(2H)-furanone at pH 6.5. *J. Agric. Food Chem.* 2001, 49, 816-822.
- 34 Wilken, C.; Baltes, W. Model reactions in roast aroma formation. 9. Formation of pyrrole-2,5-diones by roasting of aspartic acid and asparagine. *Z. Lebensm.-Unters. -Forsch.* 1990, 191, 116-118.
- 35 Zhang, Y.; Chien, M.; Ho, C.-T. Comparison of the volatile compounds obtained from thermal degradation of cysteine and glutathione in water. *J. Agric. Food Chem.* 1988, 36, 992-996.
- 36 Baltes, W.; Mevissen, L. Model reactions on roast aroma formation. 6. Volatile reaction products from the reaction of phenylalanine with glucose during cooking and roasting. *Z. Lebensm.-Unters. -Forsch.* 1988, 187, 209-214.
- 37 Tai, C.-Y.; Ho, C.-T. Influence of cysteine oxidation on thermal formation of

Maillard aromas. *J. Agric. Food Chem.* 1997, 45, 3586-3589.

38 Yeo, H. C. H.; Shibamoto, T. Microwave-induced volatiles of the Maillard model system under different pH conditions. *J. Agric. Food Chem.* 1991, 39, 370 - 373.

リスト III : その他

2. Xu, Y., Q. Chen, S. Lei, P. Wu, G. Fan, X. Xu, and S. Pan. "Effects of Lard on the Formation of Volatiles from the Maillard Reaction of Cysteine with Xylose." *J Sci Food Agric* 91, no. 12 (2011): 2241-6.

4. Procida, G., B. Stancher, F. Cateni, and M. Zacchigna. "Chemical Composition and Functional Characterisation of Commercial Pumpkin Seed Oil." *J Sci Food Agric* 93, no. 5 (2013): 1035-41.

21. Park, M. H., N. G. Seol, P. S. Chang, S. H. Yoon, and J. H. Lee. "Effects of Roasting Conditions on the Physicochemical Properties and Volatile Distribution in Perilla Oils (*Perilla Frutescens* Var. *Japonica*)." *J Food Sci* 76, no. 6 (2011): C808-16.

27. Liu, X., Q. Jin, Y. Liu, J. Huang, X. Wang, W. Mao, and S. Wang. "Changes in Volatile Compounds of Peanut Oil During the Roasting Process for Production of Aromatic Roasted Peanut Oil." *J Food Sci* 76, no. 3 (2011): C404-12.

28. Agyemang, D., K. Bardsley, S. Brown, K. Kraut, L. Psota-Kelty, and L. Trinnaman. "Identification of 2-Ethyl-4-Methyl-3-Thiazoline and 2-Isopropyl-4-Methyl-3-Thiazoline for the First Time in Nature by the Comprehensive Analysis of Sesame Seed Oil." *J Food Sci* 76, no. 3 (2011): C385-91.

29. Agila, A., and S. A. Barringer. "Volatile Profile of Cashews (*Anacardium Occidentale* L.) from Different Geographical Origins During Roasting." *J Food Sci* 76, no. 5 (2011): C768-74.

31. Gibis, M., and J. Weiss. "Formation of Heterocyclic Amines in Salami and Ham Pizza Toppings During Baking of Frozen Pizza." *J Food Sci* 78, no. 6 (2013): C832-8.

34. Bosch, L., M. L. Sanz, A. Montilla, A. Alegria, R. Farre, and Castillo M. D. del. "Simultaneous Analysis of Lysine, Nepsilon-Carboxymethyllysine and Lysinoalanine from Proteins." *J Chromatogr B Analyt Technol Biomed Life Sci* 860, no. 1 (2007): 69-77.

35. Song, S., X. Zhang, Z. Xiao, Y. Niu, K. Hayat, and K. Eric. "Contribution of Oxidized Tallow to Aroma Characteristics of Beeflike Process Flavour Assessed by Gas Chromatography-Mass Spectrometry and Partial Least Squares Regression." *J Chromatogr A* 1254, (2012): 115-24.
38. Leroy, F., C. Vasilopoulos, Hemelryck S. Van, G. Falony, and Vuyst L. De. "Volatile Analysis of Spoiled, Artisan-Type, Modified-Atmosphere-Packaged Cooked Ham Stored under Different Temperatures." *Food Microbiol* 26, no. 1 (2009): 94-102.
39. Jiang, D., and D. G. Peterson. "Identification of Bitter Compounds in Whole Wheat Bread." *Food Chem* 141, no. 2 (2013): 1345-53.
45. Yamabe, N., Y. J. Kim, S. Lee, E. J. Cho, S. H. Park, J. Ham, H. Y. Kim, and K. S. Kang. "Increase in Antioxidant and Anticancer Effects of Ginsenoside Re-Lysine Mixture by Maillard Reaction." *Food Chem* 138, no. 2-3 (2013): 876-83.
49. Andrewes, P. "Changes in Maillard Reaction Products in Ghee During Storage." *Food Chem* 135, no. 3 (2012): 921-8.
55. Usui, T., S. Yanagisawa, M. Ohguchi, M. Yoshino, R. Kawabata, J. Kishimoto, Y. Arai, K. Aida, H. Watanabe, and F. Hayase. "Identification and Determination of Alpha-Dicarbonyl Compounds Formed in the Degradation of Sugars." *Biosci Biotechnol Biochem* 71, no. 10 (2007): 2465-72.
56. Shinoda, Y., H. Komura, S. Homma, and M. Murata. "Browning of Model Orange Juice Solution: Factors Affecting the Formation of Decomposition Products." *Biosci Biotechnol Biochem* 69, no. 11 (2005): 2129-37.
57. Satoh, M., Y. Nomi, S. Yamada, M. Takenaka, H. Ono, and M. Murata. "Identification of 2,4-Dihydroxy-2,5-Dimethyl-3(2h)-Thiophenone as a Low-Molecular-Weight Yellow Pigment in Soy Sauce." *Biosci Biotechnol Biochem* 75, no. 7 (2011): 1240-4.
58. Nomi, Y., J. Sakamoto, M. Takenaka, H. Ono, and M. Murata. "Conditions for the Formation of Dilysyl-Dipyrrolones a and B, and Novel Yellow Dipyrrolone Derivatives

Formed from Xylose and Amino Acids in the Presence of Lysine." *Biosci Biotechnol Biochem* 75, no. 2 (2011): 221-6.

59. Murata, M., H. Totsuka, and H. Ono. "Browning of Furfural and Amino Acids, and a Novel Yellow Compound, Furpipate, Formed from Lysine and Furfural." *Biosci Biotechnol Biochem* 71, no. 7 (2007): 1717-23.

60. Masuda, S., H. Kanamori, and N. Kinae. "Isolation of Mutagenic Beta-Carboline Derivatives after Nitrite Treatment of Maillard Reaction Mixtures and Analysis of These Compounds from Foodstuffs and Human Urine." *Biosci Biotechnol Biochem* 69, no. 11 (2005): 2232-5.

61. Dai, Z., I. Nemet, W. Shen, and V. M. Monnier. "Isolation, Purification and Characterization of Histidino-Threosidine, a Novel Maillard Reaction Protein Crosslink from Threose, Lysine and Histidine." *Arch Biochem Biophys* 463, no. 1 (2007): 78-88.

62. Lee, S. M., G. Y. Kwon, K. O. Kim, and Y. S. Kim. "Metabolomic Approach for Determination of Key Volatile Compounds Related to Beef Flavor in Glutathione-Maillard Reaction Products." *Anal Chim Acta* 703, no. 2 (2011): 204-11.

67. Cerny, C., and R. Guntz-Dubini. "Identification of 5-Hydroxy-3-Mercapto-2-Pentanone in the Maillard Reaction of Thiamine, Cysteine, and Xylose." *J Agric Food Chem* 56, no. 22 (2008): 10679-82.

73. Gobert, J., and M. A. Glomb. "Degradation of Glucose: Reinvestigation of Reactive Alpha-Dicarbonyl Compounds." *J Agric Food Chem* 57, no. 18 (2009): 8591-7.

75. Chu, F. L., and V. A. Yaylayan. "Isotope Labeling Studies on the Origin of 3,4-Hexanedione and 1,2-Butanedione in an Alanine/Glucose Model System." *J Agric Food Chem* 57, no. 20 (2009): 9740-6.

79. Van, Lancker F., A. Adams, and Kimpe N. De. "Formation of Pyrazines in Maillard Model Systems of Lysine-Containing Dipeptides." *J Agric Food Chem* 58, no. 4 (2010): 2470-8.

82. Festring, D., and T. Hofmann. "Discovery of N(2)-(1-Carboxyethyl)Guanosine

5'-Monophosphate as an Umami-Enhancing Maillard-Modified Nucleotide in Yeast Extracts." *J Agric Food Chem* 58, no. 19 (2010): 10614-22.

85. "Systematic Studies on the Chemical Structure and Umami Enhancing Activity of Maillard-Modified Guanosine 5'-Monophosphates." *J Agric Food Chem* 59, no. 2 (2011): 665-76.

86. Adams, A., V. Kitryte, R. Venskutonis, and Kimpe N. De. "Model Studies on the Pattern of Volatiles Generated in Mixtures of Amino Acids, Lipid-Oxidation-Derived Aldehydes, and Glucose." *J Agric Food Chem* 59, no. 4 (2011): 1449-56.

90. Chen, Y. C., J. T. Chien, B. S. Inbaraj, and B. H. Chen. "Formation and Inhibition of Cholesterol Oxidation Products During Marinating of Pig Feet." *J Agric Food Chem* 60, no. 1 (2012): 173-9.

91. Spanneberg, R., G. Salzwedel, and M. A. Glomb. "Formation of Early and Advanced Maillard Reaction Products Correlates to the Ripening of Cheese." *J Agric Food Chem* 60, no. 2 (2012): 600-7.

93. Hellwig, M., J. Degen, and T. Henle. "3-Deoxygalactosone, a "New" 1,2-Dicarbonyl Compound in Milk Products." *J Agric Food Chem* 58, no. 19 (2010): 10752-60.

95. Moon, J. K., and T. Shibamoto. "Formation of Carcinogenic 4(5)-Methylimidazole in Maillard Reaction Systems." *J Agric Food Chem* 59, no. 2 (2011): 615-8.

97. Kunert, C., A. Walker, and T. Hofmann. "Taste Modulating N-(1-Methyl-4-Oxoimidazolidin-2-Ylidene) Alpha-Amino Acids Formed from Creatinine and Reducing Carbohydrates." *J Agric Food Chem* 59, no. 15 (2011): 8366-74.

100. Van, Lancker F., A. Adams, and Kimpe N. De. "Impact of the N-Terminal Amino Acid on the Formation of Pyrazines from Peptides in Maillard Model Systems." *J Agric Food Chem* 60, no. 18 (2012): 4697-708.

105. Nishigaki, R., T. Watanabe, T. Kajimoto, A. Tada, T. Takamura-Enya, S. Enomoto, H. Nukaya, Y. Terao, A. Muroyama, M. Ozeki, M. Node, T. Hasei, Y. Totsuka, and K. Wakabayashi. "Isolation and Identification of a Novel Aromatic Amine Mutagen

- Produced by the Maillard Reaction." *Chem Res Toxicol* 22, no. 9 (2009): 1588-93.
106. Gomes, R., Silva M. Sousa, A. Quintas, C. Cordeiro, A. Freire, P. Pereira, A. Martins, E. Monteiro, E. Barroso, and Freire A. Ponces. "Argpyrimidine, a Methylglyoxal-Derived Advanced Glycation End-Product in Familial Amyloidotic Polyneuropathy." *Biochem J* 385, no. Pt 2 (2005): 339-45.
112. Adams, A., R. C. Borrelli, V. Fogliano, and Kimpe N. De. "Thermal Degradation Studies of Food Melanoidins." *J Agric Food Chem* 53, no. 10 (2005): 4136-42.
116. Olsen, E., G. Vogt, A. Veberg, D. Ekeberg, and A. Nilsson. "Analysis of Early Lipid Oxidation in Smoked, Comminuted Pork or Poultry Sausages with Spices." *J Agric Food Chem* 53, no. 19 (2005): 7448-57.
117. Cardelle-Cobas, A., F. J. Moreno, N. Corzo, A. Olano, and M. Villamiel. "Assessment of Initial Stages of Maillard Reaction in Dehydrated Onion and Garlic Samples." *J Agric Food Chem* 53, no. 23 (2005): 9078-82.
118. Patzold, R., and H. Bruckner. "Mass Spectrometric Detection and Formation of D-Amino Acids in Processed Plant Saps, Syrups, and Fruit Juice Concentrates." *J Agric Food Chem* 53, no. 25 (2005): 9722-9.
119. Haffenden, L. J., and V. A. Yaylayan. "Mechanism of Formation of Redox-Active Hydroxylated Benzenes and Pyrazine in ¹³C-Labeled Glycine/D-Glucose Model Systems." *J Agric Food Chem* 53, no. 25 (2005): 9742-6.
123. Mark, J., P. Pollien, C. Lindinger, I. Blank, and T. Mark. "Quantitation of Furan and Methylfuran Formed in Different Precursor Systems by Proton Transfer Reaction Mass Spectrometry." *J Agric Food Chem* 54, no. 7 (2006): 2786-93.
126. Ota, M., M. Kohmura, and H. Kawaguchi. "Characterization of a New Maillard Type Reaction Product Generated by Heating 1-Deoxymaltulosyl-Glycine in the Presence of Cysteine." *J Agric Food Chem* 54, no. 14 (2006): 5127-31.
129. Davidek, T., S. Devaud, F. Robert, and I. Blank. "Sugar Fragmentation in the Maillard Reaction Cascade: Isotope Labeling Studies on the Formation of Acetic Acid by

a Hydrolytic Beta-Dicarbonyl Cleavage Mechanism." *J Agric Food Chem* 54, no. 18 (2006): 6667-76.

131. Ge, Pan G., C. M. Oliver, and L. D. Melton. "Alpha-Dicarbonyl Compounds Formed by Nonenzymatic Browning During the Dry Heating of Caseinate and Lactose." *J Agric Food Chem* 54, no. 18 (2006): 6852-7.

134. Busquets, R., L. Puignou, M. T. Galceran, and K. Skog. "Effect of Red Wine Marinades on the Formation of Heterocyclic Amines in Fried Chicken Breast." *J Agric Food Chem* 54, no. 21 (2006): 8376-84.

136. Methven, L., M. Tsoukka, M. J. Oruna-Concha, J. K. Parker, and D. S. Mottram. "Influence of Sulfur Amino Acids on the Volatile and Nonvolatile Components of Cooked Salmon (*Salmo Salar*)." *J Agric Food Chem* 55, no. 4 (2007): 1427-36.

137. Ramirez, R., and R. Cava. "Volatile Profiles of Dry-Cured Meat Products from Three Different Iberian X Duroc Genotypes." *J Agric Food Chem* 55, no. 5 (2007): 1923-31.

139. Noda, Y., and D. G. Peterson. "Structure-Reactivity Relationships of Flavan-3-Ols on Product Generation in Aqueous Glucose/Glycine Model Systems." *J Agric Food Chem* 55, no. 9 (2007): 3686-91.

142. Meltretter, J., S. Seeber, A. Humeny, C. M. Becker, and M. Pischetsrieder. "Site-Specific Formation of Maillard, Oxidation, and Condensation Products from Whey Proteins During Reaction with Lactose." *J Agric Food Chem* 55, no. 15 (2007): 6096-103.

144. De, Schutter D. P., D. Saison, F. Delvaux, G. Derdelinckx, J. M. Rock, H. Neven, and F. R. Delvaux. "Characterization of Volatiles in Unhopped Wort." *J Agric Food Chem* 56, no. 1 (2008): 246-54.

145. Nunes, F. M., and M. A. Coimbra. "Melanoidins from Coffee Infusions. Fractionation, Chemical Characterization, and Effect of the Degree of Roast." *J Agric Food Chem* 55, no. 10 (2007): 3967-77.

149. Adams, A., V. Polizzi, Boekel M. van, and Kimpe N. De. "Formation of Pyrazines

and a Novel Pyrrole in Maillard Model Systems of 1,3-Dihydroxyacetone and 2-Oxopropanal." *J Agric Food Chem* 56, no. 6 (2008): 2147-53.

156. da, Silva Ferreira A. C., S. Reis, C. Rodrigues, C. Oliveira, and Pinho P. G. de. "Simultaneous Determination of Ketoacids and Dicarbonyl Compounds, Key Maillard Intermediates on the Generation of Aged Wine Aroma." *J Food Sci* 72, no. 5 (2007): S314-8.

158. Agila, A., and S. Barringer. "Effect of Roasting Conditions on Color and Volatile Profile Including Hmf Level in Sweet Almonds (*Prunus Dulcis*)." *J Food Sci* 77, no. 4 (2012): C461-8.