

## 文献

1. Ackefors H. - 3. Effects of particular pollutants. Mercury pollution in Sweden with special reference to conditions in the water habitat. *Proc R Soc Lond B Biol Sci (Proceedings of the Royal Society of London. Series B, Biological sciences)*. 1971;177(48):365-387.
2. Al-Majed NB, Preston MR. An Assessment of the Total and Methyl Mercury Content of Zooplankton and Fish Tissue Collected from Kuwait Territorial Waters. *Marine Pollution Bulletin*. 2000;40:298-307.
3. Andersen A, Julshamn K, Ringdal O, Morkore J. - Trace elements intake in the Faroe Islands. II. Intake of mercury and other elements by consumption of pilot whales (*Globicephalus meleanus*). *Sci Total Environ*. 1987;65:63-68.
4. Aoki H. - [Environmental contamination by mercury (Hg series No. 14). 3. Inorganic and organic mercury in human hair and marine fish]. *Nippon Eiseigaku Zasshi*. 1970;24(5):556-562.
5. Aoki H. - [Environmental contamination by mercury (Hg series No. 13). 2. Inorganic and organic mercury in river bottom mud and river fish]. *Nippon Eiseigaku Zasshi*. 1970;24(5):546-555.
6. Ask K, Akesson A, Berglund M, Vahter M. - Inorganic mercury and methylmercury in placentas of Swedish women. *Environ Health Perspect*. 2002;110(5):523-526.
7. Boischio AA, Henshel D. - Fish consumption, fish lore, and mercury pollution--risk communication for the Madeira River people. *Environ Res*. 2000;84(2):108-126.
8. Dales LG. - The neurotoxicity of alkyl mercury compounds. *Am J Med*. 1972;53(2):219-232.
9. de Oliveira Santos EC, de Jesus IM, Brabo ES, et al. - Exposure to mercury in the urban population of Rio Branco City, state of Acre, Brazil. *Bull Environ Contam Toxicol*. 2002;69(3):314-319.
10. Doi R, Fukuyama Y. - [Studies on the mercury accumulation in the fishes in the Ishikari River basin (author's transl)]. *Nippon Eiseigaku Zasshi*. 1980;35(2):467-478.
11. Endo T, Haraguchi K, Sakata M. - Mercury and selenium concentrations in the internal organs of toothed whales and dolphins marketed for human consumption in Japan. *Sci Total Environ*. 2002;300(1-3):15-22.
12. Endo T, Hotta Y, Haraguchi K, Sakata M. - Mercury contamination in the red meat of whales and dolphins marketed for human consumption in Japan. *Environ Sci Technol*. 2003;37(12):2681-2685.
13. Endo T, Haraguchi K, Cipriano F, Simmonds MP, Hotta Y, Sakata M. - Contamination by mercury and cadmium in the cetacean products from Japanese market. *Chemosphere*.

2004;54(11):1653-1662.

14. Evens CC, Martin MD, Woods JS, et al. - Examination of dietary methylmercury exposure in the Casa Pia Study of the health effects of dental amalgams in children. *J Toxicol Environ Health A*. 2001;64(7):521-530.
15. FDA. MERCURY IN FISH: FDA MONITORING PROGRAM (1990-2003). Available at: <http://www.cfsan.fda.gov/~frf/seamehg2.html>. Accessed Apr 7, 2004.
16. FDA. Mercury Levels in Commercial Fish and Shellfish. Available at: <http://www.cfsan.fda.gov/~frf/sea-mehg.html>. Accessed Apr 7, 2004.
17. FDA/CFSAN. Mercury Levels in Seafood Species. Available at: <http://www.cfsan.fda.gov/~frf/sea-mehg.html>. Accessed Jan 7, 2004.
18. FSA. MAFF UK - CONCENTRATIONS OF METALS AND OTHER ELEMENTS IN MARINE FISH AND SHELLFISH. Available at: <http://archive.food.gov.uk/maff/archive/food/infsheet/1998/no151/151fish.htm#table3>. Accessed Apr 7, 2004.
19. FSA. Survey of Mercury Imported Fish and Shellfish and UK Farmed Fish and their Products. Details of individual samples. Available at: [http://www.food.gov.uk/multimedia/pdfs/fsis40\\_2003annex.pdf](http://www.food.gov.uk/multimedia/pdfs/fsis40_2003annex.pdf). Accessed Apr 7, 2004.
20. FSA. MERCURY IN IMPORTED FISH AND SHELLFISH, UK FARMED FISH AND THEIR PRODUCTS. Available at: [http://www.food.gov.uk/multimedia/pdfs/fsis40\\_2003.pdf](http://www.food.gov.uk/multimedia/pdfs/fsis40_2003.pdf). Accessed Apr 7, 2004.
21. Fujiki M. - [Studies on the Course That the Causative Agent of Minamata Disease Was Formed, Especially on the Accumulation of the Mercury Compound in the Fish and Shellfish of Minamata Bay]. *Kumamoto Igakkai Zasshi*. 1963;37:494-521.
22. Hacon S, Yokoo E, Valente J, et al. - Exposure to mercury in pregnant women from Alta Floresta-Amazon basin, Brazil. *Environ Res*. 2000;84(3):204-210.
23. Han B, Jeng WL, Chen RY, Fang GT, Hung TC, Tseng RJ. - Estimation of target hazard quotients and potential health risks for metals by consumption of seafood in Taiwan. *Arch Environ Contam Toxicol*. 1998;35(4):711-720.
24. Haraguchi K, Ando T, Sato M, et al. - Detection of localized methylmercury contamination by use of the mussel adductor muscle in Minamata Bay and Kagoshima Bay, Japan. *Sci Total Environ*. 2000;261(1-3):75-89.
25. Inasmasu T, Ogo A, Yanagawa M, et al. - Mercury concentration change in human hair after the ingestion of canned tuna fish. *Bull Environ Contam Toxicol*. 1986;37(4):475-481.
26. Irukayama K, Ushikusa S, Tajima S, Nakamura H, Kuwahara S. - [Studies on the origin of the causative agent of Minamata disease. IX. Transition of the pollution of Minamata

- Bay and its neighbourhood]. *Nippon Eiseigaku Zasshi*. 1967;22(3):416-423.
27. Joiris CR, Holsbeek L, Moatemri NL. Total and Methylmercury in Sardines Sardinella aurita and Sardina pilchardus from Tunisia. *Marine Pollution Bulletin*. 1999;38:188-192.
28. Joiris CR, Das HK, Holsbeek L. Mercury Accumulation and Speciation in Marine Fish from Bangladesh. *Marine Pollution Bulletin*. 2000;40:454-457.
29. Julshamn K, Andersen A, Ringdal O, Morkore J. - Trace elements intake in the Faroe Islands. I. Element levels in edible parts of pilot whales (*Globicephalus meleanus*). *Sci Total Environ*. 1987;65:53-62.
30. Julshamn K, Lundebye AK, Heggstad K, Berntssen MHC, Boe B. Norwegian monitoring programme on the inorganic and organic contaminants in fish caught in the Barents Sea, Norwegian Sea and North Sea, 1994-2001. *Food Addit Contam*. 2004;21:365-376.
31. Juresa D, Blanusa M. - Mercury, arsenic, lead and cadmium in fish and shellfish from the Adriatic Sea. *Food Addit Contam*. 2003;20(3):241-246.
32. Kawasaki G, Maeda S, Miyamoto I, Nishino H, Arai M. - [Mercury pollution in the Jinzu River (author's transl)]. *Nippon Eiseigaku Zasshi*. 1973;28(4):392-399.
33. Kehrig HA, Malm O, Akagi H, Guimaraes JR, Torres JP. - Methylmercury in fish and hair samples from the Balbina Feservoir, Brazilian Amazon. *Environ Res*. 1998;77(2):84-90.
34. Kosatsky T, Przybysz R, Armstrong B. - Mercury exposure in Montrealers who eat St. Lawrence River sportfish. *Environ Res*. 2000;84(1):36-43.
35. Kurland LT, Faro SN, Siedler H. - Minamata disease. The outbreak of a neurologic disorder in Minamata, Japan, and its relationship to the ingestion of seafood contaminated by mercuric compounds. *World Neurol*. 1960;1:370-395.
36. Llobet JM, Falco G, Casas C, Teixido A, Domingo JL. - Concentrations of arsenic, cadmium, mercury, and lead in common foods and estimated daily intake by children, adolescents, adults, and seniors of Catalonia, Spain. *J Agric Food Chem*. 2003;51(3):838-842.
37. Malm O. - Gold mining as a source of mercury exposure in the Brazilian Amazon. *Environ Res*. 1998;77(2):73-78.
38. Marien K, Patrick GM. - Exposure analysis of five fish-consuming populations for overexposure to methylmercury. *J Expo Anal Environ Epidemiol*. 2001;11(3):193-206.
39. Matsunaga K. - Concentration of mercury by three species of fish from Japanese rivers. *Nature*. 1975;257(5521):49-50.
40. Matthews AD. - Mercury content of commercially important fish of the Seychelles, and hair mercury levels of a selected part of the population. *Environ Res*. 1983;30(2):305-312.
41. Nakagawa R, Yumita Y, Hiromoto M. - Total mercury intake from fish and shellfish by

- Japanese people. *Chemosphere*. 1997;35(12):2909-2913.
42. Renzoni A, Zino F, Franchi E. - Mercury levels along the food chain and risk for exposed populations. *Environ Res*. 1998;77(2):68-72.
43. Santos ECdO, de Jesus IM, Camara VdM, et al. - Mercury exposure in Munduruku Indians from the community of Sai Cinza, State of Para, Brazil. *Environ Res*. 2002;90(2):98-103.
44. Sanzo JM, Dorronsoro M, Amiano P, Amurrio A, Aguinagalde FX, Azpiri MA. - Estimation and validation of mercury intake associated with fish consumption in an EPIC cohort of Spain. *Public Health Nutr (Public health nutrition)*. 2001;4(5):981-988.
45. Schintu M, Jean-Caurant F, Amiard JC. - Organomercury determination in biological reference materials: application to a study on mercury speciation in marine mammals off the Faroe Islands. *Ecotoxicol Environ Saf*. 1992;24(1):95-101.
46. Shishido S, Suzuki T. - Estimation of daily intake of inorganic or organic mercury via diet. *Tohoku J Exp Med*. 1974;114(4):369-377.
47. Simmonds MP, Haraguchi K, Endo T, Cipriano F, Palumbi SR, Troisi GM. - Human health significance of organochlorine and mercury contaminants in Japanese whale meat. *J Toxicol Environ Health A*. 2002;65(17):1211-1235.
48. Storelli MM, Giacominelli Stuffler R, Marcotrigiano GO. - Total mercury in muscle of benthic and pelagic fish from the South Adriatic Sea (Italy). *Food Addit Contam*. 1998;15(8):876-883.
49. Storelli MM, Marcotrigiano GO. - Fish for human consumption: risk of contamination by mercury. *Food Addit Contam*. 2000;17(12):1007-1011.
50. Storelli MM, Stuffler RG, Marcotrigiano GO. - Total and methylmercury residues in tuna-fish from the Mediterranean sea. *Food Addit Contam*. 2002;19(8):715-720.
51. 水産庁. Hg in Fish(H14-15). Available at:  
<http://www.jfa.maff.go.jp/release/15.06.02.2.html>. Accessed Jan-26, 2004.
52. Sumino K. - Analysis of organic mercury compounds by gas chromatography. II. Determination of organic mercury compounds in various samples. *Kobe J Med Sci*. 1968;14(2):131-148.
53. Suzuki T, Hongo T, Yamamoto R. - Hair mercury levels of Japanese women during the period 1881 to 1968. *J Appl Toxicol*. 1984;4(2):101-104.
54. Suzuki T, Hongo T, Morita M, Yamamoto R. - Elemental contamination of Japanese women's hair from historical samples. *Sci Total Environ*. 1984;39(1-2):81-91.
55. Takizawa Y. - Studies on the Niigata episode of Minamata disease outbreak. Investigation of causative agents of organic mercury poisoning in the district along the river Agano. *Acta Med Biol*. 1970;17(4):293-297.

- 56.**Takizawa Y, Kosaka T, Sugai R, Sasagawa I, Sekiguchi C. - Studies on the cause of the Niigata episode of Minamata disease outbreak. *Acta Med Biol.* 1972;19(3):193-206.
- 57.**Tokuomi H. - [Minamata disease]. *Naika.* 1968;21(5):864-870.
- 58.**Tokuomi H, Ideta T. - [Organic mercury]. *Naika.* 1971;27(5):833-839.
- 59.**Ueda K, Aoki H. - [Relationship between methylmercury contained in food and the hair]. *Nippon Ishikai Zasshi.* 1969;61(9):1034-1038.
- 60.**Yamaguchi S, Matsumoto H, Kaku S, Tateishi M, Shiramizu M. - Factors affecting the amount of mercury in human scalp hair. *Am J Public Health.* 1975;65(5):484-488.
- 61.**Yamanaka S, Ueda K. - [Studies on mercury dynamics in fish (Hg series No. 15). 1st report; Relationship between mercury levels in fish and mercury contamination of river (author's transl)]. *Nippon Eiseigaku Zasshi.* 1974;28(6):574-581.